



Public Health Outcomes Framework

Indicators at a glance (May 2015)

Notes:

- Value cells are shaded **red**, **amber** or **green** where the England value can be benchmarked against a goal.
- In the change columns, prev refers to the change in England value compared to the previous data point; base refers to the change in England value compared to the baseline value.
- Changes are only shown if they are statistically significant. An upwards arrow (↑, ↑ or ↑) represents a significant increase in the indicator value, a downwards arrow (↓, ↓ or ↓) represents a significant decrease. A sideways arrow (↔) is displayed if there has been no significant change.
- The arrows are coloured **green** and **red** for those indicators where a change can be described as improving or worsening respectively.
- Indicators where data has been updated or revised in the May 2015 update have been **shaded** in the tables.

Domain: Overarching indicators					
Indicator	Period	Value	Unit	Change from	
				prev	base
0.1i - Healthy life expectancy at birth (Male)	2011 - 13	63.3	Years	↔	↔
0.1i - Healthy life expectancy at birth (Female)	2011 - 13	63.9	Years	↔	↔
0.1ii - Life Expectancy at birth (Male)	2011 - 13	79.4	Years	↑	↑
0.1ii - Life Expectancy at birth (Female)	2011 - 13	83.1	Years	↑	↑
0.1ii - Life Expectancy at 65 (Male)	2011 - 13	18.7	Years	↑	↑
0.1ii - Life Expectancy at 65 (Female)	2011 - 13	21.1	Years	↑	↑
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2011 - 13	9.1	Years	↔	↔
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2011 - 13	6.9	Years	↔	↔
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)	2011 - 13	80	Count	↔	↔
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)	2011 - 13	73	Count	↔	↔
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2011 - 13	-	Years		
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2011 - 13	-	Years		
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2011 - 13	-	Years		
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2011 - 13	-	Years		
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2011 - 13	19.2	Years	↔	↔
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2011 - 13	19.5	Years	↔	↔
02.vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2011-13	-	Years		
02.vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2011-13	-	Years		

Domain: Wider determinants of health

Indicator	Period	Value	Unit	Change from	
				prev	base
1.01i - Children in poverty (all dependent children under 20)	2012	18.6	%	↓	↓
1.01ii - Children in poverty (under 16s)	2012	19.2	%	↓	↓
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception	2013/14	60.4	%	↑	↑
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception	2013/14	44.8	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check	2013/14	74.2	%	↑	↑
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check	2013/14	61.3	%	↑	↑
1.03 - Pupil absence	2012/13	5.3	%	↑	↓
1.04 - First time entrants to the youth justice system	2013	441	Crude rate per 100,000	↓	↓
1.05 - 16-18 year olds not in education employment or training	2013	5.3	%	↓	↓
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2013/14	74.9	%		
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male)	2013/14	74.5	%		
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female)	2013/14	75.4	%		
1.06ii - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2013/14	60.8	%		
1.06ii - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2013/14	59.4	%		
1.06ii - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2013/14	62.4	%		
1.07 - People in prison who have a mental illness or a significant mental illness	2012/13	4.35	%	↓	↓
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2013/14	8.7	Count		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (persons)	2013/14	65.0	Count		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (males)	2013/14	69.5	Count		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (females)	2013/14	60.7	Count		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (persons)	2013/14	64.7	Count		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (males)	2013/14	71.1	Count		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (females)	2013/14	58.0	Count		
1.09i - Sickness absence - The percentage of employees who had at least one day off in the previous week	2010-12	2.5	%	↑	↑
1.09ii - Sickness absence - The percent of working days lost due to sickness absence	2010-12	1.6	%	↔	↔
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2011-13	39.7	Crude rate per 100,000	↓	↓
1.11 - Domestic Abuse	2013/14	19.4	Crude rate per 1,000	↑	↑
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2011/12 - 2013/14	52.4	DSR per 100,000	↓	↓
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2013/14	11.1	Crude rate per 1,000	↑	↓
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population	2013/14	1.01	Crude rate per 1,000	↑	↑
1.13i - Re-offending levels - percentage of offenders who re-offend	2012	25.9	%	↓	↓
1.13ii - Re-offending levels - average number of re-offences per offender	2012	0.77	Crude rate per offender	↓	↑
1.14i - The rate of complaints about noise	2012/13	7.5*	Crude rate per 1,000	↔	↓
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.2	%		
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	8.0	%		
1.15i - Statutory homelessness - homelessness acceptances	2013/14	2.3	Crude rate per 1,000	↓	↑
1.15ii - Statutory homelessness - households in temporary accommodation	2013/14	2.6	Crude rate per 1,000	↑	↑
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2013 - Feb 2014	17.1	%	↑	↑
1.17 - Fuel Poverty	2012	10.4	%	↓	↓
1.18i - Social Isolation: % of adult social care users who have as much social contact as they would like	2013/14	44.5	%	↑	↑
1.18ii - Social Isolation: % of adult carers who have as much social contact as they would like	2012/13	41.3	%		
1.19i - Older people's perception of community safety - safe in local area during the day	2013/14	96.9	%	↔	↔
1.19ii - Older people's perception of community safety - safe in local area after dark	2013/14	62.8	%	↔	↔
1.19iii - Older people's perception of community safety - safe in own home at night	2013/14	93.3	%	↔	↔

Domain: Health improvement

Indicator	Period	Value	Unit	Change from	
				prev	base
2.01 - Low birth weight of term babies	2012	2.8	%	↔	↔
2.02i - Breastfeeding - Breastfeeding initiation	2013/14	73.9	%	↔	↑
2.02ii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	2013/14	*	%		
2.03 - Smoking status at time of delivery	2013/14	12.0*	%	↓	↓
2.04 - Under 18 conceptions	2013	24.3	Crude rate per 1,000	↓	↓
2.04 - Under 18 conceptions: conceptions in those aged under 16	2013	4.8	Crude rate per 1,000	↓	↓
2.06i - Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2013/14	22.5	%	↑	↔
2.06ii - Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2013/14	33.5	%	↔	↔
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2013/14	112.2	Crude rate per 10,000	↑	↓
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2013/14	140.8	Crude rate per 10,000	↑	↔
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24)	2013/14	136.7	Crude rate per 10,000	↑	↓
2.08 - Emotional well-being of looked after children	2013/14	13.9	Score		
2.09ii - Smoking prevalence age 15 years - regular smokers	2013	8	%	↔	↓
2.09iii - Smoking prevalence age 15 years - occasional smokers	2013	10	%	↔	↔
2.11i - Fruit and Veg '5-a-day'	2014	56.3	%		
2.11ii - Average number of portions of fruit eaten	2014	2.64	Count		
2.11iii - Average number of portions of vegetables eaten	2014	2.36	Count		
2.12 - Excess Weight in Adults	2012	63.8	%		
2.13i - Percentage of physically active and inactive adults - active adults	2013	55.6	%	↔	↔
2.13ii - Percentage of active and inactive adults - inactive adults	2013	28.9	%	↔	↔
2.14 - Smoking Prevalence	2013	18.4	%	↓	↓
2.14 - Smoking prevalence - routine & manual	2013	28.6	%	↓	↓
2.15i - Successful completion of drug treatment - opiate users	2013	7.8	%	↓	↑
2.15ii - Successful completion of drug treatment - non-opiate users	2013	37.7	%	↔	↑
2.16 - People entering prison with substance dependence issues who are previously not known to community treatment	2012/13	46.9	%		
2.17 - Recorded diabetes	2013/14	6.21	%	↑	↑
2.18 - Alcohol related admissions to hospital (Persons)	2012/13	637	DSR per 100,000	↓	↓
2.18 - Alcohol related admissions to hospital (Male)	2012/13	829	DSR per 100,000	↓	↓
2.18 - Alcohol related admissions to hospital (Female)	2012/13	465	DSR per 100,000	↓	↓
2.19 - Cancer diagnosed at early stage (Experimental Statistics)	2013	45.7	%	↑	↑
2.20i - Cancer screening coverage - breast cancer	2014	75.9	%	↓	↓
2.20ii - Cancer screening coverage - cervical cancer	2014	74.2	%	↑	↓
2.21i - Antenatal infectious disease screening – HIV coverage	2013/14	98.9	%		
2.21iii - Antenatal Sickle Cell and Thalassaemia Screening - coverage	2013/14	98.9	%		
2.21iv - Newborn bloodspot screening - coverage	2013/14	93.5	%		
2.21v - Newborn Hearing screening - Coverage	2013/14	98.5	%		
2.21vii - Access to non-cancer screening programmes - diabetic retinopathy	2012/13	79.1	%	↓	↔
2.21viii - Abdominal Aortic Aneurysm Screening	2013/14	95.9	%		
2.22iii - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check	2013/14	18.4	%		
2.22iv - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14	49.0	%		
2.22v - Cumulative % of the eligible population aged 40-74 who received an NHS Health check	2013/14	9.0	%		
2.23i - Self-reported well-being - people with a low satisfaction score	2013/14	5.6	%	↔	↓
2.23ii - Self-reported well-being - people with a low worthwhile score	2013/14	4.2	%	↔	↓
2.23iii - Self-reported well-being - people with a low happiness score	2013/14	9.7	%	↓	↓
2.23iv - Self-reported well-being - people with a high anxiety score	2013/14	20.0	%	↓	↓
2.23v - Average Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) score	2010-12	37.7	Score		
2.24i - Injuries due to falls in people aged 65 and over (Persons)	2013/14	2064	DSR per 100,000	↑	↑
2.24i - Injuries due to falls in people aged 65 and over (males/females) (Male)	2013/14	1661	DSR per 100,000	↑	↑
2.24i - Injuries due to falls in people aged 65 and over (males/females) (Female)	2013/14	2467	DSR per 100,000	↑	↔
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (persons)	2013/14	989	DSR per 100,000	↔	↓
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (males)	2013/14	799	DSR per 100,000		
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (females)	2013/14	1180	DSR per 100,000		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (persons)	2013/14	5182	DSR per 100,000	↑	↑
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (males)	2013/14	4162	DSR per 100,000		
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (females)	2013/14	6201	DSR per 100,000		

Domain: Health protection

Indicator	Period	Value	Unit	Change from	
				prev	base
3.01 - Fraction of mortality attributable to particulate air pollution	2012	5.1	%		
3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Persons)	2013	2016	Crude rate per 100,000	↔	↔
3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Male)	2013	1387	Crude rate per 100,000	↔	↔
3.02 - Chlamydia screening detection rate (15-24 year olds) - CTAD (Female)	2013	2634	Crude rate per 100,000	↔	↔
3.03i - Population vaccination coverage - Hepatitis B (1 year old)	2013/14	*	%		
3.03i - Population vaccination coverage - Hepatitis B (2 years old)	2013/14	*	%		
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2013/14	94.3*	%	↓	↑
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2013/14	96.1*	%	↓	↑
3.03iv - Population vaccination coverage - MenC	2012/13	93.9*	%	↔	↑
3.03v - Population vaccination coverage - PCV	2013/14	94.1*	%	↓	↑
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old)	2013/14	92.5	%	↓	↑
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years)	2013/14	91.9*	%	↑	↑
3.03vii - Population vaccination coverage - PCV booster	2013/14	92.4*	%	↔	↑
3.03viii - Population vaccination coverage - MMR for one dose (2 years old)	2013/14	92.7*	%	↑	↑
3.03ix - Population vaccination coverage - MMR for one dose (5 years old)	2013/14	94.1*	%	↑	↑
3.03x - Population vaccination coverage - MMR for two doses (5 years old)	2013/14	88.3*	%	↑	↑
3.03xii - Population vaccination coverage - HPV	2013/14	86.7	%	↑	↑
3.03xiii - Population vaccination coverage - PPV	2013/14	68.9	%	↓	↓
3.03xiv - Population vaccination coverage - Flu (aged 65+)	2013/14	73.2	%	↓	↑
3.03xv - Population vaccination coverage - Flu (at risk individuals)	2013/14	52.3	%	↑	↑
3.04 - People presenting with HIV at a late stage of infection	2011 - 13	45.0	%	↓	↓
3.05i - Treatment completion for TB	2012	83.3	%	↔	↔
3.05ii - Incidence of TB	2011 - 13	14.8	%	↔	↓
3.06 - NHS organisations with a board approved sustainable development management plan	2013/14	41.6	%		
3.07 - Comprehensive, agreed inter-agency plans for responding to health protection incidents and emergencies	2014/15	95.2	%		

Domain: Healthcare and premature mortality

Indicator	Period	Value	Unit	Change from	
				prev	base
4.01 - Infant mortality	2011 - 13	4.0	Crude rate per 1,000	↔	↓
4.02 - Tooth decay in children aged 5	2011/12	0.94	Mean dmft per child		
4.03 - Mortality rate from causes considered preventable (Persons)	2011-13	183.9	DSR per 100,000	↓	↓
4.03 - Mortality rate from causes considered preventable (Male)	2011-13	233.1	DSR per 100,000	↓	↓
4.03 - Mortality rate from causes considered preventable (Female)	2011-13	138.0	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2011-13	78.2	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2011-13	109.5	DSR per 100,000	↓	↓
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2011-13	48.6	DSR per 100,000	↓	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2011-13	50.9	DSR per 100,000	↓	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2011-13	76.7	DSR per 100,000	↓	↓
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2011-13	26.5	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Persons)	2011-13	144.4	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Male)	2011-13	160.9	DSR per 100,000	↓	↓
4.05i - Under 75 mortality rate from cancer (Female)	2011-13	129.9	DSR per 100,000	↔	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2011-13	83.8	DSR per 100,000	↓	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2011-13	91.3	DSR per 100,000	↔	↓
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2011-13	76.9	DSR per 100,000	↔	↓
4.06i - Under 75 mortality rate from liver disease (Persons)	2011-13	17.9	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Male)	2011-13	23.6	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Female)	2011-13	12.5	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2011-13	15.7	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2011-13	21.1	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2011-13	10.5	DSR per 100,000	↔	↔
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2011-13	33.2	DSR per 100,000	↔	↓
4.07i - Under 75 mortality rate from respiratory disease (Male)	2011-13	39.1	DSR per 100,000	↔	↓
4.07i - Under 75 mortality rate from respiratory disease (Female)	2011-13	27.6	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2011-13	17.9	DSR per 100,000	↔	↑
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2011-13	20.4	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2011-13	15.5	DSR per 100,000	↔	↔
4.08 - Mortality from communicable diseases (Persons)	2011-13	62.2	DSR per 100,000	↓	↓
4.08 - Mortality from communicable diseases (Male)	2011-13	72.1	DSR per 100,000	↓	↓
4.08 - Mortality from communicable diseases (Female)	2011-13	56.2	DSR per 100,000	↓	↓
4.09 - Excess under 75 mortality rate in adults with serious mental illness	2012/13	347.2	Indirectly standardised ratio	↑	↑
4.10 - Suicide rate (Persons)	2011-13	8.8	DSR per 100,000	↔	↔
4.10 - Suicide rate (Male)	2011-13	13.8	DSR per 100,000	↑	↑
4.10 - Suicide rate (Female)	2011-13	4.0	DSR per 100,000	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	11.8	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	12.1	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	11.5	Indirectly standardised proportion	↔	↔
4.12i - Preventable sight loss - age related macular degeneration (AMD)	2012/13	123.1	Crude rate per 100,000	↓	↓
4.12ii - Preventable sight loss - glaucoma	2012/13	12.5	Crude rate per 100,000	↔	↔
4.12iii - Preventable sight loss - diabetic eye disease	2012/13	3.5	Crude rate per 100,000	↓	↔
4.12iv - Preventable sight loss - sight loss certifications	2012/13	42.3	Crude rate per 100,000	↓	↔
4.13 - Health related quality of life for older people	2012/13	0.726	Score	↔	↔
4.14i - Hip fractures in people aged 65 and over (persons)	2013/14	580	DSR per 100,000	↑	↔
4.14i - Hip fractures in people aged 65 and over (males)	2013/14	423	DSR per 100,000		
4.14i - Hip fractures in people aged 65 and over (females)	2013/14	737	DSR per 100,000		
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (persons)	2013/14	240	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (males)	2013/14	164	DSR per 100,000		
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (females)	2013/14	316	DSR per 100,000		
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (persons)	2013/14	1566	DSR per 100,000	↑	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (males)	2013/14	1176	DSR per 100,000		
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (females)	2013/14	1956	DSR per 100,000		
4.15i - Excess Winter Deaths Index (Single year, all ages) (persons)	Aug 2012 - Jul 2013	20.1	Ratio	↑	↑
4.15i - Excess Winter Deaths Index (Single year, all ages) (males)	Aug 2012 - Jul 2013	17.5	Ratio		
4.15i - Excess Winter Deaths Index (Single year, all ages) (females)	Aug 2012 - Jul 2013	22.6	Ratio		
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (persons)	Aug 2012 - Jul 2013	28.2	Ratio	↑	↑
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (males)	Aug 2012 - Jul 2013	26.7	Ratio		

4.15ii - Excess Winter Deaths Index (single year, ages 85+) (females)	Aug 2012 - Jul 2013	29.1	Ratio		
4.15iii - Excess Winter Deaths Index (3 years, all ages) (persons)	Aug 2010 - Jul 2013	17.4	Ratio	↑	↑
4.15iii - Excess Winter Deaths Index (3 years, all ages) (males)	Aug 2010 - Jul 2013	15.5	Ratio		
4.15iii - Excess Winter Deaths Index (3 years, all ages) (females)	Aug 2010 - Jul 2013	19.3	Ratio		
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (persons)	Aug 2010 - Jul 2013	24.1	Ratio	↑	↑
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (males)	Aug 2010 - Jul 2013	23.2	Ratio		
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (females)	Aug 2010 - Jul 2013	24.6	Ratio		
4.16 - Estimated diagnosis rate for people with dementia	2013/14	52.5	%		