



06 April 2016

Year: 2016 Week: 13

In This Issue:

- Key messages.
- Diagnostic indicators at a glance.
- GP practices and denominator population.
- National syndromic indicators.
- Notes and further information.
- Appendix.

Key messages

Data to: 03 April 2016

Consultations for scarlet fever decreased in week 13 (week 4 & 4a)

Influenza-like illness continued to decrease during week 13 but remains above seasonally expected levels (figure 2); the highest rates were observed in the south west (figure 2b & appendix map).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): **Level 1 Winter Preparedness and Action**
<http://www.metoffice.gov.uk/weather/uk/coldweatheralert/>

Diagnostic indicators at a glance:

| Indicator | Trend | Level |
|-----------------------------------|------------|----------------------------|
| Upper respiratory tract infection | decreasing | above baseline levels |
| Influenza-like illness | decreasing | above baseline levels |
| Pharyngitis | decreasing | above baseline levels |
| Scarlet fever | decreasing | above baseline levels |
| Lower respiratory tract infection | no trend | above baseline levels |
| Pneumonia | no trend | above baseline levels |
| Gastroenteritis | decreasing | below baseline levels |
| Vomiting | decreasing | similar to baseline levels |
| Diarrhoea | decreasing | below baseline levels |
| Severe asthma | no trend | above baseline levels |
| Wheeze | decreasing | above baseline levels |
| Conjunctivitis | decreasing | below baseline levels |
| Mumps | no trend | below baseline levels |
| Measles | no trend | below baseline levels |
| Rubella | no trend | similar to baseline levels |
| Pertussis | no trend | above baseline levels |
| Chickenpox | no trend | below baseline levels |
| Herpes zoster | no trend | similar to baseline levels |
| Cellulitis | no trend | similar to baseline levels |
| Impetigo | decreasing | below baseline levels |

GP practices and denominator population:

| Year | Week | GP Practices Reporting** | Population size** |
|------|------|--------------------------|-------------------|
| 2016 | 13 | 3912 | 29.9 million |


**based on the average number of practices and denominator population in the reporting working week.

06 April 2016

Year: 2016 Week: 13


1: Upper respiratory tract infection (URTI)

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




1a: Upper respiratory tract infection (URTI) by age

Average daily incidence rate by week per 100,000 population (all England)



2: Influenza-like illness (ILI)


Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).



* 7-day moving average adjusted for bank holidays.


2a: Influenza-like illness (ILI) by age

Average daily incidence rate by week per 100,000 population (all England)




2b: Influenza-like illness (ILI) by PHE Centre

Average daily incidence rate by week per 100,000 population (using geographical boundaries of the 9 PHE centres)



3: Pharyngitis or scarlet fever


Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).



* 7-day moving average adjusted for bank holidays.


4: Scarlet fever

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, based on a population denominator of approximately 5.5 million patients).



4a: Scarlet fever by age


Average daily incidence rate by week per 100,000 population (all England) based on a population denominator of approximately 5.5 million patients).



5: Lower respiratory tract infection (LRTI)

Daily incidence rate

(and 7-day moving average*) per 100,000 population (all England, * 7-day moving average adjusted for bank holidays.




06 April 2016

Year: 2016 Week: 13


6: Pneumonia

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




6a: Pneumonia by age

Average daily incidence rate by week per 100,000 population (all England)



7: Gastroenteritis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


8: Vomiting

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




8a: Vomiting by age

Average daily incidence rate by week per 100,000 population (all England)



9: Diarrhoea

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


9a. Diarrhoea by age

Average daily incidence rate by week per 100,000 population (all England)




10: Severe asthma

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



10a: Severe asthma by age

Average daily incidence rate by week per 100,000 population (all England)




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


11: Wheeze

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




11a: Wheeze by age

Average daily incidence rate by week per 100,000 population (all England)



12: Conjunctivitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


13: Mumps

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




14: Measles

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



15: Rubella

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


16: Pertussis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




17: Chickenpox

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



18: Herpes zoster

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




* 7-day moving average adjusted for bank holidays.

06 April 2016

Year: 2016 Week: 13


19: Cellulitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



20: Impetigo

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



Intentionally left blank

* 7-day moving average adjusted for bank holidays.

Notes and further information

- The Public Health England GP in hours surveillance system is a syndromic surveillance system monitoring community-based morbidity recorded by GP practices.
- GP consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
- This system captures anonymised GP morbidity data from two GP clinical software systems, EMIS, from version 1 of the QSurveillance® database, and TPP SystemOne.
- Historic baselines are smoothed to remove bank holiday effects. Data from 2009 has been excluded for selected indicators which were affected by the H1N1 influenza pandemic. No baseline is currently included for allergic rhinitis.

Maps:

- From week 40 2015 the influenza-like illness thresholds illustrated in the bulletin appendix maps are calculated using the “Moving Epidemic Method” (MEM).¹ MEM is used as a standard methodology for setting influenza surveillance thresholds across Europe.²
- The ILI thresholds have been calculated separately for each of the nine PHE Centres to allow for structural differences between areas e.g. background rates are historically higher in London than other areas of England.
- The current ILI thresholds are based on six previous influenza seasons (excluding the 2009/10 H1N1 pandemic). In future, thresholds will be recalculated each year incorporating the latest season’s data.
- The maps on the following pages contains Ordnance Survey data © Crown copyright and database right 2014. Contains National Statistics data © Crown copyright and database right 2014.

¹ Vega T et al. *Influenza Other Respir Viruses*. 2013;7(4):546-58.

² Green HK et al. *Epidemiol Infect*. 2015;143(1):1-12.

Acknowledgements:

We thank and acknowledge the University of Nottingham, ClinRisk® and the contribution of EMIS and EMIS practices. Data source: version 1 of the QSurveillance® database.

We thank TPP, ResearchOne and the SystemOne GP practices contributing to this surveillance system.

GP In Hours Syndromic Surveillance System Bulletin.

Produced by: PHE Real-time Syndromic Surveillance Team
6th Floor, 5 St Philip’s Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 **Fax:** 0121 236 2215


Web: <https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses>

Contact ReSST:
syndromic-surveillance
@phe.gov.uk


England

Influenza-like illness
GP consultations
by LA
(England)


Week 10




Week 11



Week 12




Week 13




North East

Influenza-like illness GP consultations by LA (North East PHE Centre)


Week 10




Week 11



Week 12




Week 13




Yorkshire & Humber

Influenza-like illness GP consultations by LA (Yorkshire & Humber PHE Centre)


Week 10




Week 11



Week 12




Week 13




North West

Influenza-like illness
GP
consultations
by LA (North
West PHE
Centre)


Week 10




Week 11



Week 12




Week 13




East Midlands

Influenza-like illness
GP
consultations
by LA (East
Midlands
PHE Centre)


Week 10




Week 11



Week 12



Week 13




04 April 2016

Year: 2016 Week: 13


West Midlands

Influenza-like illness GP consultations by LA (West Midlands PHE Centre)


Week 10




Week 11



Week 12




Week 13




East of England

Influenza-like illness GP consultations by LA (East of England PHE Centre)


Week 10




Week 11



Week 12




Week 13




South East

Influenza-like illness
GP
consultations
by LA (South
East PHE
Centre)


Week 10




Week 11



Week 12




Week 13




London

Influenza-like illness GP consultations by LA (London PHE Centre)


Week 10




Week 11



Week 12




Week 13




South West

Influenza-like illness
GP
consultations
by LA (South
West PHE
Centre)


Week 10



Week 11



Week 12



Week 13

