

GP OOHSS

GP Out-of-Hours Surveillance System: England

19 May 2015

Year: 2015 Week: 20

In This Issue:

Key Messages. Weekly summary. Total contacts. Syndromic indicators. Notes and caveats. Further information. Acknowledgements.

Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

Key messages

Data to: 17 May 2015

There were small increases in GP out of hours consultations for diarrhoea and vomiting during week 20 (figures 8 and 9).

Key indicator	No. of contacts	% Week 20	% Week 19	Trend*
All OOH contacts, all causes	202,881			
Acute respiratory infection	13,570	14.28	15.49	←→
Influenza-like illness	144	0.15	0.17	←→
Bronchitis/bronchiolitis	126	0.13	0.17	$\mathbf{\Psi}$
Difficulty breathing/wheeze/asthma	1,943	2.04	2.19	←→
Pharyngitis	96	0.10	0.12	←→
Gastroenteritis	5,014	5.28	5.34	←→
Diarrhoea	1,262	1.33	1.24	^
Vomiting	1,709	1.80	1.72	^
Myocardial infarction	995	1.05	1.13	←→



*Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).


19 May 2015

鯋

Public Health England

2: Acute Respiratory Infection daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

4: Bronchitis/ bronchiolitis daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

*7-day moving average adjusted for bank holidays.



GP OOHSS

19 May 2015

5: Difficulty breathing/ wheeze/asthma daily contacts.

4.5

4.0

3.5

3.0

2.5

2.0

1.5

1.0

0.5

Percentage of Read coded contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.


5a: Difficulty breathing/wheeze/ asthma weekly contacts by age group.


6: Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

*7-day moving average adjusted for bank holidays.








GP OOHSS

鯋 Public Health England

19 May 2015

7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.





8: Diarrhoea daily contacts.


<1yr

Shown as a percentage of the total contacts with a Read code and as a 7 day average*.

*7-day moving average adjusted for bank holidays.







GP OOHSS

GP OOHSS


Year: 2015 Week: 20

With Public Health England


19 May 2015

8a: Diarrhoea weekly contacts by age group.


Shown as a percentage of the total contacts with a Read code and as a 7 day average*.




Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



*7-day moving average adjusted for bank holidays.






18/05/14 15/06/14 13/07/14 10/08/14 07/09/14 05/10/14 02/11/14 30/11/14 25/01/15 22/02/15 22/03/15 19/04/15 17/05/15


19 May 2015

GP OOHSS

Year: 2015 Week: 20



Shown as a percentage of the total contacts with a Read code and as a 7 day average*.



Intentionally left blank.

Intentionally left blank.

*7-day moving average adjusted for bank holidays.

GP OOHSS

19 May 2015	Year: 2015 Week: 20
Notes and caveats:	 This bulletin presents data from the Public Health England (PHE) GP Out-of- hours\Unscheduled Care Surveillance System (GP OOHSS).
	 Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
	 This new system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
	• The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
	• GP OOH consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
Further information:	The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:
	https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses
Acknowledgements:	We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.
	PHE Out-of-Hours/Unscheduled Care Surveillance
	Produced by: PHE Real-time Syndromic Surveillance Team
Contact ReSST: syndromic.surveillance	6 th Floor, 5 St Philip's Place, Birmingham, B3 2PW Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215 Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and

-analyses