

Protecting and improving the nation's health


## Local Summary of Legionnaires' disease in Residents of England and Wales, 2014

## South Midlands and Hertfordshire

This report provides a short summary of Legionella activity in residents of South Midlands and Hertfordshire, with particular emphasis on cases with onset of symptoms during 2014. Data for years 2012 and 2013 and in some tables and graphs, for years 2005 to 2013, are presented for comparative purposes.

For wider analysis of Legionella activity across England and Wales along with case definitions and a detailed methodology, please refer to the annual report, Legionnaires' disease in England and Wales; 2014, available on the Public Health England website at; <a href="https://www.gov.uk/government/statistics/legionnaires-disease-in-england-and-wales-2014">https://www.gov.uk/government/statistics/legionnaires-disease-in-england-and-wales-2014</a>

**Figure 1:** Number of cases of legionellosis (confirmed and presumptive) in residents of South Midlands and Hertfordshire by year of onset of symptoms; 2005 – 2014



PHE publications gateway number: 2015145

Published: September 2015

**Table 1:** Number of cases of legionellosis (confirmed and presumptive) in residents of South Midlands and Hertfordshire by disease type and year of onset; 2012 – 2014

	Number of confirmed (presumptive*) cases						
	2012	2013	2014	<b>Total</b> (2012 - 2014)			
Legionnaires' disease	13	17 (1)	11	42			
Non-pneumonic Legionellosis	-	1	-	1			
Pontiac fever	-	-	-	0			
Total	13	19	11	43			

<sup>\*</sup> presumptive cases with only a single high titre or PCR result

**Table 2:** Number and population rate per million of confirmed cases of Legionnaires' disease in residents of South Midlands and Hertfordshire by year of onset; 2012 – 2014


Region	20	)12	20	)13	2014		<b>Total</b> (2012 - 2014)	
	n	Rate	n	Rate	n	Rate	n	Rate
South Midlands and Hertfordshire	13	4.75	17	6.21	11	4.02	41	4.99
National	306	5.40	285	5.03	331	5.84	922	5.42

**Table 3:** Number and proportion of confirmed Legionnaires' disease cases in residents of South Midlands and Hertfordshire by likely exposure category; 2012 – 2014

Category	2012	2013	2014	Total	National Total (2012 - 2014)
Community <sup>∓</sup>	6 (46.2)	12 (70.6)	6 (54.5)	24 (58.5)	546 (59.2)
Nosocomial	1 (7.7)	-	1 (9.1)	2 (4.9)	22 (2.4)
Travel abroad	6 (46.2)	5 (29.4)	4 (36.4)	15 (36.6)	354 (38.4)
Total	13	17	11	41	922

Ŧ includes travel UK cases

**Figure 2:** Number of confirmed Legionnaires' disease cases in residents of South Midlands and Hertfordshire by year of onset and category; 2005 – 2014



Ŧ includes travel UK cases

**Table 4:** Number and proportion of confirmed Legionnaires' disease cases in residents of South Midlands and Hertfordshire by age group and gender, with age specific case-fatality rates; 2012 – 2014

Age Groups	Num	ber (%) of	cases	No.	Age Specific
	Female	Male	<b>Total</b> (2012-2014)	Deaths	<b>CFR</b> (95%CI)
Under 50 years	1 (14.3)	6 (85.7)	7 (17.1)	-	0.0 (0.0 - 41.0 <sup>‡</sup> )
50-59 years	3 (25.0)	9 (75.0)	12 (29.3)	-	0.0 (0.0 - 26.5 <sup>‡</sup> )
60-69 years	5 (35.7)	9 (64.3)	14 (34.1)	3	21.4 (4.7 - 50.8)
70 years & over	2 (25.0)	6 (75.0)	8 (19.5)	1	12.5 (4.7 - 50.8)
Total	11 (26.8)	30 (73.2)	41 (100.0)	4	9.8 (2.7 - 23.1)

<sup>‡</sup> one-sided, 97.5% confidence interval

<sup>°</sup>c confirmed LD case: diagnosis by culture, urinary antigen or serology with a four-fold rise (FFR) and evidence of pneumonia

Figure 3: Number of confirmed Legionnaires' disease cases in residents of South Midlands and Hertfordshire by month and year of onset; 2012 - 2014




Table 5: Legionnaires' disease cases in residents of South Midlands and Hertfordshire by diagnostic test and year of onset; 2012 - 2014~

	2012	2013	2014	<b>Total</b> (2012 - 2014)	National Total (2012 - 2014)
Case Numbers <sup>†</sup>	13	17	11	41	922
Culture	1 (7.7)	6 (35.3)	3 (27.3)	10 (24.4)	211 (22.9)
Urine	13 (100.0)	16 (94.1)	11 (100.0)	40 (97.5)	905 (98.2)
Serology (SHT)	-	-	-	-	-
Serology (FFR)	-	-	-	-	-
PCR	-	8 (47.1)	3 (27.3)	11 (26.8)	246 (26.7)

<sup>~</sup> this table shows the investigations carried out on each confirmed case

† please note that some cases have more than one diagnostic test carried out, therefore the sum of diagnostic tests does not equal the annual 'case number'.

**Table 6:** Number of confirmed Legionnaires' disease cases in residents of South Midlands and Hertfordshire by Local Authority (Upper-Tier) and year of onset; 2012 – 2014

Local Authority	2012	2013	2014	<b>Total</b> (2012 - 2014)
Bedford UA	2	-	-	2
Central Bedfordshire UA	-	1	-	1
Corby	1	1	4	6
Dacorum	-	3	-	3
Daventry	-	1	-	1
East Hertfordshire	-	1	-	1
East Northamptonshire	1	2	1	4
Hertsmere	2	-	-	2
Kettering	-	-	1	1
Milton Keynes	1	3	2	6
Northampton	2	-	1	3
South Midlands and Hertfordshire	-	1	-	1
South Northamptonshire	-	-	1	1
St Albans	2	1	-	3
Three Rivers	1	1	1	3
Wellingborough	-	1	-	1
Welwyn Hatfield	1	1	-	2
Total	13	17	11	41

**Table 7:** Number and type of outbreaks/clusters with associated number of South Midlands and Hertfordshire cases of Legionnaires' disease; 2012 – 2014

	2012		2013		2	2014		<b>Total</b> (2012 - 2014)	
	ОВ	Cases	ОВ	Cases	ОВ	Cases	ОВ	Cases	
Community	-	-	2+	6	-	-	2	6	
Nosocomial	-	-	-	-	-	-	0	0	
Travel UK	-	-	-	-	-	-	0	0	
Total	0	0	<b>2</b> <sup>+</sup>	6	0	0	2	6	

<sup>(+)</sup> one or more outbreak spanning two or more years between 2012 - 2014 years; therefore only counted once

First published: July 2015 © Crown copyright 2015 Re-use of Crown copyright material (excluding logos) is allowed under the terms of the Open Government Licence, visit www.nationalarchives.gov.uk/doc/open-governmentlicence/version/2/ for terms and conditions.