

GP In Hours

Syndromic Surveillance System: England

Data to: 26 February 2017

28 February 2017 Year: 2017 Week:

In This Issue:

Key messages.

Diagnostic indicators at a glance.

GP practices and denominator population.

National syndromic indicators.

Notes and further information.

Appendix.

Key messages

GP consultations for scarlet fever increased again in week 8, mainly in the 1-4 years age group and slightly higher in the south east (figures 4, 4a & 4b).

Consultations for chickenpox increased in week 8, predominantly in children (figures 17 & 17a).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1 Winter Preparedness - 2 Alert and readiness http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

Tittp://www.frictoffice.gov.div.weather/diveoldweatheraler

Diagnostic indicators at a glance:

| Indicator | Trend | Level |
|-----------------------------------|------------|----------------------------|
| Upper respiratory tract infection | decreasing | below baseline levels |
| Influenza-like illness | decreasing | below baseline levels |
| Pharyngitis | no trend | below baseline levels |
| Scarlet fever | increasing | similar to baseline levels |
| Lower respiratory tract infection | decreasing | similar to baseline levels |
| Pneumonia | decreasing | below baseline levels |
| Gastroenteritis | no trend | below baseline levels |
| Vomiting | no trend | below baseline levels |
| Diarrhoea | no trend | below baseline levels |
| Asthma | decreasing | similar to baseline levels |
| Wheeze | no trend | above baseline levels |
| Conjunctivitis | decreasing | below baseline levels |
| Mumps | no trend | below baseline levels |
| Measles | no trend | below baseline levels |
| Rubella | no trend | below baseline levels |
| Pertussis | no trend | below baseline levels |
| Chickenpox | increasing | above baseline levels |
| Herpes zoster | no trend | below baseline levels |
| Cellulitis | no trend | similar to baseline levels |
| Impetigo | decreasing | below baseline levels |

GP practices and denominator population:

| Year | Week | GP Practices Reporting** | Population size** |
|------|------|--------------------------|-------------------|
| 2017 | 8 | 3,677 | 28.6 million |


^{**}based on the average number of practices and denominator population in the reporting working week.



1: Upper respiratory tract infection (URTI)


160

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




1a: Upper respiratory tract infection by age

Average daily incidence rate by week per 100,000 population (all England).



2: Influenza-like illness (ILI)



^{* 7-}day moving average adjusted for bank holidays.



2a: Influenza-like illness (ILI) by age

Average daily incidence rate by week per 100,000 population (all England).


3: Pharyngitis or scarlet fever


Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).


4: Scarlet fever

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, based on a population denominator of approximately 5.5 million patients).

* 7-day moving average adjusted for bank holidays.









4a: Scarlet fever by age

Average daily incidence rate by week per 100,000 population (all England based on a population denominator of approximately 5.5 million patients).



4b: Scarlet fever by PHE centre

Average daily incidence rate by week per 100,000 population (based on a population denominator of approximately 5.5 million patients).



Intentionally left blank


^{* 7-}day moving average adjusted for bank holidays.



Intentionally left blank


5: Lower respiratory tract infection (LRTI)

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



5a: Lower respiratory tract infection (LRTI) by age

Average daily incidence rate by week per 100,000 population (all England).




^{* 7-}day moving average adjusted for bank holidays.




6: Pneumonia

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).





6a: Pneumonia by age

Average daily incidence rate by week per 100,000 population (all England).



7: Gastroenteritis









7a: Gastroenteritis by age

Average daily incidence rate by week per 100,000 population (all England).



8: Vomiting

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




8a: Vomiting by age

100

80

70

Average daily incidence rate by week per 100,000 population (all England).




adjusted for bank holidays.






9: Diarrhoea

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



9a. Diarrhoea by age

Average daily incidence rate by week per 100,000 population (all England).




Intentionally left blank

^{* 7-}day moving average adjusted for bank holidays.




10: Asthma

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




10a: Asthma by age

Average daily incidence rate by week per 100,000 population (all England).



11: Wheeze




^{* 7-}day moving average adjusted for bank holidays.






11a: Wheeze by age

Average daily incidence rate by week per 100,000 population (all England).




12: Conjunctivitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



13: Mumps




^{* 7-}day moving average adjusted for bank holidays.




14: Measles

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



Intentionally left blank

15: Rubella




^{* 7-}day moving average adjusted for bank holidays.




16: Pertussis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




16a: Pertussis by age

Average daily incidence rate by week per 100,000 population (all England).



17: Chickenpox



^{* 7-}day moving average adjusted for bank holidays.




GP In Hours

28 February 2017 Year: 2017 Week: 8

17a: Chickenpox by age

Average daily incidence rate by week per 100,000 population (all England).



Intentionally left blank


Intentionally left blank

^{* 7-}day moving average adjusted for bank holidays.




18: Herpes zoster

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




19: Cellulitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



20: Impetigo



^{* 7-}day moving average adjusted for bank holidays.



Notes and further information

- The Public Health England GP in hours surveillance system is a syndromic surveillance system monitoring community-based morbidity recorded by GP practices.
- GP consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.
- This system captures anonymised GP morbidity data from two GP clinical software systems, EMIS, from version 1 of the QSurveillance® database, and TPP SystmOne.
- Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.

Maps:

- From week 40 2015 the influenza-like illness thresholds illustrated in the bulletin appendix maps are calculated using the "Moving Epidemic Method" (MEM).¹ MEM is used as a standard methodology for setting influenza surveillance thresholds across Europe.²
- The ILI thresholds have been calculated separately for each of the nine PHE Centres to allow for structural differences between areas e.g. background rates are historically higher in London than other areas of England.
- The current ILI thresholds are based on six previous influenza seasons (excluding the 2009/10 H1N1 pandemic). In future, thresholds will be recalculated each year incorporating the latest season's data.
- The maps on the following pages contains Ordnance Survey data © Crown copyright and database right 2014. Contains National Statistics data © Crown copyright and database right 2014.

Acknowledgements:

We thank and acknowledge the University of Nottingham, ClinRisk® and the contribution of EMIS and EMIS practices. Data source: version 1 of the QSurveillance® database.

We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system.

GP In Hours Syndromic Surveillance System Bulletin.

Produced by: PHE Real-time Syndromic Surveillance Team 6th Floor, 5 St Philip's Place, Birmingham, B3 2PW

-analyses

Contact ReSST: syndromic.surveillance

@phe.gov.uk

¹ Vega T et al. Influenza Other Respir Viruses. 2013;7(4):546-58.


² Green HK et al. Epidemiol Infect. 2015;143(1):1-12.


28 February 2017 Year: 2017 Week: 8

England


Influenzalike illness GP consultations by LA (England)








Week 7









28 February 2017 Year: 2017 Week: 8

North East


Influenzalike illness GP consultations by LA (North East PHE Centre)


Week 5 Week 6





Week 7 Week 8







28 February 2017 Year: 2017 Week: 8

Yorkshire & Humber


Influenzalike illness GP consultations by LA (Yorkshire & Humber PHE Centre)


Week 5 Week 6





Week 7 Week 8






28 February 2017 Year: 2017 Week: 8


North West

Influenzalike illness GP consultations by LA (North West PHE


Centre)


Week 5 Week 6





Week 7 Week 8






28 February 2017 Year: 2017 Week: 8


East Midlands

Influenzalike illness GP consultations by LA (East Midlands


PHE Centre)


Week 5 Week 6





Week 7 Week 8







28 February 2017 Year: 2017 Week: 8

West Midlands


Influenzalike illness GP consultations by LA (West Midlands PHE Centre)








Week 7 Week 8






28 February 2017 Year: 2017 Week:


Week 6

East of England


Week 5


Influenzalike illness GP consultations by LA (East of England PHE Centre)





Week 7 Week 8







28 February 2017 Year: 2017 Week: 8

South East


Week 5 Week 6


Influenzalike illness GP consultations by LA (South East PHE Centre)





Week 7 Week 8







28 February 2017 Year: 2017 Week: 8

London

Week 5 Week 6


Influenzalike illness GP consultations by LA (London PHE Centre)






Week 7

Week 8






28 February 2017 Year: 2017 Week: 8


Week 6

South West

Week 5

Influenzalike illness GP consultations by LA (South West PHE Centre)





Week 7 Week 8

