

# Schema Error Numbers and Messages

## Schema Validation Errors

| Error Code  |  | Error Message            |  | Additional Developer Hints (LTS and TPVS only) |  |
|-------------|--|--------------------------|--|--|--|
|             |  | Xerces Key               | Low-level Error Message  |  |  |
| <b>4000</b> | Invalid attribute value '{0}'                | cvc-attribute.3          | The value '{2}' of attribute '{1}' on element '{0}' is not valid with respect to its type, '{3}'.  |  |  |
| <b>4000</b> | Invalid attribute value '{0}'                | cvc-attribute.4          | The value '{2}' of attribute '{1}' on element '{0}' is not valid with respect to its fixed '{value constraint}'. The attribute must have a value of '{3}'. |  |  |
| <b>4000</b> | Invalid attribute value '{0}'                | cvc-complex-type.3.1     | Value '{2}' of attribute '{1}' of element '{0}' is not valid with respect to the corresponding attribute use. Attribute '{1}' has a fixed value of '{3}'.  |  |  |
| <b>4000</b> | Invalid attribute value '{0}'                | cvc-complex-type.3.2.1   | Element '{0}' does not have an attribute wildcard for attribute '{1}'.   |  |  |
| <b>4000</b> | Invalid attribute value '{0}'                | cvc-complex-type.3.2.2   | Attribute '{1}' is not allowed to appear in element '{0}'.   |  |  |
| <b>4001</b> | Missing attribute on element '{0}'           | cvc-complex-type.4       | Attribute '{1}' must appear on element '{0}'.  |  |  |
| <b>4002</b> | Invalid attribute specified on element '{0}' | cvc-complex-type.5.1     | In element '{0}', attribute '{1}' is a Wild ID. But there is already a Wild ID '{2}'. There can be only one.   |  |  |
| <b>4002</b> | Invalid attribute specified on element '{0}' | cvc-complex-type.5.2     | In element '{0}', attribute '{1}' is a Wild ID. But there is already an attribute '{2}' derived from ID among the '{attribute uses}'.                      |  |  |
| <b>4003</b> | Invalid attribute '{0}' on element '{1}'     | cvc-elt.3.1              | Attribute '{1}' must not appear on element '{0}', because the '{'nillable'}' property of '{0}' is false.   |  |  |
| <b>4020</b> | Invalid value '{0}'                          | cvc-datatype-valid.1.2.1 | '{0}' is not a valid value for '{1}'.  |  |  |
| <b>4020</b> | Invalid value '{0}'                          | cvc-datatype-valid.1.2.2 | '{0}' is not a valid value of list type '{1}'.   |  |  |
| <b>4020</b> | Invalid value '{0}'                          | cvc-datatype-valid.1.2.3 | '{0}' is not a valid value of union type '{1}'.  |  |  |
| <b>4051</b> | Element '{0}' must have no children          | cvc-complex-type.2.1     | Element '{0}' must have no character or element information item [children], because the type's content type is empty.                                     |  |  |

|             |   |                          |   |
|-------------|---|--------------------------|---|
| <b>4051</b> | Element '{0}' must have no children                               | cvc-complex-type.2.4.d   | Invalid content was found starting with element '{0}'. No child element is expected at this point.  |
| <b>4051</b> | Element '{0}' must have no children                               | cvc-elt.3.2.1            | Element '{0}' cannot have character or element information [children], because '{1}' is specified.  |
| <b>4051</b> | Element '{0}' must have no children                               | cvc-elt.5.2.2.1          | Element '{0}' must have no element information item [children].   |
| <b>4051</b> | Element '{0}' must have no children                               | cvc-type.3.1.2           | Element '{0}' is a simple type, so it must have no element information item [children].   |
| <b>4052</b> | Element '{0}' must only have valid text as its content            | cvc-complex-type.2.2     | Element '{0}' must have no element [children], and the value must be valid.   |
| <b>4053</b> | Element '{0}' must only have elements as its content              | cvc-complex-type.2.3     | Element '{0}' cannot have character [children], because the type's content type is element-only.  |
| <b>4057</b> | Invalid element '{0}'   | cvc-elt.1                | Cannot find the declaration of element '{0}'.   |
| <b>4058</b> | Value '{0}' doesn't match the expected value as set in the schema | cvc-elt.5.2.2.2.1        | The value '{1}' of element '{0}' does not match the fixed '{'value constraint'}' value '{2}'.   |
| <b>4058</b> | Value '{0}' doesn't match the expected value as set in the schema | cvc-elt.5.2.2.2.2        | The value '{1}' of element '{0}' does not match the '{'value constraint'}' value '{2}'.   |
| <b>4065</b> | Invalid content found at element '{0}'                            | cvc-complex-type.2.4.a   | Invalid content was found starting with element '{0}'. One of '{1}' is expected.  |
| <b>4065</b> | Invalid content found at element '{0}'                            | cvc-type.3.1.3           | The value '{1}' of element '{0}' is not valid.  |
| <b>4066</b> | Incomplete content found at element '{0}'                         | cvc-complex-type.2.4.b   | The content of element '{0}' is not complete. One of '{1}' is expected.   |
| <b>4067</b> | Element '{0}' is missing  | cvc-complex-type.2.4.c   | The matching wildcard is strict, but no declaration can be found for element '{0}'.   |
| <b>4068</b> | Element '{0}' cannot have attributes                              | cvc-type.3.1.1           | Element '{0}' is a simple type, so it cannot have attributes, excepting those whose namespace name is identical to 'http://www.w3.org/2001/XMLSchema-instance' and whose [local name] is one of 'type', 'nil', 'schemaLocation' or 'noNamespaceSchemaLocation'. |
| <b>4080</b> | Value '{0}' is not one of the allowed enumerated values           | cvc-enumeration-valid    | Value '{0}' is not facet-valid with respect to enumeration '{1}'. It must be a value from the enumeration.  |
| <b>4081</b> | Value '{0}' has too many fraction digits                          | cvc-fractionDigits-valid | Value '{0}' has {1} fraction digits, but the number of fraction digits has been limited to {2}.   |
| <b>4082</b> | Value '{0}' has an incorrect length                               | cvc-length-valid         | Value '{0}' with length '{1}' is not facet-valid with respect to length '{2}' for type '{3}'.   |
| <b>4082</b> | Value '{0}' has an incorrect length                               | cvc-minLength-valid      | Value '{0}' with length '{1}' is not facet-valid with respect to minLength '{2}' for type '{3}'.  |
| <b>4083</b> | Value '{0}' is too large  | cvc-maxExclusive-valid   | Value '{0}' is not facet-valid with respect to maxExclusive '{1}' for type '{2}'.   |

|             |   |                        |  |
|-------------|---|------------------------|--|
| <b>4083</b> | Value '{0}' is too large                    | cvc-maxInclusive-valid | Value '{0}' is not facet-valid with respect to maxInclusive '{1}' for type '{2}'.                |
| <b>4083</b> | Value '{0}' is too large                    | cvc-maxLength-valid    | Value '{0}' with length '{1}' is not facet-valid with respect to maxLength '{2}' for type '{3}'. |
| <b>4084</b> | Value '{0}' is too small                    | cvc-minExclusive-valid | Value '{0}' is not facet-valid with respect to minExclusive '{1}' for type '{2}'.                |
| <b>4084</b> | Value '{0}' is too small                    | cvc-minInclusive-valid | Value '{0}' is not facet-valid with respect to minInclusive '{1}' for type '{2}'.                |
| <b>4085</b> | Value '{0}' doesn't have the correct format | cvc-pattern-valid      | Value '{0}' is not facet-valid with respect to pattern '{1}' for type '{2}'.                     |
| <b>4086</b> | Value '{0}' has too many digits             | cvc-totalDigits-valid  | Value '{0}' has {1} total digits, but the number of total digits has been limited to {2}.        |
| <b>4999</b> | Internal schema validation error            | Various                | Catch all error  |