

| RPA Olive Oil Inspection  Laboratory Analysis Form – If declared as Olive Pomace-Oil |  |   |                                    |     |                                |                  |  | HCG42d |             |  |
|--|--|---|------------------------------------|-----|--------------------------------|------------------|--|--------|-------------|--|
| For co   | ompletion by the RPA Contra  | acted Labora                              | atory                              |     |                                |                  |  |        |             |  |
| Туре   | of analysis  | Prin                                      | Primary Counter                    |     |                                | on reference n   | umber  |        |             |  |
| Lab reference number   |  |   | Date of bottling (if known)        |     |                                |                  | vn)  |        |             |  |
| Date sample received   |  |   |                                    |     | Date sa                        | mple opened (    | chemical analysis)                                       |        |             |  |
| Date s   | sample opened (organoleptic a  | nalysis)                                  |                                    |     | Date by                        | which all tests  | completed  |        |             |  |
| receiv   | ne sample (and associated reped in a box/container with an ken seal? | olicates)<br>Yes                          | No                                 |     | opening                        |                  | e/pack fitted with an an no longer be sealed Yes opened? | ☐ No   |             |  |
|  | Test type  | Method<br>within<br>Regulation<br>2568/91 | Specification limit / requirement* | unc | urement<br>ertainty<br>erance) | Date of analysis | Result   | Outco  | ome<br>Fail |  |
|  | Fatty acid ethyl esters<br>(FAEEs) mg/kg                             | Annex XX                                  | Not applicable                     |     |                                |                  |  |        |             |  |
|  | Acidity (%)  | Annex II                                  | ≤ 1.0                              |     |                                |                  |  |        |             |  |
|  | Peroxide mEq O <sub>2</sub> /kg                                      | Annex III                                 | ≤ 15                               |     |                                |                  |  |        |             |  |
|  | Waxes (mg/kg)  | Annex IV                                  | C40+C42+C44+C46><br>350            |     |                                |                  |  |        |             |  |
|  | 2-glyceril monopalmitate (%)   | Annex VII                                 | ≤ 1.2                              |     |                                |                  |  |        |             |  |
|  | Stigmastadienes mg/kg  | Annex XVII                                | Not applicable                     |     |                                |                  |  |        |             |  |
|  | Difference ECN42 (HPLC)<br>and ECN42 (theoretical<br>calculation)    | Annex XVIII                               |                                    |     |                                |                  |  |        |             |  |
|  | K <sub>232</sub>   | Annex IX                                  | Not applicable                     |     | <u> </u>                       |                  |  |        |             |  |

|                        | Test type  | Method<br>within<br>Regulation<br>2568/91 | Specification limit / requirement*  | Measurement uncertainty (tolerance) | Date of analysis |        | Outcome |      |  |
|------------------------|--|---|---|-------------------------------------|------------------|--------|---------|------|--|
|                        |  |   |   |                                     |                  | Result | Pass    | Fail |  |
|                        | K <sub>268</sub> or K <sub>270</sub>             | Annex IX                                  | ≤ 1.70  |                                     |                  |        |         |      |  |
|                        | Delta K  | Annex IX                                  | ≤ 0.18  |                                     |                  |        |         |      |  |
|                        | Organoleptic evaluation:<br>Median defect (Md)   | Annex XII                                 | Not applicable  |                                     |                  |        |         |      |  |
|                        | Organoleptic evaluation: Fruity median (Mf)      | Annex XII                                 | Not applicable  |                                     |                  |        |         |      |  |
|                        | Volatile halogenated solvents mg/kg              | Annex XI                                  | Max' content of each<br>halogenated solvent<br>detected: 0.1 mg/kg.<br>Max' total content of<br>halogenated solvents<br>detected: 0.2 mg/kg |                                     |                  |        |         |      |  |
|                        | Myristic (%)                                     | -Annex X                                  | ≤ 0.03  |                                     |                  |        |         |      |  |
| p<br>Ou                | Linolenic (%)                                    |   | ≤ 1.00  |                                     |                  |        |         |      |  |
| aci                    | Arachidic (%)                                    |   | ≤ 0.60  |                                     |                  |        |         |      |  |
| Fatty acid composition | Eicosenoic (%)                                   |   | ≤ 0.40  |                                     |                  |        |         |      |  |
|                        | Behenic (%)                                      |   | ≤ 0.30  |                                     |                  |        |         |      |  |
|                        | Lignoceric (%)                                   |   | ≤ 0.20  |                                     |                  |        |         |      |  |
|                        | Total transoleic isomers (%)                     |   | ≤ 0.40  |                                     |                  |        |         |      |  |
| Sterols composition    | Total translinoleic + translinolenic isomers (%) |   | ≤ 0.35  |                                     |                  |        |         |      |  |
|                        | Cholesterol (%)                                  | - Annex V                                 | ≤ 0.5   |                                     |                  |        |         |      |  |
|                        | Brassicasterol (%)                               |   | ≤ 0.20  |                                     |                  |        |         |      |  |
|                        | Campesterol (%)                                  |   | ≤ 4.0   |                                     |                  |        |         |      |  |
|                        | Stigmasterol(%)                                  |   | < Campesterol   |                                     |                  |        |         |      |  |
|                        | App B-sitosterol (%)                             |   | ≥ 93.0  |                                     |                  |        |         |      |  |
|                        | Delta-7-stigmastenol (%)                         |   | ≤ 0.5   |                                     |                  |        |         |      |  |
|                        | Total sterols (mg/kg)                            |   | ≥ 1600  |                                     |                  |        |         |      |  |
|                        | Erythrodiol and uvaol (%)                        |   | > 4.5   |                                     |                  |        |         |      |  |

|                              | Test type  | Method<br>within<br>Regulation<br>2568/91 | Specification limit / requirement* | Measurement uncertainty (tolerance) | Date of analysis | ь      | Result | Outcome      |      |  |
|------------------------------|--|---|------------------------------------|-------------------------------------|------------------|--------|--------|--------------|------|--|
|                              |  |   |                                    |                                     |                  | Result |        | Pass         | Fail |  |
| Additional tests if required | Aliphatic and Triterpenic alcohols content mg/kg | Annex XIX                                 |                                    |                                     |                  |        |        |              |      |  |
|                              | Olive oil residue %                              | Annex XV                                  |                                    |                                     |                  |        |        |              |      |  |
| Addi                         | lodine value                                     | Annex XVI                                 |                                    |                                     |                  |        |        |              |      |  |
| Conclusions                  |  |   |                                    |                                     |                  |        |        |              |      |  |
| Oil typ                      | e declared by trader: 'Olive Po                  | omace-Oil'                                |                                    |                                     |                  |        |        |              |      |  |
| The co                       | onformity check is compliant/no                  | Compliant                                 | Compliant Non-compliant            |                                     |                  |        |        |              |      |  |
| If not o                     | compliant, please explain why                    |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
|                              |  |   |                                    |                                     |                  |        |        |              |      |  |
| Signed                       |  |   |                                    |                                     |                  |        | Labo   | ratory Stamp |      |  |
| Name (BLOCK CAPITALS)        |  |   |                                    |                                     |                  |        |        |              |      |  |
| Date                         |  |   |                                    |                                     |                  |        |        |              |      |  |

<sup>\*</sup> For full details please refer to Commission Regulation (EEC) 2568/91 as amended.