



Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Biffa Waste Services Limited
Westmill Waste Management Facility
Westmill Road
Ware
Hertfordshire
SG12 0ES

Variation application number

EPR/DP3431PC/V013

Permit number

EPR/DP3431PC

Westmill Waste Management Facility

Permit number EPR/DP3431PC

Introductory note

This introductory note does not form a part of the notice.

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

This variation is to amend the final contours of the landfill, update waste restoration quantities and types as detailed in the restoration plan, and increase the annual tonnage for deposited waste. The variation also allows the deposit of inert waste in one new cell in the south west area of the site (subject to completion and approval of a pre operational condition).

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application BK1988ID (EPR/BK1988ID/A001)	Duly made 15/01/01	Non-Hazardous Landfill Application from RMC Environmental Services Ltd
Application BK1988ID (EPR/BK1988ID/A001)	Determined 07/04/03	Permit issued. EPR/BK1988ID/A001
Transfer DP3431PC/T001	Determined 26/05/04	Permit Transfer to Biffa Waste Services Ltd (formerly permit reference BK1988ID) Transferred permit issued. EPR/DP3431PC/T001
Variation EA/EPR/DP3431PC/V002 (PP3333KY)	Duly Made 08/04/09	Environment Agency Variation to amend odour condition.
Variation EA/EPR/DP3431PC/V002 (PP3333KY)	Determined 08/04/09	Varied permit issued. EPR/DP3431PC/V002
Variation EPR/DP3431PC/V003	Duly Made 18/03/10	Environment Agency Variation to update permit to new Non-Haz Landfill Template in line with EPR2010
Variation EPR/DP3431PC/V003 (MP3835TW)	Determined 23/07/10	Varied permit issued. EPR/DP3431PC/V003
Variation EPR/DP3431PC/V004	Duly Made 19/04/09	Variation Application to Consolidate EPR/DP3431PC and EPR/GP3991NU and to allow a 3D boundary within the site.
Variation EPR/DP3431PC/V004 (VP3833KZ)	Determined 25/02/11	Varied permit issued. EPR/DP3431PC/V004
Variation EPR/DP3431PC/V005	Duly made	Variation Application to amend settlement

Status log of the permit		
Description	Date	Comments
	10/05/12	profiles, increase leachate levels and add additional waste codes.
Variation EPR/DP3431PC/V006	Duly made 10/09/12	Variation Application to include the Soil Treatment Facility to process wastes for use for site restoration.
Additional information response to Schedule 5 Notice EPR/DP3431PC/V006	22/10/12	Insertion of waste code 19 13 02. Confirmed amount of green waste accepted and stored at the site for use in biopiles process. Confirmed dust suppressions methods.
Variation EPR/DP3431PC/V007	Duly made 25/10/12	Variation Application to add an additional landfill gas engine, note this variation has been issued before V005 and V006
Additional information EPR/DP3431PC/V005	06/11/12	Revised Odour Impact Assessment.
Additional information EPR/DP3431PC/V006	20/11/12	Impermeable surface engineering.
Additional information EPR/DP3431PC/V006	30/11/12	Confirmation of insertion of pre operation condition for testing and characterising of wastes for use as daily cover. Confirmation of soil deposit site specific risk assessment pre-operational condition.
Variation EPR/DP3431PC/V007 (TP3539ZK)	Determined 18/04/13	Varied permit issued. EPR/DP3431PC/V007
Additional information EPR/DP3431PC/V006	03/02/14	Confirmed specific soil treatment facility acceptance criteria for waste codes 19 03 06*, 19 03 07. Confirmed removal of waste codes 19 02 06, 19 03 05, 19 02 05*, 19 03 04*.
Additional information EPR/DP3431PC/V005	07/02/14	Confirmation of odour modelling A1 and A3 scenario implementation Confirmation of settlement profile settlement management.
Variation EPR/DP3431PC/V006 (HP3237CF)	Determined 02/07/14	Varied permit issued. EPR/DP3431PC/V006
Variation EPR/DP3431PC/V008	Duly made 15/09/14	Variation Application to add 2 additional landfill gas engines and a pre-treatment system for landfill gas.
Variation EPR/DP3431PC/V009 (Billing REF: MP3334WK)	Duly Made 17/11/14	Environment Agency Variation to fix an error to the 'limits of specified activity' set in Table S1.1 for leachate.
Variation EPR/DP3431PC/V009	Duly Made 15/09/14	Environment Agency Variation to update permit to new Non-Haz Landfill Template in line with EPR2014
Agency variation EPR/DP3431PC/V009	17/11/14	Agency variation to fix an error to the 'limits of specified activity' set in Table S1.1 for leachate.
Variation EPR/DP3431PC/V008 (Billing ref: PP3330WL)	Determined 17/11/14	Varied permit issued. EPR/DP3431PC/V008
Variation determined EPR/DP3431PC/V005 (Billing Ref: XP3734CG)	Determined 24/11/14	Varied permit issued. EPR/DP3431PC/V005

Status log of the permit		
Description	Date	Comments
Environment Agency Landfill Sector Review 2015 Permit reviewed Variation determined EPR/DP3431PC/V010 Permit EPR/DP3431PC (Billing ref: WP3739AN)	01/06/2015	Varied and consolidated permit issued in modern condition format.
Variation EPR/DP3431PC/V011	Duly made 09/04/15	Variation application to add an additional Leachate Treatment Plant
Schedule 5 request dated 05/05/2015	18/05/15	Tanker bay design and operation, crash barriers and below ground pipes
Schedule 5 request dated 28/05/2015	03/06/15	Secondary containment designs for storage of NaOH
Schedule 5 request dated 11/06/2015	12/06/15	Secondary containment designs for raw leachate tanks
Additional information EPR/DP3431PC/V011	21/10/15	Updated and consolidation operating techniques
Variation determined EPR/DP3431PC/V011 (Billing ref: TP3534WR)	27/11/15	Varied permit issued
Variation EPR/DP3431PC/S012	Duly made 14/12/15	Part surrender of the lagoon to the North of the site
Variation determined EPR/DP3431PC/S012	31/10/17	Part surrender issued
Variation EPR/DP3431PC/V013	Duly made 14/12/15	Variation to increase slope angles, increase annual tonnage and to add disposal of inert waste.
Schedule 5 request dated 27/05/2016	27/06/2016	Stability risk assessment, landfill gas, risk assessment, dust management, restoration
Schedule 5 request dated 18/08/2016	30/09/2016	Stability risk assessment
Schedule 5 request dated 28/11/2016	08/12/2016	Stability risk assessment
Schedule 5 request dated 18/01/2017	15/02/2017	Settlement modelling, stability risk assessment
Variation determined EPR/DP3431PC/V013	16/11/2017	Varied permit issued

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates

Permit number

EPR/DP3431PC

Issued to

Biffa Waste Services Limited (“the operator”)

whose registered office is

**Coronation Road
Cressex Business Park
Cressex
High Wycombe
Buckinghamshire
HP12 3TZ**

company registration number

00946107

to operate a regulated facility at

**Westmill Waste Management Facility
Westmill Road
Ware
Hertfordshire
SG12 0ES**

to the extent set out in the schedules.

The notice shall take effect from 16/11/2017

Name	Date
Philip Lamb	16/11/2017

Authorised on behalf of the Environment Agency

Schedule 1

Only conditions 2.5.2, 2.7.3, 4.2.2(h) Table S1.1, Table S1.2, Table S1.3, Table S1.4B, Table S1.5, Table S3.4 and Site Plan in Schedule 7 have been varied by the consolidated permit EPR/DP3431PC/V013 as a result of the application made by the operator.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/DP3431PC

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/DP3431PC/V013 authorising,

Biffa Waste Services Limited (“the operator”),

whose registered office is

**Coronation Road
Cressex Business Park
Cressex
High Wycombe
Buckinghamshire
HP12 3TZ**

company registration number

00946107

to operate an installation at

**Westmill Waste Management Facility
Westmill Road
Ware
Hertfordshire
SG12 0ES**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Philip Lamb	16/11/2017

Authorised on behalf of the Environment Agency

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Finance

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the agreement made between the operator and the Environment Agency 26/05/2004 shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 1.2.1; and
 - (c) the estimated costs for the closure and aftercare of the landfill.

1.3 Energy efficiency

- 1.3.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A18). The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) implement any appropriate measures identified by a review.

1.4 Efficient use of raw materials

- 1.4.1 For the following activities referenced in schedule 1, table S1.1 (A1 to A18). The operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.5 Avoidance, recovery and disposal of wastes produced by the activities

1.5.1 The operator shall:

- (a) take appropriate measures to ensure that waste produced by the activities is avoided or reduced, or where waste is produced it is recovered wherever practicable or otherwise disposed of in a manner which minimises its impact on the environment;
- (b) review and record at least every four years whether changes to those measures should be made; and
- (c) take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).
- 2.1.2 For the following activities referenced in schedule 1, Table S1.1 (A3 to A7), waste authorised by this permit shall be clearly distinguished from any other waste on the site.

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.
- 2.2.2 The activities A1, A2 and A3 authorised under Table S1.1 shall not extend beyond the site, being the land shown edged in yellow on the site plan at schedule 7 to this permit.
- 2.2.3 The activities A19 and A20 authorised under Table S1.1 shall not extend beyond the site boundary being the land shown edged in blue on the site plan at schedule 7 to this permit.
- 2.2.4 The activities A4 to A6 and A13 to A17 authorised under Table S1.1 shall not extend beyond the site, being the land shown edged in red on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.5 shall conform to the specifications set out in that table.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Pre-operational conditions

- 2.5.1 The activities shall not be brought into operation until the measures specified in schedule 1 table S1.4A have been completed.
- 2.5.2 The operations specified in schedule 1 table S1.4B shall not commence until the measures specified in that table have been completed.

2.6 Landfill Engineering

- 2.6.1 No construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.2 Where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and the Environment Agency has confirmed that it is satisfied with the cell layout drawing.
- 2.6.3 The construction of a new cell shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.4 No disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 No construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.6 The construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.7 The operator shall submit a CQA Validation Report within four weeks of the completion of the construction of the relevant landfill infrastructure, or other time period agreed in writing with the Environment Agency.
- 2.6.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.5 and 2.6.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.6.9 For the purposes of conditions 2.6.1, 2.6.2, 2.6.4 and 2.6.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.
- 2.6.10 Where the Environment Agency has required further information under condition 2.6.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

2.7 Waste acceptance

- 2.7.1 No waste shall be accepted for disposal within the boundary edged in blue on the site plan in schedule 7 of this permit.
- 2.7.2 Wastes shall only be accepted for disposal: within the area edged in yellow on the site plan in schedule 7 of this permit if:
- (a) they are listed in schedule 2, table S2.1, and
 - (b) they are non- hazardous waste and
 - (c) they are not whole used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm), and
 - (d) they are not shredded used tyres, and
 - (e) they are not liquid waste (including waste waters but excluding sludge), and
 - (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown, and
 - (g) all the relevant waste acceptance procedures have been completed, and
 - (h) they fulfil the relevant waste acceptance criteria, and
 - (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria, and
 - (j) they are wastes which have been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment, and
 - (k) they are wastes with a code beginning with 07 05 and 16 03, they shall exclude waste medicinal products and pharmaceutically active waste materials arising from their manufacture.
- 2.7.3 Wastes shall only be accepted for disposal: within the area marked as inert fill area on the site plan in schedule 7 of this permit if:
- (a) they are listed in schedule 2, table S2.7; and
 - (b) they are inert waste; and
 - (c) they are not liquid waste (including waste waters but excluding sludge); and
 - (d) all the relevant waste acceptance procedures have been completed; and
 - (e) they fulfil the relevant waste acceptance criteria; and
 - (f) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria; and
 - (g) they are wastes which have been treated, except for wastes for which treatment is not technically feasible.
- 2.7.4 For the following activities referenced in schedule 1, table S1.1 (A3 to A7 and A13 to A17) waste shall only be accepted for treatment if:
- (a) it is of a type and quantity listed in schedule 2, tables S2.2, S2.3 and S2.6; and
 - (b) it conforms to the description in the documentation supplied by the producer and holder.

- 2.7.5 Wastes shall only be accepted for restoration within the area edged in green on the site plan in schedule 7 of this permit where:
- (a) they are listed in schedule 2, table S2.4 and
 - (b) they are inert waste or wastes received from the Soil Treatment Facility and satisfy the criteria for restoration; and
 - (c) they are accepted in accordance with a restoration plan approved in writing by the Environment Agency.
- 2.7.6 For the following activities referenced in schedule 1, table S1.1 (A1). The operator shall:
- (a) visually inspect without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill and waste at the point of deposit; and
 - (b) be satisfied that the waste conforms to the requirements of condition 2.7.2 and 2.7.3.
- 2.7.7 Where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.
- 2.7.8 The operator on accepting each delivery of waste shall provide a receipt to the person delivering it.
- 2.7.9 The total quantity of waste that shall be deposited in the landfill shall be limited by the pre-settlement levels shown on drawing WK038500 dated 14th February 2017.
- 2.7.10 The quantity of waste that is deposited in the landfill in any year shall not exceed the limits in schedule 1 table S1.5.
- 2.7.11 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.

2.8 Leachate levels

- 2.8.1 The limits for the level of leachate listed in schedule 3 table S3.1 shall not be exceeded.

2.9 Closure and aftercare

- 2.9.1 The operator shall maintain a closure and aftercare management plan.

2.10 Landfill gas management

- 2.10.1 The operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:
- (a) collect landfill gas; and
 - (b) control the migration of landfill gas.
- 2.10.2 The operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall use appropriate measures to flare or treat the gas in accordance with an approved landfill gas management plan.
- 2.10.3 The operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a revised landfill gas management plan
 - (b) implement the revised landfill gas management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 The limits in Schedule 3 shall not be exceeded.
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.2, S3.3 and S3.6.
- 3.1.3 For the following activities referenced in schedule 1, table S1.1 (A1 and A9). The limits given in Table S3.2 shall not be exceeded, save that compliance with an emission limit in that table shall include incorporation of the uncertainty allowance stated in Environment Agency guidance LFTGN 05 and LFTGN 08.
- 3.1.4 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.5 The operator shall submit to the Environment Agency a review of the Hydrogeological Risk Assessment:
 - (a) between nine and six months prior to the fourth anniversary of the granting of the permit, and
 - (b) between nine and six months prior to every subsequent six years after the fourth anniversary of the granting of the permit.
- 3.1.6 For the following activities referenced in schedule 1, table S1.1 (A2 to A7, and A13 to A17), Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:
- (a) Leachate specified in tables S3.1 and S3.10;
 - (b) Point source emissions specified in tables S3.2, S3.3 and S3.6;
 - (c) Groundwater specified in tables S3.4 and S3.8;
 - (d) Landfill gas specified in tables S3.5, S3.7 and S3.9;
 - (e) Surface water specified in table S3.11;
 - (f) The biofilter process monitoring specified in table S3.12;
 - (g) The soil biopiles specified in table S3.13;
 - (h) SBR and MSP process monitoring requirements S3.14.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 A topographical survey of the site referenced to ordnance datum shall be carried out and shall be used to produce a plan of a scale adequate to show the surveyed features of the site:
- (a) annually, and
 - (b) prior to the disposal of waste in any new cell or new development area of the landfill, and
 - (c) following closure of the landfill or part of the landfill.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) the results of groundwater monitoring;
 - (ii) sub-surface landfill gas monitoring;
 - (iii) leachate levels, quality and quantities;
 - (iv) landfill gas generation and collection;
 - (v) waste types and quantities;
 - (vi) the specification and as built drawings of the basal, sidewall and capping engineering systems.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 A report or reports on the performance of the activities over the previous year ('the annual report') shall be submitted to the Environment Agency by 31st January each year or such other date as may be agreed in writing by the Agency, with the exception of 4.2.2(c) that must be provided by the end of February each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto. The review will include written descriptions of the improvements made to operational performance during the year, action plans developed and planned improvements for the coming year;
- (b) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3
- (c) the annual production/treatment set out in schedule 4 table S4.2;
- (d) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
- (e) the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;

- (f) an assessment of the settlement behaviour of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;
 - (g) a calculation of the remaining capacity (reported in cubic metres) derived from the pre-settlement contours and the most recent topographical survey;
 - (h) a plan(s) ('the monitoring and extraction point plan – MEPP') showing the locations of existing and any new leachate and landfill gas extraction and monitoring points.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) using the forms specified in schedule 4 table S4.4 or other reporting format as agreed in writing with the Environment Agency; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.5 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.3 Notifications

- 4.3.1 (a) In the event that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
- (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) in the event of a breach of any permit condition the operator must immediately—
- (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and

- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (c) the death of any of the named operators (where the operator consists of more than one named individual);
- (d) any change in the operator's name(s) or address(es); and
- (e) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.4 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations Table S1.1 activities

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A1	D5 –Specially engineered landfill and R10 – Land treatment resulting in benefit to agriculture or ecology	Section 5.2 Part A(1) (a), The disposal of waste in a landfill.	Landfill for non-hazardous waste and landfill restoration	<p>Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in conditions 2.7, as an integral part of landfilling.</p> <p>Waste shall only be deposited within the area edged in yellow on the site plan in schedule 7 of this permit.</p> <p>Inert waste shall only be accepted for disposal within the area marked as inert fill area (as shown on site plan in schedule 7) as per table S2.7</p> <p>No final waste profiles, capped or restored areas shall exceed a 1 in 3.5 slope gradient anywhere on the site.</p> <p>Permanent capping must be completed as soon as reasonably practicable and no later than 6 months from the final waste profile being achieved. The capping works must be completed within 1 month of works commencing or as agreed in writing with the Environment Agency.</p>

Schedule 1 – Operations Table S1.1 activities

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A2	D9 – Physico-chemical treatment of waste	S5.4 A(1)(a)(ii): Physico-chemical treatment of non-hazardous waste	Treatment of site derived landfill and soil treatment facility leachate in a methane stripping facility with a capacity greater than 50 tonnes per day.	Leachate generated onsite from the landfill and soil treatment facility. Leachate types and quantities as specified in Table S2.6
A3	D8 – Biological treatment of waste	S5.3 A(1)(a)(i): Biological treatment of non-hazardous waste	Treatment of site derived landfill leachate, off-site leachate and soil treatment facility leachate in Sequence Batch Reactor tanks with a capacity greater than 50 tonnes per day.	Leachate generated onsite from the landfill and soil treatment facility, and off-site sources. Leachate types and quantities as specified in Table S2.6
A4	R5 – Recycling/reclamation of inorganic materials other than metals and metal compounds.	S5.3 A(1)(a)(vi): Recovery of hazardous waste with a capacity exceeding 10 tonnes per day.	Ex-situ bioremediation of hazardous waste soil.	All treatment must take place on an impermeable surface with sealed drainage. The biopile gas extraction system must be operational during treatment. Hazardous wastes treated onsite will only be used for recovery within the green boundary outlined in schedule 7 of the permit. Waste soils only as per Table S2.2

Schedule 1 – Operations Table S1.1 activities

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A5	R5 – Recycling/reclamation of inorganic materials other than metals and metal compounds.	S5.3 A(1)(a)(iii): Recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving blending or mixing.	Blending or mixing of hazardous waste soils.	<p>All treatment must take place on an impermeable surface with sealed drainage.</p> <p>The blending and mixing of hazardous waste is only permitted provided it is in line with approved blending and mixing methodology as set out in response to pre-operational condition 3 as approved.</p> <p>Waste only as per tables S2.2.</p>
A6	<p>R13 – Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).</p> <p>D15 – Storage pending any of the operations numbered D1 to D14 (excluding temporary storage pending collection on the site where it is produced).</p>	S5.6 A(1)(a): Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes.	Temporary storage of hazardous waste.	<p>All storage must take place on an impermeable surface with sealed drainage.</p> <p>Waste only as per tables S2.2.</p>

Schedule 1 – Operations Table S1.1 activities

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A7	R5 – Recycling/reclamation of other inorganic compounds.	S5.4 A(1)(b)(i): Recovery of non-hazardous waste soils with a capacity exceeding 75 tonnes per day involving biological treatment.	Ex-situ biological treatment consisting of bioremediation of non-hazardous waste soils.	<p>All treatment and storage must take place on an impermeable surface with sealed drainage.</p> <p>The biopile gas extraction system must be operational during treatment.</p> <p>Non-hazardous wastes treated on site will only be used for recovery within the green boundary outlined in schedule 7 of the permit.</p> <p>Wastes soils only as per Table S2.3.</p>
Directly Associated Activities				
A8	Landfill gas pre-treatment		Pre-treatment of landfill gas in PpTex Siloxane Removal System and Carbon Absorption Filters	Landfill gas arising from the landfill.
A9	R1 – use principally as a fuel to generate energy		Utilisation of landfill gas for energy recovery in an appliance with a rated thermal input < 50MW.	Utilisation of landfill gas arising from the landfill.
A10	Landfill gas flaring		Flaring of landfill gas for disposal in an appliance.	Landfill gas arising from the landfill.
A11	Water discharges to controlled waters		Discharges of site drainage from the landfill and soil treatment facility.	From surface water management system to point of entry to controlled waters.
A12	Leachate discharge to foul sewer		Discharge of treated leachate and treated process waters from the landfill, offsite sources and soil treatment facility.	From leachate treatment plant to point of entry to sewer.

Schedule 1 – Operations Table S1.1 activities

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A13	Screening of waste		Screening of waste to remove any materials which are not suitable for use in restoration or treatment.	All treatment must take place on an impermeable surface with sealed drainage. Wastes treated on site will only be used for recovery within the green boundary or disposal within the yellow boundary outlined in schedule 7 of the permit.
A14	Crushing of aggregate.		Crushing of aggregate from the screening of soils to produce materials suitable for restoration or treatment.	Wastes treated on site will only be used for recovery within the green boundary or disposal within the yellow boundary outlined in schedule 7 of the permit.
A15	R5 – Dewatering of road sweepings prior to treatment under activity A7		Dewatering of street cleaning residues to produce materials suitable for restoration or treatment.	All treatment must take place on an impermeable surface with sealed drainage.
A16	R5 – Recycling/reclamation of inorganic materials other than metals and metal compounds.		Blending or mixing of non-hazardous waste soils.	All treatment must take place on an impermeable surface with sealed drainage. The blending and mixing of non-hazardous waste is only permitted provided it is in line with approved blending and mixing methodology as set out in response to pre-operational condition 3 as approved. Waste only as per table S2.3
A17	R13 – Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).		Temporary storage of non-hazardous waste pending recovery.	All storage must take place on an impermeable surface with sealed drainage. Waste only as per tables S2.3.

Schedule 1 – Operations Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A18	Leachate management		Management of leachate and process waters including, storage and off site tankering.	Leachate arising from the landfill, offsite sources and the soil treatment facility.
Waste operations				
A19	D1: Deposit into or onto land.		Management and monitoring or emissions from the closed landfill.	The area edged in blue on the site plan schedule 7 of this permit.
A20	D5: Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated from one another and the environment, etc).		Management and monitoring of emissions from the closed landfill.	The area edged in blue on the site plan in schedule 7 of this permit.
A21	R10: Land treatment resulting in benefit to agriculture or ecological improvement.		Use of waste soils (specified within Table S2.4) to provide restoration soils above the landfill cap in the area edged in green on the site plan in schedule 7 of this permit.	Waste soils specified within Table S2.4.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	Response to section B2.1 given in Appendix C of the application.	18/12/00
Westmill II Working Plan	Leachate Management System, Sections 2.4, 2.5, 5.6, 5.7 of the working plan A.6 dated April 2003	04/04/03

Table S1.2 Operating techniques

Description	Parts	Date Received
Westmill II Working Plan	Landfill gas management system, Sections 2.7, 5.1, 5.2, 5.3, 5.4, 5.5 (Excluding Units and Accuracies in Section 5.2.1) of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Surface water Management System, Sections 2.9, 5.9 (Excluding Normal Reporting Limits and Units in section 5.9.2) of the working plan A. 6 dated April 2003.	04/04/03
Westmill II Working Plan	Waste handling and storage, Sections 4.11, 4.12 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Waste discharge and placement, Sections 4.12, 4.14.3 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Daily and intermediate cover, Sections 4.14.1, 4.14.2 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Prevention and control of dusts and bioaerosols, Sections 6.4, 6.5 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Prevention and control of odour, Sections 6.2, 6.3 of the working plan A. 6 dated April 2003, subject to the requirements of Schedule 1, Table S1.4, Pre-operational condition 2	04/04/03
Westmill II Working Plan	Prevention and control of birds, vermin and insects, pests and scavengers, Section 6.8 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Prevention and Control of windblown materials, including litter, Section 6.6 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Prevention and control of dirt, mud and debris on roads, Section 6.9 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Energy efficiency, Appendix U of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Accident prevention and control, Section 4.2, Appendix Q, Appendix R of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Fire prevention and control, Section 4.10 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Unauthorised access prevention and control, Sections 3.5, 4.3, 4.4, 4.5 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Noise, Section 6.7 of the working plan A. 6 dated April 2003	04/04/03

Table S1.2 Operating techniques		
Description	Parts	Date Received
Westmill II Working Plan	Hydrogeological Risk Assessment, Appendix F (Ref 00523300.503/A.1) of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Waste recovery and disposal, Appendix V of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Raw materials (including water), Section 2.6, 2.10, 4.9, Appendix N of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Conceptual and detailed engineering design Section 2.3 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Installation and maintenance of final capping, Section 2.8 of the working plan A. 6 dated April 2003	04/04/03
Westmill II Working Plan	Contaminant Loading Protocol, Appendix Z of the working plan A. 6 dated April 2003	04/04/03
Westmill Closure Report dated February 2006	Section 2.0 Environment Management system Overview Section 3.0 Site Infrastructure	February 2006
Westmill I Landfill Site Closure Plan V2 dated April 2010	Section 2.2 Environment Management Systems Overview Section 3.1 Site Infrastructure Section 4.0 Leachate Management Section 5.0 Groundwater Management Section 6.0 Surface Water Management Section 7.0 Landfill Gas Management Section 8.0 Restoration , Maintenance and Stability	21/04/2010
Additional information supplied, Westmill I Landfill, site closure	Responses to question 1, Perimeter Sloped Response to question 2, Capping and safety factor Response to question 7, Capping data and safety factor, Response to question 8, safety factor on southern slope Response to question 9, analysis and stability of northern slope. Response to question 10, short, medium and long-term stability of waste mass Response to question 11, leachate monitoring, Response to question 12, Leachate monitoring Response to question 13, Groundwater monitoring	21/04/2010

Table S1.2 Operating techniques

Description	Parts	Date Received
	Response to question 14, Groundwater monitoring Response to question 15, Surface water monitoring Response to question 16, Gas monitoring Response to question 17 informing the agency	
Application EPR/DP3431PC/V004	Hydrogeological Risk Assessment, Section 3.2, subject to the requirements of Schedule 1, Table S1.3, Improvement condition 1 Stability Risk Assessment, Sections 2.0 and 3.0 Landfill Gas Risk Assessment, Section 4.0	April 2009
Application EPR/DP3431PC/V004	H1 Assessment, Table A1 – Odour Risk Assessment and Management Plan, Subject to the requirement of schedule 1, Table S1.3, Improvement Condition 2 H1 Assessment, Table A2 – Noise Risk Assessment and Management Plan H1 Assessment Table A3 – Fugitive Risk Assessment and Management Plan H1 Assessment Table A4 – Accidents Risk Assessment and Management Plan	April 2009
Further Information Received EPR/DP3431PC/V004	1 st Response to the Agency, Sections 2 and 4	January 2010
Schedule 5 Notice EPR/DP3431PC/V004 dated 2 July 2010	Response to question 1,2,3,4 and 5	30/07/10
Variation Application EPR/DP3431PC/V005	Document reference 407.00034.00435/NTS in response to Question 5c Non-Technical Summary part C2 of the application form. Document reference 407.00034.00435/H1 in response to Question 6 H1 Environment Risk Assessment Part C2 of the application form. Section 3, Table 3 Technical standards, Part C3 of the application form.	28/03/12
Variation Application EPR/DP3431PC/V005	Document reference 402-0034-00435/ESID dated March 2012 Environmental Setting and Design. Response to Question 1 of appendix 7, part C3 of the application form. ESID Appendix 2 Settlement Modelling and Remedial Material 18 April 2011.	28/03/12
Variation Application EPR/DP3431PC/V005	Document Reference 407-00034-00435/HRA March 2012	10/05/12

Table S1.2 Operating techniques

Description	Parts	Date Received
	<p>Hydrological risk assessment Reference in response to Question 2 of appendix 7, part C3 of the application form.</p> <p>Document Reference 407-00034-00435/SRA March 2012</p> <p>Stability Risk assessment in response to Question 3 of appendix 7, part C3 of the application form.</p> <p>Document reference 403.00847.00002/LFGRA March 2012, Landfill Gas Risk Assessment Reference in response to Question 4 of appendix 7, part C3 of the application form.</p>	
Variation Application EPR/DP3431PC/V005	<p>Document Reference 407-00034-00435 drawing Number ESID3 Restoration Scheme reference WK234400 February 2012.</p> <p>Post Settlement Profile for Westmill Landfill computer ref WK034200 Drawing number 2 dated 03.03.11.</p>	10/05/12
Variation Application EPR/DP3431PC/V006	<p>Section 3, Table 3 Technical standards, Part C3 of the application form.</p> <p>Document reference 407.00034.0046/BATOT (June 2012).</p> <p>Appendix BATOT1SSI/913/07 Waste Acceptance Procedure SRC - Section 5.0 SRF Output Sampling Methodology.</p>	10/09/12
Schedule 5 request for further information response EPR/DP3431PC/V006	<p>Confirmed batch management to control cross contamination.</p> <p>Confirmation all waste received will meet criteria for restoration on acceptance to the site with regards to non-organic contaminants that cannot be treated by the biopile bioremediation process.</p> <p>Confirmation that where possible site equipment will be located into areas below ground levels or behind biopiles to screen noise.</p> <p>Confirmed site has appropriate waste tracking system.</p> <p>Confirmed amount of green waste accepted and stored at the site for use in biopile process.</p> <p>Confirmed dust suppressions methods for aggregate screening and crushing activity.</p> <p>Supplied revised site plan drawing number 02, WK236301.</p>	22/10/12
Additional information EPR/DP3431PC/V005	<p>Updated version of Drawing ESID 2 Document Reference 407-00034-00435 computer reference WK234301 Site layout and proposed Pre- settlement contours February 2012</p>	29/10/12

Table S1.2 Operating techniques

Description	Parts	Date Received
	Drawing and cross sections of inert restoration profiles computer reference WK236700	
Application EPR/DP3431PC/V007	Third tier atmospheric dispersion modelling carried out to assess impacts of increasing the capacity of Westmill Landfill Gas Generation Station to 3.195MW, dated September 2012	25/10/12
	Noise Assessment Westmill Landfill Site dated September 2012	25/10/12
	Third tier atmospheric dispersion modelling carried out to assess impacts of increasing the capacity of Westmill Landfill Gas Generation Station to 3.168 MW, dated April 2013	15/04/13
Additional information EPR/DP3431PC/V005	Odour Impact Assessment for revised pre-settlement profiles. Ref: 407.00034.00435_OIAv3 Scenarios A1 and A3	06/11/12
Additional information EPR/DP3431PC/V006	Confirmation of impermeable surface engineering. Revised engineering drawing of impermeable surface drawing number 007, GCL layout.	20/11/12
Schedule 5 Notice request for further information response EPR/DP3431PC/V005	Response to question 1,2 Confirmed leachate level will only be raised to 2 metres where the appropriate infrastructure is in place to contain leachate with freeboard to prevent overspill. Submitted cell design drawings (see below) confirming cells 5,6 and 7 had suitable bunds for containing 2 metre leachate levels in each cell Drawing V-BIF-WEST-C7N-LMS-01 January 2012-12-17 Drawing C1202-12 dated 21 September 2012 Drawing C1108-7 dated 24 October 2011 Drawing C1108-6 dated 20 September 2011 Drawing 072004 dated 9 th July 2008 Drawing 072001 dated 21 May 2008	28/11/12
Additional information EPR/DP3431PC/V006	Operator confirmed update of permit conditions in line with the Industrial Emissions Directive.	26/02/2013

Table S1.2 Operating techniques

Description	Parts	Date Received
Additional information (operator's response to a draft schedule 5) EPR/DP3431PC/V005	Request for information response confirmed operating techniques for managing revised pre settlement levels to maintain appropriate settlement profiles Operator confirmed maintaining leachate management beyond 30 years to manage leachate source term until it declines.	29/10/2013
Additional information EPR/DP3431PC/V006	Confirmed that waste codes 19 03 06*, 19 03 07 will only be accepted at the site if prior to solidification they did not possess a hazardous property derived from dangerous substances other than oil derived hydrocarbons and were solidified by a permitted process using non-reacting binders such as clay.	03/04/14 & 04/03/14
Additional information EPR/DP3431PC/V006	Confirmed that waste codes 19-02-05* and 19 02 06 will only be accepted at the site in the form of road sweeping residues and gully suckings that have been processed prior to delivery.	07/02/14
Additional information EPR/DP3431PC/V005	Email confirming implementation of odour management scenario A1 and A3.	07/03/14
Additional information EPR/DP3431PC/V005	Email confirming the low odour waste types for acceptance as part of scenario A1.	02/04/14
Additional information EPR/DP3431PC/V005	Confirmation of wastes streams to be accepted under waste code 20 03 01 as low odour wastes.	08/04/14
Application EPR/DP3431PC/V008	Section 1.1 - Site management	23/07/14
	Appendix 2 – Air Dispersion modelling	23/07/14
	Response dated 15 September 2014 to Not duly-made letter	15/09/14
Application EPR/DP3431PC/V011	Section 3, Table 3 Technical standards, Part C3 of the application form. SRC Operating Techniques Addendum Ref: 402-0034-00527/BATOT/Addendum (dated February 2015) <ul style="list-style-type: none"> • Phasing of the soil treatment facility • Street cleaning dewatering 	09/04/15

Table S1.2 Operating techniques

Description	Parts	Date Received
	Landfill Gas Pre-Treatment Operating Techniques Addendum Ref: 402-0034-00527/BATOT/Addendum (dated February 2015) <ul style="list-style-type: none"> • Use of carbon filters in Gas Utilisation Plant 	
Additional information EPR/DP3431PC/V011	Not Duly Made response Revised H1 risk assessment	09/04/15
Additional information Schedule 5 Notice sent 05/05/2015 EPR/DP3431PC/V011	Responses to questions 1 – tanker parking area design 2 – tanker discharge attendance 5 – tank crash barriers 6 – underground pipes	18/05/15
Additional information Schedule 5 Notice sent 28/05/2015 EPR/DP3431PC/V011	Responses to questions 1- Containment of NaOH tank	03/06/15
Additional information Schedule 5 Notice sent 11/06/2015 EPR/DP3431PC/V011	Response to all questions detailing design specification for raw leachate tanks and secondary containment.	12/06/15
Additional information	SBR Leachate treatment plant and MSP Leachate treatment plant site location plans and sewer connections Leachate treatment Plant Operating Techniques (ref 402.00034.00527/BATOT_V6 October 2015) Site Layout Plan (ref C10713-01) Caustic tank and bunding design (ref D30561/P89702/101+02) NaOH Tank and Bund with Polypropylene shell containment (ref D30561/P89702/101+02) Horizontal raw leachate tanks secondary containment design (ref WK070500) SBR bund connection pipe work (ref WK239100) SBR tank de-sludge arrangement (ref WK23920)	21/10/15
Restoration plan	All parts	October 2015

Table S1.2 Operating techniques		
Description	Parts	Date Received
Site/Environmental Management System	Compliance matrix Site specific management system (replaced the working plan) Generic management system summary New management plans for odour, gas leachate Site specific procedures WML01, WML02 and WML03 Operating techniques matrix	08/12/15
Additional information Schedule 5 notice sent 18/01/17 EPR/DP3431PC/V013	Stability risk assessment Rev 5	February 2017
Confirmation of topography, slope and cell design and capping stability.	Letter (ref: 20171017_Westmill_0059_EPV013) received confirming agreement	17/10/17

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
9	<p>For the area edged in blue on the site plan in schedule 7 of this permit, the operator shall submit a landfill gas management improvement plan for approval by the Environment Agency which incorporate the following:</p> <p>All improvement techniques, particular those related to the gas migration, with timescale for implementation. This shall include all action that area required to bring the gas management system in line with the requirement of LFTGN 03 or otherwise as agreed in writing with the Environment Agency</p> <p>Results of the investigation required by IC9, including recommendation with a timetable for implementation and further review</p> <p>Revised gas management procured appropriate to the site setting and situation considering the sensitivity of the interface liner and ongoing gas migration.</p>	3 months from issue

Table S1.3 Improvement programme requirements

Reference	Requirement	Date
	The operator shall derive appropriate compliance, assessment levels and monitoring frequency for monitoring boreholes for agreement. These levels shall be based upon the outcome of the investigation	
14	The operator shall construct 4 leachate collection/monitoring boreholes to replace W1/C3LWN1, W2/C1LM2, W2/C3LW1 and W2/C4LW1.	3 months from issue or as agreed in writing with the Environment Agency.

Table S1.4A Pre-operational measures

Reference	Pre-operational Measures
1	At least 2 weeks prior to operation of the Soil Treatment Facility, the operator shall submit to the Environment Agency a report including a quantitative risk assessment for written approval demonstrating that the leachate treatment plant serving the landfill has the ability and capacity to effectively treat leachate from the Soil Treatment Facility.
2	At least 2 weeks prior to operation of the Soil Treatment Facility, the operator shall submit a review of the site's odour monitoring and management plan specifically related to the Soil Treatment Facility to the Environment Agency for written approval.
4	At least 2 weeks prior to sending any waste for landfill restoration, the operator shall submit a site specific risk assessment to the Environment Agency which demonstrates that treated waste will not impact on the local groundwater. Waste shall not be deposited at the site for restoration until the risk assessment has been agreed by the Environment Agency in writing.
5	At least 2 weeks prior to sending any residual waste for use as daily cover, the operator shall submit a report to the Environment Agency which demonstrates that the treated soils are acceptable to deposit at the landfill. Waste shall not be used for daily cover until the report has been agreed by the Environment Agency in writing.
6	The operator shall submit a Validation Report to the Environment Agency as soon as practicable following the construction of any site infrastructure. The report shall summarise the environmental performance of the plant as installed against the design parameters set out in the Application. The report shall include a comprehensive record of the construction and must include, where relevant: <ul style="list-style-type: none"> Details of any changes to the approved design and justification for those changes; "As-built" plans and sections of the works; Records of any problems or non-compliance and the solution applied; Any other site specific information considered relevant to proving the integrity of the construction; Validation by a qualified person that all of the construction has been carried out in accordance with the construction proposals.

Table S1.4A Pre-operational measures

Reference	Pre-operational Measures
	A review of the performance of the facility against the conditions of this permit and details of procedures developed during commissioning for achieving and demonstrating compliance with permit conditions.
7	<p>The operator shall review all risk assessments, management systems and procedure for wastes being accepted, treated and stored at the soil treatment facility.</p> <p>This review shall ensure that appropriate measures are taken when accepting, handling and storing the wastes, ensuring that all emissions are prevented, in line with Environment Agency guidance SGN 5.06. The Operator shall write to the Environment Agency to confirm that this review has been undertaken prior to the acceptance of waste at the soil treatment facility.</p>
8	<p>At least 2 weeks prior to operation of the Soil Treatment Facility the operator shall submit to the Environment Agency for written approval a gas risk assessment which investigates the potential for gas from Westmill I to migrate towards the soil treatment facility.</p> <p>The assessment shall also review the need for gas management infrastructure at the site and submit proposals. For example:</p> <ul style="list-style-type: none">• Installation of collections wells in the areas beneath or surrounding the soil treatment facility• Installation of collection infrastructure within the Westmill I to capture gas venting towards the landfill. <p>Once approved the operator's proposals shall be implemented at the site within a timescale agreed with the Environment Agency</p>
9	<p>Prior to implementing a 2 metre leachate level compliance limit, the operator shall demonstrate to the Environment Agency for each individual cell there are engineered bunds which provide sufficient freeboard to effectively contain leachate within individual landfill cells and obtain the Environment Agency's written confirmation the 2m head can be implemented [in that cell]' (freeboard being the distance between the leachate levels compliance limit and the height of the engineered bunds).</p>
10	<p>At least 2 weeks prior to implementing 2 metre leachate head compliance limits in accordance with pre-operational condition 9, the operator shall submit to the Environment Agency a revised leachate management plan for written approval that includes the following;</p> <ul style="list-style-type: none">• information to demonstrate the leachate plant has the capacity to adequately treat the volumes of leachate to be generated and maintain the compliance limit of 2 metres;• Leachate control levels with full justification of these levels in relation to compliance limits; and• A contingency plan which demonstrates the actions to be taken upon a breach of a control level. <p>The leachate management plan shall be implemented in accordance with the Environment Agency's written approval.</p>
11	<p>Prior to depositing in any cell which has been subject to a thermal incident any further waste [other than inert waste] to meet the revised pre settlement profiles the operator shall submit a written report to demonstrate they have resolved the incident and have obtained the Environment Agency's written approval to the report</p>

Table S1.4B Pre-operational measures for future development

Reference	Operation	Pre-operational Measures
1	Construction of cells in the new inert area to the south west of the site.	Three months prior to construction of cells in the new inert area to the south west of the site, updated operating techniques shall be submitted to the Environment Agency for approval. This must include a landfill engineering design and specifications based on an agreed Hydrogeological Risk Assessments and legislative requirements, waste acceptance procedures, monitoring requirements and any other operating techniques that will differ from current operations.

Table S1.5 Annual waste input limits

Category	Limit Tonnes/ Year
Non-hazardous waste	750,000
Inert waste	To be confirmed on completion of pre-operational condition 1, table S1.4B
Waste for restoration	250,000

Schedule 2 – List of permitted wastes

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
01 Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals		
01 01	wastes from mineral excavation	
01 01 01	wastes from mineral metalliferous excavation	✓
01 01 02	wastes from mineral non-metalliferous excavation	✓
01 03	wastes from physical and chemical processing of metalliferous minerals	
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05	✓
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07	✓
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 07	✓
01 04	wastes from physical and chemical processing of non-metalliferous minerals	
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07	✓
01 04 09	waste sand and clays	✓
01 04 10	dusty and powdery wastes other than those mentioned in 01 04 07	✓
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07	✓
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11	✓
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07	✓
01 05	drilling muds and other drilling wastes	
01 05 04	freshwater drilling muds and wastes	✓
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06	✓
01 05 08	chloride-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06	✓
02 Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing		
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing	
02 01 01	sludges from washing and cleaning	N
02 01 02	animal-tissue waste	N

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
02 01 03	plant-tissue waste	RA
02 01 04	waste plastics (except packaging)	✓
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site	N
02 01 07	wastes from forestry	✓
02 01 09	agrochemical waste other than those mentioned in 02 01 08	RA
02 01 10	waste metal	✓
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin	
02 02 01	sludges from washing and cleaning	N
02 02 02	animal-tissue waste	RA
02 02 03	materials unsuitable for consumption or processing	RA
02 02 04	sludges from on-site effluent treatment	N
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation	
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation	N
02 03 02	wastes from preserving agents	RA
02 03 03	wastes from solvent extraction	RA
02 03 04	materials unsuitable for consumption or processing	RA
02 03 05	sludges from on-site effluent treatment	N
02 04	wastes from sugar processing	
02 04 01	soil from cleaning and washing beet	RA
02 04 02	off-specification calcium carbonate	RA
02 04 03	sludges from on-site effluent treatment	N
02 05	wastes from the dairy products industry	
02 05 01	materials unsuitable for consumption or processing	RA
02 05 02	sludges from on-site effluent treatment	N
02 06	wastes from the baking and confectionery industry	
02 06 01	materials unsuitable for consumption or processing	RA
02 06 02	wastes from preserving agents	RA
02 06 03	sludges from on-site effluent treatment	N
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)	
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials	RA

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
02 07 02	wastes from spirits distillation	RA
02 07 03	wastes from chemical treatment	RA
02 07 04	materials unsuitable for consumption or processing	RA
02 07 05	sludges from on-site effluent treatment	N
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard	
03 01	wastes from wood processing and the production of panels and furniture	
03 01 01	waste bark and cork	✓
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04	✓
03 03	wastes from pulp, paper and cardboard production and processing	
03 03 01	waste bark and wood	✓
03 03 02	green liquor sludge (from recovery of cooking liquor)	N
03 03 05	de-inking sludges from paper recycling	N
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard	RA
03 03 08	wastes from sorting of paper and cardboard destined for recycling	RA
03 03 09	lime mud waste	RA
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation	N
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10	N
04	Wastes from the leather, fur and textile industries	
04 01	wastes from the leather and fur industry	
04 01 01	fleshings and lime split wastes	RA
04 01 02	liming waste	RA
04 01 06	sludges, in particular from on-site effluent treatment containing chromium	N
04 01 07	sludges, in particular from on-site effluent treatment free of chromium	N
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium	Y
04 01 09	wastes from dressing and finishing	RA
04 02	wastes from the textile industry	
04 02 09	wastes from composite materials (impregnated textile, elastomer, plastomer)	RA
04 02 10	organic matter from natural products (for example grease, wax)	RA
04 02 15	wastes from finishing other than those mentioned in 04 02 14	RA
04 02 17	dye-stuffs and pigments other than those mentioned in 04 02 16	RA

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19	N
04 02 21	wastes from unprocessed textile fibres	✓
04 02 22	wastes from processed textile fibres	✓
05	Wastes from petroleum refining, natural gas purification and pyrolytic treatment of coal	
05 01	wastes from petroleum refining	
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09	N
05 01 13	boiler feedwater sludges	N
05 01 14	wastes from cooling columns	RA
05 06	wastes from the pyrolytic treatment of coal	
05 06 04	waste from cooling columns	RA
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks	
08 01	wastes from MFSU and removal of paint and varnish	
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	RA
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13	N
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17	RA
08 02	wastes from MFSU of other coatings (including ceramic materials)	
08 02 01	waste coating powders	RA
08 03	wastes from MFSU of printing inks	
08 03 15	ink sludges other than those mentioned in 08 03 14	N
08 03 18	waste printing toner other than those mentioned in 08 03 17	RA
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)	
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	RA
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11	N
10	Wastes from thermal processes	
10 01	wastes from power stations and other combustion plants (except 19)	
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)	✓
10 01 02	coal fly ash	✓
10 01 03	fly ash from peat and untreated wood	✓
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form	RA

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form	N
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14	Y
10 01 17	fly ash from co-incineration other than those mentioned in 10 01 16	✓
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18	RA
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20	N
10 01 24	sands from fluidised beds	✓
10 01 25	wastes from fuel storage and preparation of coal-fired power plants	✓
10 01 26	wastes from cooling-water treatment	RA
10 02	wastes from the iron and steel industry	
10 02 01	wastes from the processing of slag	RA
10 02 02	unprocessed slag	RA
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07	RA
10 02 10	mill scales	RA
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11	RA
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13	N
10 02 15	other sludges and filter cakes	N
10 03	wastes from aluminium thermal metallurgy	
10 03 02	anode scraps	RA
10 03 05	waste alumina	RA
10 03 16	skimmings other than those mentioned in 10 03 15	RA
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17	RA
10 03 20	flue-gas dust other than those mentioned in 10 03 19	RA
10 03 22	other particulates and dust (including ball-mill dust) other than those mentioned in 10 03 21	RA
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23	RA
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25	N
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27	RA
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29	RA
10 05	wastes from zinc thermal metallurgy	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
10 05 01	slags from primary and secondary production	RA
10 05 04	other particulates and dust	Y
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08	RA
10 05 11	dross and skimmings other than those mentioned in 10 05 10	RA
10 06	wastes from copper thermal metallurgy	
10 06 01	slags from primary and secondary production	RA
10 06 02	dross and skimmings from primary and secondary production	RA
10 06 04	other particulates and dust	RA
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09	RA
10 07	wastes from silver, gold and platinum thermal metallurgy	
10 07 01	slags from primary and secondary production	RA
10 07 02	dross and skimmings from primary and secondary production	RA
10 07 03	solid wastes from gas treatment	RA
10 07 04	other particulates and dust	RA
10 07 05	sludges and filter cakes from gas treatment	N
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07	RA
10 08	wastes from other non-ferrous thermal metallurgy	
10 08 04	particulates and dust	RA
10 08 09	other slags	RA
10 08 11	dross and skimmings other than those mentioned in 10 08 10	RA
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12	RA
10 08 14	anode scrap	RA
10 08 16	flue-gas dust other than those mentioned in 10 08 15	✓
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17	N
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19	RA
10 09	wastes from casting of ferrous pieces	
10 09 03	furnace slag	RA
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05	✓
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07	✓
10 09 10	flue-gas dust other than those mentioned in 10 09 09	✓

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
10 09 12	other particulates other than those mentioned in 10 09 11	✓
10 09 14	waste binders other than those mentioned in 10 09 13	✓
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15	✓
10 10	wastes from casting of non-ferrous pieces	
10 10 03	furnace slag	RA
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05	✓
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07	✓
10 10 10	flue-gas dust other than those mentioned in 10 10 09	✓
10 10 12	other particulates other than those mentioned in 10 10 11	✓
10 10 14	waste binders other than those mentioned in 10 10 13	✓
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15	✓
10 11	wastes from manufacture of glass and glass products	
10 11 03	waste glass-based fibrous materials	✓
10 11 05	particulates and dust	✓
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09	✓
10 11 12	waste glass other than those mentioned in 10 11 11	✓
10 11 14	glass-polishing and -grinding sludge other than those mentioned in 10 11 13	N
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15	✓
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17	N
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19	N
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products	
10 12 01	waste preparation mixture before thermal processing	✓
10 12 03	particulates and dust	✓
10 12 05	sludges and filter cakes from gas treatment	N
10 12 06	discarded moulds	✓
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)	✓
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09	RA
10 12 12	wastes from glazing other than those mentioned in 10 12 11	✓
10 12 13	sludge from on-site effluent treatment	N

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them	
10 13 01	waste preparation mixture before thermal processing	✓
10 13 04	wastes from calcination and hydration of lime	RA
10 13 06	particulates and dust (except 10 13 12 and 10 13 13)	✓
10 13 07	sludges and filter cakes from gas treatment	N
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09	Y
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10	✓
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12	✓
10 13 14	waste concrete and concrete sludge	N
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy	
11 02	wastes from non-ferrous hydrometallurgical processes	
11 02 03	wastes from the production of anodes for aqueous electrolytical processes	RA
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05	RA
11 05	wastes from hot galvanising processes	
11 05 01	hard zinc	RA
11 05 02	zincash	RA
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics	
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics	
12 01 01	ferrous metal filings and turnings	✓
12 01 02	ferrous metal dust and particles	✓
12 01 03	non-ferrous metal filings and turnings	Y
12 01 04	non-ferrous metal dust and particles	✓
12 01 05	plastics shavings and turnings	✓
12 01 13	welding wastes	✓
12 01 15	machining sludges other than those mentioned in 12 01 14	N
12 01 17	waste blasting material other than those mentioned in 12 01 16	✓

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20	✓
15 Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified		
15 01	packaging (including separately collected municipal packaging waste)	
15 01 01	paper and cardboard packaging	Y
15 01 02	plastic packaging	✓
15 01 03	wooden packaging	✓
15 01 04	metallic packaging	Y
15 01 05	composite packaging	✓
15 01 06	mixed packaging	✓
15 01 07	glass packaging	✓
15 01 09	textile packaging	✓
15 02	absorbents, filter materials, wiping cloths and protective clothing	
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02	RA
16 Wastes not otherwise specified in the list		
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)	
16 01 12	brake pads other than those mentioned in 16 01 11	✓
16 01 17	ferrous metal	✓
16 01 18	non-ferrous metal	✓
16 01 19	plastic	✓
16 01 20	glass	✓
16 03	off-specification batches and unused products	
16 03 04	inorganic wastes other than those mentioned in 16 03 03	✓
16 03 06	organic wastes other than those mentioned in 16 03 05	RA
16 08	spent catalysts	
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)	RA
16 11	waste linings and refractories	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01	RA
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03	RA
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05	RA
17 Construction and demolition wastes (including excavated soil from contaminated sites)		
17 01	concrete, bricks, tiles and ceramics	
17 01 01	concrete	✓
17 01 02	bricks	✓
17 01 03	tiles and ceramics	✓
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06	✓
17 02	wood, glass and plastic	
17 02 01	wood	✓
17 02 02	glass	✓
17 02 03	plastic	✓
17 04	metals (including their alloys)	
17 04 01	copper, bronze, brass	✓
17 04 02	aluminium	✓
17 04 03	lead	✓
17 04 04	zinc	✓
17 04 05	iron and steel	✓
17 04 06	tin	✓
17 04 07	mixed metals	✓
17 04 11	cables other than those mentioned in 17 04 10	✓
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil	
17 05 04	soil and stones other than those mentioned in 17 05 03	✓
17 05 06	dredging spoil other than those mentioned in 17 05 05	✓
17 05 08	track ballast other than those mentioned in 17 05 07	✓
17 06	insulation materials and asbestos-containing construction materials	

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03	RA
17 09	other construction and demolition wastes	
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	✓
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)	
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans	
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, linen, disposable clothing, diapers)	RA
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals	
18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection	RA
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use	
19 01	wastes from incineration or pyrolysis of waste	
19 01 02	ferrous materials removed from bottom ash	✓
19 01 12	bottom ash and slag other than those mentioned in 19 01 11	✓
19 01 14	fly ash other than those mentioned in 19 01 13	✓
19 01 16	boiler dust other than those mentioned in 19 01 15	✓
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17	✓
19 01 19	sands from fluidised beds	✓
19 03	stabilised/solidified wastes¹	
19 03 05	stabilised wastes other than those mentioned in 19 03 04	✓
19 03 07	solidified wastes other than those mentioned in 19 03 06	✓
19 04	vitrified waste and wastes from vitrification	
19 04 01	vitrified waste	✓
19 05	wastes from aerobic treatment of solid wastes	
19 05 01	non-composted fraction of municipal and similar wastes	RA

¹ Stabilisation processes change the dangerousness of the constituents in the waste and thus transform hazardous waste into non-hazardous waste. Solidification processes only change the physical state of the waste (e.g. liquid into solid) by using additives without changing the chemical properties of the waste.

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
19 05 02	non-composted fraction of animal and vegetable waste	RA
19 05 03	off-specification compost	RA
19 06	wastes from anaerobic treatment of waste	
19 06 04	digestate from anaerobic treatment of municipal waste	RA
19 06 06	digestate from anaerobic treatment of animal and vegetable waste	RA
19 08	wastes from waste water treatment plants not otherwise specified	
19 08 01	screenings	RA
19 08 02	waste from desanding	RA
19 08 05	sludges from treatment of urban waste water	N
19 08 09	grease and oil mixture from oil/water separation containing only edible oil and fats	RA
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13	N
19 09	wastes from the preparation of water intended for human consumption or water for industrial use	
19 09 01	solid waste from primary filtration and screenings	RA
19 09 02	sludges from water clarification	N
19 09 03	sludges from decarbonation	N
19 09 05	saturated or spent ion exchange resins	RA
19 09 06	solutions and sludges from regeneration of ion exchangers	N
19 10	wastes from shredding of metal-containing wastes	
19 10 01	iron and steel waste	RA
19 10 02	non-ferrous waste	RA
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03	✓
19 10 06	other fractions other than those mentioned in 19 10 05	RA
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified	
19 12 01	paper and cardboard	✓
19 12 02	ferrous metal	✓
19 12 03	non-ferrous metal	✓
19 12 04	plastic and rubber	✓
19 12 05	glass	✓
19 12 07	wood other than that mentioned in 19 12 06	✓

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste		
Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.	
19 12 08	textiles	✓
19 12 09	minerals (for example sand, stones)	✓
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11	RA
19 13	wastes from soil and groundwater remediation	
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01	RA
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03	N
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions	
20 01	separately collected fractions (except 15 01)	
20 01 01	paper and cardboard	✓
20 01 02	glass	✓
20 01 08	biodegradable kitchen and canteen waste	N
20 01 10	clothes	✓
20 01 11	textiles	✓
20 01 25	edible oil and fat	RA
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27	RA
20 01 30	detergents other than those mentioned in 20 01 29	RA
20 01 38	wood other than that mentioned in 20 01 37	✓
20 01 39	plastics	✓
20 01 40	metals	✓
20 01 41	wastes from chimney sweeping	✓
20 01 99	Other fractions not otherwise specified (comprising only of non-clinical human and animal offensive/hygiene waste (not arising from healthcare and/or related research i.e. not including waste from natal care, diagnosis, treatment or prevention of disease) which is not subject to special requirements in order to prevent infection.	RA
20 02	garden and park wastes (including cemetery waste)	
20 02 01	biodegradable waste	N
20 02 02	soil and stones	✓
20 02 03	other non-biodegradable wastes	✓
20 03	other municipal wastes	
20 03 01	mixed municipal waste	RA
20 03 02	waste from markets	N

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste

Waste code	Description ✓ = low odour RA = low odour waste subject to risk assessment N = not low odour process of risk assessment is only required if tipping to the revised profile agreed under V005 permit variation.
20 03 03	street-cleaning residues y
20 03 04	septic tank sludge N
20 03 06	waste from sewage cleaning N
20 03 07	bulky waste ✓

Table S2.2 Permitted waste types accepted for treatment (Activities A4, A5, A6)

Maximum quantity	The total quantity of waste types in this table that can be accepted at the site shall be less than 30,000 tonnes per year Exclusions - No liquid waste
Waste code	Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 05	drilling muds and other drilling wastes
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing dangerous substances
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 03*	soil and stones containing dangerous substances
17 05 05*	dredging spoil containing dangerous substances
17 05 07*	track ballast containing dangerous substances
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 03	stabilised/solidified wastes
19 03 06*	waste marked as hazardous, solidified
19 13	wastes from soil and groundwater remediation
19 13 01*	solid wastes from soil remediation containing dangerous substances
19 13 03*	sludges from soil remediation containing dangerous substances

Table S2.3 Permitted waste types accepted for treatment (Activities A7, A16, A17)

Maximum quantity	The total quantity of waste types in this table that can be accepted at the site shall be less than 30,000 tonnes per year of non hazardous waste and 1500 tonnes per year of non-hazardous biodegradable waste, including garden and park wastes (including cemetery waste), wood and separately collected fractions of municipal waste and wood from the mechanical treatment of waste. Exclusions - No liquid waste
Waste code	Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 09	waste sand and clays
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 06	dredging spoil other than those mentioned in 17 05 05
17 05 08	track ballast other than those mentioned in 17 05 07
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 03	waste marked as hazardous, solidified
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 05	wastes from aerobic treatment of solid wastes
19 05 03	off-specification compost
19 08	wastes from waste water treatment plants not otherwise specified
19 08 01	screenings
19 08 02	waste from desanding
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 07	wood other than that mentioned in 19 12 06
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

Table S2.3 Permitted waste types accepted for treatment (Activities A7, A16, A17)

Maximum quantity	The total quantity of waste types in this table that can be accepted at the site shall be less than 30,000 tonnes per year of non hazardous waste and 1500 tonnes per year of non-hazardous biodegradable waste, including garden and park wastes (including cemetery waste), wood and separately collected fractions of municipal waste and wood from the mechanical treatment of waste. Exclusions - No liquid waste
Waste code	Description
20 01	separately collected fractions (except 15 01)
20 01 38	wood other than that mentioned in 20 01 37
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 03	other municipal wastes
20 03 03	street cleaning residues

Table S2.4 Permitted waste types for restoration	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01 03	Plant tissue waste
02 04	Wastes from sugar processing
02 04 01	soil from cleaning and washing beet
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 03	wastes from pulp, paper and cardboard production and processing
03 03 05	de-inking sludges from paper recycling
03 03 09	lime mud waste
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 06	dredging spoil other than those mentioned in 17 05 05
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 05	wastes from aerobic treatment of solid wastes
19 05 03	off-specification compost
19 08	wastes from waste water treatment plants not otherwise specified
19 08 05	sludges from treatment of urban waste water
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 02	sludges from water clarification
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified

Table S2.4 Permitted waste types for restoration	
Waste code	Description
19 12 09	minerals (for example sand, stones)
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 02	garden and park wastes (including cemetery waste)
20 02 02	soil and stones

Table S2.5 Raw materials and fuels	
Raw materials and fuel description	Limit Tonnes/Year
Additives (bacterial growth and promotion)	50

Table S2.6 Permitted waste types for treatment in the SBR Treatment Plant	
Waste code	Description
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 06	wastes from anaerobic treatment of waste
19 16 03	liquor from anaerobic treatment of municipal waste
19 06 05	liquor from anaerobic treatment of animal and vegetable waste
19 07	landfill leachate
19 07 03	landfill leachate other than those mentioned in 19 07 02

Table S2.7 Inert Waste for disposal in cell A	
Waste code	Description
	Waste types to be agreed on completion of pre-operational condition 1, table S1.4B

Schedule 3 – Emissions and monitoring

Table S3.1 Leachate level limits and monitoring requirements

Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring method
<p>Westmill I W1/C0LWN, W1/C1LWS1, W1/C2LW1A, W1/C2LW3A, W1/C3LWS1, W1/C3LWN1, W1/C4LWS, W1/C4LM2A, W1/C3LWA, W1/C5LWA.</p> <p>Westmill II W2/C1LW1, W2/C1LM2, W2/C1LM3, W2/C2LW1, W2/C2LM3, W2/C3LW1, W2/C3LM3, W2/C4LW1, W2/C5LW1 W2/C5LM2, W2/C6LW1, W2/C6NLW1, W2C7LWR, W2/C7NLW1, W2/C8LW1, W2/C9LW1, W2/C3LM4, W2/C4LM4, W2/C4BLM1, W2/C7LM1.</p> <p>and all future wells on Westmill I and Westmill II</p>	2 m above cell base	Monthly	In accordance with Environment Agency document LFTGN02 (enter current version number and issue date) 'Guidance on Monitoring of Landfill Leachate, Groundwater and Surface Water' or such other subsequent guidance as may be agreed in writing with the Environment Agency.
*Note - A compliance limit of 2m above the cell base shall apply for each cell upon completion of pre operational condition 9.			

Table S3.2 Point source emissions to air – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
LFGE 2, LFGE 3, LFGE 4, LFGE 5 commissioned after 31/12/05	Oxides of Nitrogen	Gas utilisation plant	500 mg/m ³	Hourly mean	Annually	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency
	CO		1400 mg/m ³	Hourly mean		
	Total VOCs		1000 mg/m ³			
2 Flares, on	Oxides of Nitrogen	Landfill gas flares	150 mg/m ³			As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Table S3.2 Point source emissions to air – emission limits and monitoring requirements						
Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Plan ESID 8	CO		50 mg/m ³			Monitoring is unnecessary where the flare is active for <10% of the year.
	Total VOC's		10 mg/m ³			
PpTek Siloxane Removal System	Oxides of Nitrogen	PpTek Siloxane Removal System	150 mg/m ³			As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency
	CO		50 mg/m ³			
	Total VOC's		10 mg/m ³			
	Operational Temperature		>1000°C			
Biofilter as referenced in drawing 03 reference WK236400	As per those agreed as part of improvement condition 13	Biofilter				

Table S3.3 Point source emissions to water (other than sewer) – emission limits and monitoring requirements						
Emission point Ref. & Location	Parameter	Source	Limit (incl unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Surface Water Soakaway south of the office (Sample point ref 91604002);	Maximum Flow	Surface water lagoon	60 l/s	Continuous	Weekly	In accordance with Environment Agency document LFTGN 02 September 2004 'Guidance on Monitoring of Landfill Leachate, Groundwater and Surface Water' or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Ammoniacal-Nitrogen		0.5 mg/l	Spot Sample	Monthly	
	Suspended Solids		50 mg/l	Spot Sample	Monthly	

Table S3.3 Point source emissions to water (other than sewer) – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (incl unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
On plan Westmill Landfill Site Monitoring Infrastructure WK180107 dated 28/03/14	Oil or Grease		No significant visible trace	Continuous	Daily	
W2/lagoon discharge	Maximum Flow	Surface water lagoon	60 l/s	Continuous	Weekly	In accordance with Environment Agency document LFTGN 02 September 2004 'Guidance on Monitoring of Landfill Leachate, Groundwater and Surface Water' or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Ammoniacal-Nitrogen		0.5 mg/l	Spot Sample	Monthly	
	Suspended Solids		50 mg/l	Spot Sample	Monthly	
	Oil or Grease		No significant visible trace	Continuous	Daily	

Table S3.4 Groundwater – emission limits and monitoring requirements

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
W2/NW3, W2/NW4, W2/NW5, W2/NW10 Onsite plan HRA1b, dated 10/03/2009	Ammoniacal-Nitrogen	0.39 mg/l	Spot Sample	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), risk assessments for your environmental permit (www.gov.uk) or such other subsequent guidance as may be agreed in writing with the Environment Agency
	Chloride	100 mg/l			
	Cadmium ⁽¹⁾	0.0015 (mg/l)			
	Nickel	0.025 mg/l			

Table S3.4 Groundwater – emission limits and monitoring requirements

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
	Mecoprop	IC11			
	Toluene				
	Xylene				
	Phenol				
W1/WM4	Ammoniacal-Nitrogen	0.39 mg/l	Spot sample	Quarterly	
	Chloride	100 mg/l			
	Cadmium ⁽¹⁾	0.0015 mg/l			
	Nickel	0.025 mg/l			
W2/NW6 On site plan HRA1b, dated 10/03/2009	Ammoniacal-Nitrogen	0.39 mg/l	Spot Sample	Quarterly	
	Chloride	150 mg/l			
	Cadmium ⁽¹⁾	0.0015 mg/l			
	Nickel	0.025 mg/l			
	Mecoprop	To be agreed on completion of improvement condition 11, table S1.3			
	Toluene				
	M/P-Xylene				
Phenol					
W2/WM7	Ammoniacal-Nitrogen	0.39 mg/l	Spot Sample	Quarterly	
	Chloride	150 mg/l			
	Cadmium ⁽¹⁾	0.0015 mg/l			
	Nickel	0.025 mg/l			

Table S3.4 Groundwater – emission limits and monitoring requirements

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
Monitoring points for inert waste cell A as approved in accordance with pre-operational condition 1, table S1.4B	As approved in accordance with pre-operational condition 1, table S1.4B	As approved in accordance with pre-operational condition 1, table S1.4B			
(1)- The limits specified take account of the agreed background concentrations as detailed in Westmill II Working Plan, dated April 2003					

Table S3.5 Landfill gas in external monitoring boreholes – limits and monitoring requirements

Monitoring point Ref. /description	Parameter	Limit (including units)*	Monitoring frequency	Monitoring standard or method
NG1, NG2, NG3, NG4, NG5, NG6, NG7, NG8, NG9, NG10, NG11, NG12, NG13, NG14, NG15, NG16 identified on Surface Water Drainage & Environmental Monitoring, Drawing No 10, dated 17/08/06	Methane	1 %v/v	Monthly	As per LFTGN03 (September 2004) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Record whether the ground is: waterlogged frozen snow covered
	Carbon Dioxide	4.5 %v/v		
	Oxygen	no limit		
	Atmospheric pressure	no limit		
	Differential Pressure	no limit		
W1/GM01, W1/GM02, W1/GM03,	Methane	As approved in	Monthly	

Table S3.5 Landfill gas in external monitoring boreholes – limits and monitoring requirements

Monitoring point Ref. /description	Parameter	Limit (including units)*	Monitoring frequency	Monitoring standard or method
W1/GM04, W1/GM05, W1/GM06, W1/GM10, W1/GM11, W1/GM12, W1/GM13, W1/GM14, W1/GM15, W1/GM16, W1/GM17, W1/GM18, W1/GM19, W1/GM20, identified on Plan Surface Water Drainage & Environmental Monitoring, Drawing No10, dated 17/08/06	Carbon Dioxide	accordance with improvement condition 9, table S1.3		
	Oxygen	No limit		
	Atmospheric Pressure	No limit		
	Differential pressure	No limit		

* - The limits specified take account of the agreed background concentrations as detailed in Westmill II Working Plan, dated April 2003

Table S3.6 Point source emissions to sewer, effluent treatment plant or by tankering or other transfer off-site – emission limits and monitoring requirements

Emission point Ref. & Location	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Sewer discharge point at NGR TL3415 as shown on	None set	Combined discharge from SBR and MSP Leachate	None set	None set	None set	None set

diagram reference WK210700		Treatment Plants				
----------------------------	--	------------------	--	--	--	--

Table S3.7 Landfill gas emissions from capped surfaces for cells that have accepted non hazardous biodegradable waste – monitoring requirements

Monitoring point Ref. /description	Parameter	Monitoring frequency	Monitoring Standard or method
Permanently capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Temporarily capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Whole site	Total methane emission	As agreed with the Environment Agency	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Uncapped areas	Methane concentration	Every 12 months	As agreed with the Environment Agency based on the wording of revised LFTGN 07 or landfill sector guidance or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Table S3.8 Groundwater – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method
Up gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit (www.gov.uk)</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	

	Hazardous substances	Annually for first six years of operation	
Down or cross gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit (www.gov.uk)</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency After the initial 6 year monitoring period for hazardous substances, if the results of quarterly or annual monitoring suggest an increase in contamination, the operator shall also undertake a full leachate hazardous substances screen.
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	
	Hazardous substances detected in leachate	Annually for first six years of operation then every two years	
MEPP	Base of monitoring point (mAoD)	Annually	

Table S3.9 Landfill gas – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
In waste gas monitoring boreholes or sealed leachate wells or sacrificial gas extraction system [in cells for non-hazardous waste and inert waste]	Methane Carbon Dioxide Oxygen Carbon Monoxide Differential pressure Atmospheric pressure	Monthly until gas extraction commences	Calibrated handheld monitoring instrument	For cells or phases which have no active gas extraction. Gas extraction system shall be installed and extraction commenced once monitoring shows onset of methane production in waste at a rate that can be sustainably extracted. Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring.

Table S3.9 Landfill gas – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
	Hydrogen sulphide	Quarterly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (V3, March 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	<p>For cells or phases which have no active gas extraction.</p> <p>Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring.</p> <p>Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans</p>
Gas collection system at well control valve, manifolds (if applicable) and strategic points on gas system	Methane Carbon Dioxide Oxygen Carbon Monoxide Atmospheric pressure Gas flow rate or suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Monthly or at such other frequency as may be agreed in writing with the Environment Agency.	Calibrated handheld monitoring instrument	<p>Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken.</p> <p>Where the concentration of carbon monoxide exceeds 100ppm then further investigation shall be undertaken</p> <p>Record the ambient air temperature and whether the ground is:</p> <ul style="list-style-type: none"> waterlogged frozen snow covered

Table S3.9 Landfill gas – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Gas collection system at well control valve	Hydrogen sulphide	Six monthly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (V3, March 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans
Output to flare or LFG Utilisation Compound and prior to the PpTek solixane removal system	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 (V3, March 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency [or a trace gas characterisation method agreed with the Environment Agency].	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.
Output to flare or LFG Utilisation Compound	Methane Carbon Dioxide Oxygen Gas flow rate Suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Weekly		Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken.

Table S3.9 Landfill gas – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Flares 1 and 2 shown on Plan ESID 8	Temperature	As per LFTGN05 (V2, march 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency.	
LFGE 2, 3, 4 and 5 Gas engines, post turbo	NOx and CO	Quarterly	In accordance with Appendix C of LFTGN08, (V2, 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	Where monitoring using hand-held, electrochemical equipment indicates an exceedance of the emissions standards specified in Table S3.2, these shall be used as action levels and the operator shall investigate the cause and take appropriate measures to reduce emissions.

Table S3.10 Leachate – other monitoring requirements

Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Operational Cells or Phases (Any cell or phases that do not have a final engineered cap agreed in accordance with condition 2.6)			At leachate compliance point as listed in table S3.1. As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit</u> (www.gov.uk) or such other subsequent guidance as may be agreed in writing with the Environment Agency	
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese	Quarterly		None
MEPP	Hazardous substances	Annually		None
MEPP	Depth to base (mAoD)	Annually		None
Non Operational Cells or Phases (Any cell or phases that have a final engineered cap agreed in accordance with condition 2.6)				
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese,	Annually		
MEPP	Hazardous substances	Once every four years	None	

Table S3.10 Leachate – other monitoring requirements

Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
MEPP	Depth to base (mAoD)	Annually		

Table S3.11 Surface water – other monitoring requirements

Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
MEPP	Ammoniacal nitrogen Chloride Suspended Solids Visual Oil and Grease pH electrical conductivity	Monthly	Spot sample	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), <u>risk assessments for your environmental permit (www.gov.uk)</u> or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Table S3.12 Process monitoring requirements

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
A1 – biofilter as shown on Drawing 03 (soil repair centre – drainage and site infrastructure)	Temperature	As per frequencies agreed as part of improvement conditions 13	As per monitoring standard agreed as part of Improvement conditions 13	Biofilter shall be checked and maintained to ensure appropriate temperature and moisture content on a daily basis. Monitoring equipment shall be available on-site and used as required to ensure compliance with this permit.
	Moisture content			
	Flow rate			
	Nutrient levels			
	Contaminant elimination			

Table S3.13 Other Monitoring requirements – contaminated soil

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Soil biopiles	Total Petroleum Hydrocarbons (TPH) Polycyclic Aromatic Hydrocarbons (PAH's) Pentachlorophenol (PCP) ^{Note 1} Total Volatile Organic Compounds (VOC's) Phenols pH	Each completed batch of treated soil shall be sampled	-	Laboratory must be accredited to EN ISO/IEC ISO17025:2000 for the analysis specified Samples to be obtained using standard sampling procedures as per BS 812

Note 1: Only if PCP contaminated soils are received for treatment

Table S3.14 Process Monitoring of SBR and MSP

Emission point Ref. & Location	Parameter	Source	Reference Period	Monitoring Frequency	Monitoring Standard or Method	
SBR Tank 1 (Leachate from off-site)	Volume	Leachate and process water from Westmill Landfill, the Westmill Soil Recovery Facility and from off-site sources	Continuous	Twice per week	Field Test	
	Ammonia		Spot sample			
	Nitrate					
SBR Tank 2 (Leachate and process water from Westmill Landfill and the Soil Recovery Facility)	Nitrite		Leachate and process water from Westmill Landfill, the Westmill Soil Recovery Facility and from off-site sources	Continuous	Twice per week	Field Test
	Nitrite			Spot sample		
	pH					
	Sulphate				Weekly	Field Test
	COD					
	BOD					
	Alkalinity (as CaCO ₃)					
	Suspended Solids					
	Ammoniacal Nitrogen					
	Total Phosphorus					
	Phenol					
	Cyanide (Total)					
	Cyanide (Free)					
	Silver (Total)					
	Silver (Dissolved)					
	Chromium					
Copper						
Lead						
Zinc						

	Nickel				
	Dissolved Methane				
	Cadmium				
	1, 2 Dichloroethane				
	Mercury				
	PAHs				
	Diuron				
Methane Stripping Plant	Volume	Leachate and process water from Westmill Landfill and Westmill Soil Recovery Facility		Weekly	Field Test
	Ammonia				
	Nitrate				
	Nitrite				
	pH				
	Sulphate				
	COD				
	BOD				
	Alkalinity (as CaCO3)				
	Suspended Solids				
	Ammoniacal Nitrogen				
	Total Phosphorus				
	Phenol				
	Cyanide (Total)				
	Cyanide (Free)				
	Silver (Total)				
	Silver (Dissolved)				
	Chromium				

	Copper				
	Lead				
	Zinc				
	Nickel				
	Dissolved Methane				
	Cadmium				
	1, 2 Dichloroethane				
	Mercury				
	PAHs				
	Diuron				

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period	Period ends
Leachate and/ or groundwater level As specified by schedule 3, table S3.1	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to air As specified by schedule 3, table S3.2	Every 12 months	31 December
Point source emission to water (other than sewer) As specified by schedule 3, table S3.3	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission to groundwater As specified by schedule 3, table S3.4	Every 3 months	31 March, 30 June, 30 September, 31 December
Landfill gas in external monitoring boreholes As specified by schedule 3, table S3.5	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to sewer, effluent treatment plant, tankering or other off site transfer As specified by schedule 3, table S3.6	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission of landfill gas from capped surfaces As specified by schedule 3, table S3.7	Every 12 months	31 December
Other groundwater monitoring As specified by schedule 3, table S3.8	Every 3 months	31 March, 30 June, 30 September, 31 December
Other Landfill gas monitoring As specified by schedule 3, table S3.9	Every 3 months	31 March, 30 June, 30 September, 31 December
Trace gas monitoring	Every 12 months	31 December

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period	Period ends
Other leachate monitoring As specified by schedule 3, table S3.10	Every 12 months	31 December
Other surface water monitoring As specified by schedule 3, table S3.11	Every 12 months	31 December
Biofilter monitoring as specified by schedule 3, table S3.12	Every 12 months	31 December
Soil biopiles as specified in schedule 3, table S3.13	Every 12 months	31 December
SBR and MSP monitoring as specified in schedule 3, table S3.14	Every 12 months	31 December
Meteorological data Landfill Directive, annex III, section 2	Every 12 months	31 December

* - where the reporting period is 12 months, you may submit this information as part of the 'annual report' required by condition 4.2.2.

Table S4.2: Annual production/treatment	
Leachate: Disposed of off -site; Disposed of to any onsite effluent treatment plant; Recirculated into the waste mass. Accepted from offsite for treatment at any onsite effluent treatment plant.	Cubic metres/year

Table S4.2: Annual production/treatment

Landfill gas: combustion in flares; combustion in gas engines; Other methods of gas utilisation. Average methane content entering the landfill gas utilisation or treatment compound (based on the annual average of Table S3.9 monitoring) Methane generation rate (50%ile from a representative model)	Normalised cubic metres/year % methane v/v m ³ /hr
--	---

Table S4.3 Performance Parameters

Parameter	Frequency of assessment	Annual total	Unit
Energy used (including for leachate treatment)	Annually		MWh of electricity or natural gas

Table S4.4 Reporting Forms

Media/parameter	Reporting Format	Date of Form
Leachate	Form leachate 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015
Air	Form Air 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015
Controlled water	Form Water 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015
Groundwater	Form Groundwater 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015

Table S4.4 Reporting Forms

Media/parameter	Reporting Format	Date of Form
Sewer	Form Sewer 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015
Landfill gas	Form LFG 1 or other reporting format to be agreed in writing with the Environment Agency	01/01/2015
Waste Return	E-waste Return Form	-
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	01/01/2015

Schedule 5 – Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment	
To be notified within 24 hours of detection	
Date and Time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“annually” means once every year.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“Background concentration” means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

(a) “Cell layout drawing” means: A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:

- (i) the location of the new cell on the site;
- (ii) the proposed level (Above Ordnance Datum) of the base of the excavation;
- (iii) the proposed finished levels of all containment and leachate drainage layers;
- (iv) the positions of leachate management infrastructure; and
- (v) the positions of landfill gas infrastructure (if appropriate).

(b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:

- (i) changes to slope length and gradient within the cell;
- (ii) new leachate or landfill gas infrastructure construction design;
- (iii) slope stability issues such as new basal excavation level; and/or
- (iv) depth of waste.

“Construction Proposals” means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

“CQA Validation Report” means the final “as built” construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;
- “As-built” plans and sections of the works;
- Copies of the site engineer’s daily records;
- Records of any problems or non-compliances and the solution applied;

- Any other site specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations 2010, SI 2010 No.675. Words and expressions used in this permit which are also used in those Regulations have the same meanings as in those Regulations.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“exceeded” means that a value is above a permitted limit, or where a range of values or a minimum value is set as a permitted limit it means a value outside that range or below the minimum value, whichever is applicable.

“Hazardous substances” as defined by the Environmental Permitting (England and Wales) Regulations 2010, SI 2010 No.675, schedule 22 and listed in our Hydrogeological risk assessment guidance, annex J to our H1 risk assessment guidance.

“Landfill Infrastructure” means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation.

within the site.

“Liquids” means any liquid other than leachate within the engineered landfill containment system.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“LFTGN 05” means Environment Agency Guidance for monitoring enclosed landfill gas flares.

“LFTGN 07” means Environment Agency Guidance on monitoring landfill gas surface emissions.

“LFTGN 08” means Environment Agency Guidance for monitoring landfill gas engines.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“inert waste” means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity

of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

“Medicinal product” means any medicine licensed by the Medicines and Healthcare products Regulatory Agency (MHRA) or their predecessors under the Medicines Act 1968, section 130.

“M2” means Environment Agency Guidance Monitoring of stack emissions to air.

“New Cell” means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

“MEPP” Monitoring and extraction point plan, required by condition 4.2.2(h) to specify extraction points and routine monitoring locations.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“No impact” means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

“Pests” means Birds, Vermin and Insects.

“Previous year” means the 12 month period preceding the month the annual report is submitted in.

“Quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“Relevant waste acceptance procedures” means the procedure for the acceptance of waste at landfills and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

“Relevant waste acceptance criteria” means the waste acceptance criteria and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

“Review of the Hydrogeological Risk Assessment” means a written review of the hydrogeological risk assessment included in the Application, together with any other parts of the Application that addressed the requirements of the EP Regulations. The review shall assess whether the activities of disposal or tipping for the purpose of disposal of waste authorised by the permit continue to meet the requirements of the EP Regulations.

‘Sustainably extracted’ means where suction can be applied to the extraction wells such that a flow rate of landfill gas, with a methane content capable of either being combusted, or treated by bio-oxidation, can be extracted without increasing the risk of air ingress to the waste or inducing aerobic degradation within the waste.

‘Waste code’ - See ‘List of Wastes’.

“WFD” means Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste [and repealing certain Directives] – the Waste Framework Directive.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.

Where the following terms appear in the waste code list in Tables S2.1, S2.2, S2.3, S2.4, or S2.6 they have the meaning given below:

‘hazardous substance’ means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008;

‘heavy metal’ means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances;

‘polychlorinated biphenyls and polychlorinated terphenyls’ (‘PCBs’) means PCBs as defined in Article 2(a) of Council Directive 96/59/EC’.

Article 2(a) says that ‘PCBs’ means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 % by weight;


‘transition metals’ means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances;

‘stabilisation’ means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste;

‘solidification’ means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste;

‘partly stabilised wastes’ means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan



END OF PERMIT