

## **GP OOHSS**

GP Out-of-Hours Surveillance System: England

Data to: 05 November 2017

06 November 2017 Year: 2017 Week: 44

#### In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

### **Key messages**

There were further small increases in GP out of hours consultations for bronchitis/bronchiolitis during week 44: levels remain within seasonally expected limits (figure 4). Increases were mainly noted in the <1 years age group (figure 4a), in line with recent increases in laboratory reports for respiratory syncytial virus (RSV).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance Team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1 Winter preparedness

http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

### Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

<b>Key indicator</b>	No. of contacts	% Week 44	% Week 43	Trend*
All OOH contacts, all causes	163,692			
Acute respiratory infection	11,974	14.84	14.48	<b>←→</b>
Influenza-like illness	117	0.15	0.18	<b>←→</b>
Bronchitis/bronchiolitis	253	0.31	0.29	<b>^</b>
Difficulty breathing/wheeze/asthma	1,934	2.40	2.50	<b>←→</b>
Pharyngitis	72	0.09	0.09	<b>←→</b>
Gastroenteritis	3,331	4.13	4.10	<b>←→</b>
Diarrhoea	808	1.00	0.99	<b>←→</b>
Vomiting	1,324	1.64	1.55	<b>←→</b>
Myocardial infarction	805	1.00	0.94	<b>←→</b>

<sup>\*</sup>Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

### 1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).





# 2: Acute Respiratory Infection daily contacts.

40


30


25

5

Percentage of Read coded contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.





## 3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.









### 4: Bronchitis/ bronchiolitis daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



4a: Bronchitis/ bronchiolitis weekly contacts by age group.







Intentionally left blank.


#### 5: Difficulty breathing/ wheeze/asthma daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

5a: Difficulty
breathing/wheeze/
asthma daily
contacts by age
group.










#### Intentionally left blank


## 6: Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

## 7: Gastroenteritis daily contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.








# 7a: Gastroenteritis weekly contacts by age group.




## 8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




8a: Diarrhoea weekly contacts by age group.






## 9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




# 9a: Vomiting weekly contacts by age group.



## 10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.





#### Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out
   -of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify
  national and regional trends. A statistical algorithm underpins each
  system, routinely identifying activity that has increased significantly or is
  statistically significantly high for the time of year. Results from these daily
  analyses are assessed by the ReSST, along with analysis by age group,
  and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.

#### Further information:

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

#### **Acknowledgements:**

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

#### PHE Out-of-Hours/Unscheduled Care Surveillance

**Produced by:** PHE Real-time Syndromic Surveillance Team 6th Floor, 5 St Philip's Place, Birmingham, B3 2PW