

## **GP OOHSS**

GP Out-of-Hours Surveillance System: England

Data to: 11 February 2018

13 February 2018 Year: 2018 Week: 06

#### In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

### **Key messages**

GP consultations for influenza-like illness (all ages) continued to decrease during week 6 (figure 3).

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance Team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 2 - Alert & readiness / 3 - Severe Weather action

http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

### Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

	No. of	%	%	
Key indicator	contacts	Week 06	Week 05	Trend*
All OOH contacts, all causes	178,044			
Acute respiratory infection	17,577	19.85	19.82	lack
Influenza-like illness	742	0.84	0.98	ullet
Bronchitis/bronchiolitis	203	0.23	0.23	ullet
Difficulty breathing/wheeze/asthma	1,887	2.13	2.11	<b>←→</b>
Pharyngitis	113	0.13	0.11	<b>←→</b>
Gastroenteritis	3,511	3.97	3.69	<b>^</b>
Diarrhoea	784	0.89	0.90	<b>←→</b>
Vomiting	1,375	1.55	1.42	<b>^</b>
Myocardial infarction	928	1.05	1.13	<b>←→</b>

<sup>\*</sup>Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

### 1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).





## 2: Acute Respiratory Infection daily contacts.

40


30


25

5

Percentage of Read coded contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.






## 3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.







 $\frac{1}{2}/02/17 \quad 12/03/17 \quad 09/04/17 \quad 07/05/17 \quad 04/06/17 \quad 02/07/17 \quad 30/07/17 \quad 27/08/17 \quad 24/09/17 \quad 22/10/17 \quad 19/11/17 \quad 17/12/17 \quad 14/01/18 \quad 11/02/18$ 

-<1yr — 1-4yrs — 5-14yrs — 15-24yrs — 25-44yrs — 45-64yrs — 65-74yrs — >=75yrs





Intentionally left blank.


5: Difficulty breathing/ wheeze/asthma daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

5a: Difficulty breathing/wheeze/ asthma daily contacts by age group.










### Intentionally left blank


## 6: Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

## 7: Gastroenteritis daily contacts


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.








## 7a: Gastroenteritis weekly contacts by age group.




## 8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




8a: Diarrhoea weekly contacts by age group.






## 9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.





# 9a: Vomiting weekly contacts by age group.



## 10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.







#### Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out
   -of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify
  national and regional trends. A statistical algorithm underpins each
  system, routinely identifying activity that has increased significantly or is
  statistically significantly high for the time of year. Results from these daily
  analyses are assessed by the ReSST, along with analysis by age group,
  and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.

#### **Further information:**

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

#### **Acknowledgements:**

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

#### PHE Out-of-Hours/Unscheduled Care Surveillance

**Produced by:** PHE Real-time Syndromic Surveillance Team 6<sup>th</sup> Floor, 5 St Philip's Place, Birmingham, B3 2PW