High Speed Rail (West Midlands - Crewe) Supplementary Environmental Statement and Additional Provision Environmental Statement

Volume 2: Map book

CA1: Fradley to Colton

March 2018



High Speed Rail (West Midlands - Crewe) Supplementary Environmental Statement and Additional Provision Environmental Statement Volume 2: Map book CA1: Fradley to Colton





High Speed Two (HS2) Limited has been tasked by the Department for Transport (DfT) with managing the delivery of a new national high speed rail network. It is a non-departmental public body wholly owned by the DfT.


High Speed Two (HS2) Limited, Two Snowhill Snow Hill Queensway Birmingham B4 6GA

Telephone: 08081 434 434

General email enquiries: HS2enquiries@hs2.org.uk

Website: www.gov.uk/hs2

A report prepared for High Speed Two (HS2) Limited:



High Speed Two (HS2) Limited has actively considered the needs of blind and partially sighted people in accessing this document. The text will be made available in full on the HS2 website. The text may be freely downloaded and translated by individuals or organisations for conversion into other accessible formats. If you have other needs in this regard, please contact High Speed Two (HS2) Limited.

© High Speed Two (HS2) Limited, 2018, except where otherwise stated.

Copyright in the typographical arrangement rests with High Speed Two (HS2) Limited.

This information is licensed under the Open Government Licence v2.0. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/ version/2 **OGL** or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or e-mail: psi@nationalarchives.gsi.gov.uk. Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

recycle

Printed in Great Britain on paper containing at least 75% recycled fibre.

Contents

Mapping explanatory notes

Data dictionary and definitions

Map series name	Map series description
	These plans show the land potentially required during construction,
CT-05 – Construction Phase	requirements and infrastructure associated with construction of the
	construction phase arrangements for public access using Public Rigl
	The base mapping shown on the plans is reflective of 2017 Ordnanc
	These maps show permanent features, infrastructure, restored land
CT-o6 – Proposed Scheme	ecological mitigation associated with the Proposed Scheme.
	The base mapping shown on the plans is reflective of 2017 Ordnanc
	Maps showing the viewpoint locations from which the Proposed Sci
LV-03 – Construction Phase Significantly Affected Viewpoints	significant effects during the construction phase. (All significant and
	shown).
	Maps showing the viewpoint locations from which the Proposed Sci
LV-04 – Operational Phase Significantly Affected Viewpoints	significant effects during the operational phase. (All significant and
	shown).
	SV-05 presents the direct operational noise impacts and likely signif
SV-05 – Operational Noise and Vibration Impacts and Likely Significant Effects	The SV-05 figure series necessarily contains a large amount of infor
5 v-05 – Operational Noise and Vibration impacts and Likely Significant Effects	vibration assessment. It is designed to communicate visually the ass
	impacts to the determination of likely residual significant effects. The

on, the construction features, access he Proposed Scheme. The plans also show the ights of Way. nce Survey (OS) data.

nd, and areas for landscaping, screening and

nce Survey (OS) data.

Scheme has been assessed to give rise to and non-significant photomontage locations are

Scheme has been assessed to give rise to nd non-significant photomontage locations are

nificant effects of the scheme. Formation relating to the operational noise and assessment process from the prediction of The corresponding text is included in Vol2.

Mapping explanatory notes

Structure of the HS2 Phase 2a Supplementary Environmental Statement and the Additional Provision Environmental Statement

This map book is part of the suite of documents that make up the Supplementary Environmental Statement (SES) and the Additional Provision Environmental Statement (AP ES) for Phase 2a of the proposed High Speed Two (HS2) rail network between the West Midlands and Crewe.

The SES and the AP ES are separate documents. However, they are bound together and presented in a number of volumes as described below:

- Non-technical summary (NTS). This provides a summary in non-technical language of the SES (Part 1) and the AP ES (Part 2). It presents a summary of any likely residual significant environmental effects (i.e. effects that are likely to remain after mitigation measures are put in place), both beneficial and adverse, which are new or different to those reported in the main ES, and where relevant the SES;
- Glossary of terms and list of abbreviations. This contains any new or different terms and abbreviations used throughout the SES and the AP ES, which are not already explained in the main ES;
- Volume 1: Introduction to the SES and the AP ES. This introduces the supplementary environmental information and changes to the design and construction assumptions included within the SES and amendments within the AP ES. The report explains the environmental impact assessment (EIA) process which has been applied;
- Volume 2: Community area reports and map books. These report the supplementary environmental information and changes to the design and construction assumptions included within the SES (Part 1), amendments within the AP ES (Part 2) and any new or different likely significant environmental effects arising from these changes and amendments in each community area. These effects are compared to those reported in the main ES, and where relevant, the SES. The maps relevant to each community area are provided in separate Volume 2 map books and should be read in conjunction with the relevant community area report;
- Volume 3: Route-wide effects. This describes any new or different likely significant environmental effects arising at a route-wide level from the supplementary environmental information and changes to the design and construction assumptions included within the SES (Part 1) and the amendments within the AP ES (Part 2) compared to those reported in the main ES, and where relevant the SES; and
- Volume 5: Appendices and map books. These contain supporting environmental information and associated maps.

A Volume 4: Off-route effects report was produced as part of the main ES. A separate Volume 4 has not been produced as part of the SES and AP ES as off-route effects are very limited in number and are reported in the most relevant Volume 2 community area report.

Certain reports and maps containing background information and data (BID) have been produced, which do not form part of the SES and AP ES. These documents are available on the HS2 website. The BID documents and maps present background survey information and other relevant background material.

Copyright statements

Copyright statements are presented in the Data dictionary and definitions section at the front of the map book, due to limited space to include this on the individual maps themselves.

Ordnance Survey data

All maps produced as part of the SES and the AP ES contain Ordnance Survey (OS) data. HS2 Ltd use the most up to date mapping available, where possible, supplied by the OS and as such, we cannot be held responsible for any inaccuracies within this data.

As part of our licence conditions, all digital maps carry a watermark.

Chainage

Most of the maps presented as part of the SES and the AP ES have a chainage value shown next to the alignment. Chainage is presented on the maps in black font, in the form of XX+YYY. E.g. 192+000 or 239+500.

Chainage (known as reference chainage) is referenced from Euston Station, which is 0+000, and the value presented is in metres. E.g. 192+000 refers to the point, 192,000m, or 192km, from Euston Station. Chainage values increase in intervals dependant on the map scale. For maps at 1:50,000 scale chainage is shown at 5km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:20,000, 1:10,000, 1:5,000 and 1:2,500 scales, chainage is shown at 1km intervals.

Chainage has been included on the maps as a useful tool for comparing different map sets showing the different environmental themes or engineering plans, due to map sets having different scales and therefore showing differing amounts of alignment on the map.

Map sheet layout

Each map in Volume 2 is presented twice, with the main ES map (published July 2017) on the left hand page and the SES and the AP ES map on the right. For the CT-05 and CT-06 map series, the SES and the AP ES map is annotated with different coloured clouds which highlight the areas of change. The coloured text box provides a brief description of the design change and amendment, and gives the SES and the AP ES reference number. Only maps which have been amended as a result of the SES and the AP ES are included within the map books. Other design changes which are within the existing limits of the Bill and do not result in new or different likely significant effects are also shown on the maps, but are not indicated by a cloud. The below table highlights the coloured clouds used, and their description.

Cloud / text box colour	Description
Blue	Design changes relating to the SES (Part 1 of each Volume 2 report).
Red	Proposed amendments relating to the AP ES (Part 2 of each Volume 2 report).

Each Volume 5 map is annotated to describe the change to a receptor or significant effect, and to give the SES and the AP ES reference number. For more detailed information about the SES and the AP ES annotation, refer to the map series legend. Only maps which have been amended as a result of the SES and the AP ES are included within the map book.

Further details on the approach to mapping is set out in Section 6 of Volume 1 of the SES and AP ES.

Map orientation

The majority of the maps presented in these map books are presented with the railway alignment running horizontally across the page. The direction of travel to London would be following the alignment to the right hand side of the page, and Crewe to the left.

The exception to this, are map series LV-03, LV-04, LV-07 and LV-08, which present the alignment running from bottom to top of the page. This is to allow more of the modelled outputs to be shown at the appropriate map scale. In this instance, the direction of travel to London would be to the bottom of the page, and Crewe to the top.

Map books

In total there are 5 map books which make up the SES and the AP ES, spread across volumes 2 and 5. A list of the titles is provided below for reference.

Name
Volume 2: Map book – CA1: Fradley to Colton
Volume 2: Map book – CA2: Colwich to Yarlet
Volume 2: Map book – CA3: Stone and Swynnerton
Volume 2: Map book – CA5: South Cheshire
Volume 5: Map book

This page is left intentionally blank

High Speed Rail (West Midlands - Crewe) Supplementary Environmental Statement and Additional Provision Environmental Statement **Data dictionary and definitions**



Data dictionary and definitions

Legend features	Definition	Source	Copyright
1km Airborne sound study area	This defines the area within which operational airborne sound impacts of the scheme have been quantitatively assessed. This area is defined as within 1km of surface sections of the route in rural areas and within 500m of surface sections of the route in urban areas.	High Speed Two (HS2) Ltd	
5m contours	A contour line showing points of equal elevation (height) above a reference level, such as mean sea level and therefore gives indication of the topography, showing valleys and hills, and the steepness of slopes. Spaced at intervals of 5m.	High Speed Two (HS2) Ltd	
Area of Outstanding Natural Beauty (AONB)	An Area of Outstanding Natural Beauty (AONB) is an area of high scenic quality which has statutory protection in order to conserve and enhance the natural beauty of its landscape. AONB landscapes range from rugged coastline to water meadows to gentle lowland and upland moors. Natural England has a statutory power to designate land as Areas of Outstanding Natural Beauty under the Countryside and Rights of Way Act 2000.	Natural England	© Natural Englar
Balancing pond	The proposed location and extent of balancing ponds for drainage attenuation and infiltration. Outer boundary represents the perimeter.	High Speed Two (HS2) Ltd	
Borrow Pit	Area excavated to provide material for construction purposes.	High Speed Two (HS2) Ltd	
Chainage	Chainage (known as reference chainage) is referenced from Euston Station, which is 0+000, and the value presented is in metres. E.g. 192+000 refers to the point, 192,000m, or 192km, from Euston Station. Chainage values increase in intervals dependant on the map scale. For maps at 1:50,000 scale chainage is shown at 5km intervals. For maps at 1:25,000 scale chainage is shown at 2km intervals. For maps at 1:10,000, 1:5,000 and 1:2,500 scale chainage is shown at 1km intervals. Chainage has been included on the maps as a useful tool for comparing different map sets showing the different environmental themes or engineering plans, due to map sets having different scales and therefore showing differing amounts of alignment on the map.	High Speed Two (HS2) Ltd	
Committed developments – SV Only	This informs the assessment of the future baseline. Committed consents are unimplemented but committed developments or Local Plan development allocations that are likely to be largely built out prior to commencement of the Proposed Scheme. Cumulative development is unimplemented but committed developments or Local Plan development allocations that are likely to be largely built out during implementation of the Proposed Scheme and give rise to potential cumulative effects,	High Speed Two (HS2) Ltd	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell

land copyright 2017

yright and database rights 2017 OS 100049190. itted to use this data solely to enable you to r interact with, the organisation that provided you . You are not permitted to copy, sub-licence, sell any of this data to third parties in any form.

Legend features	Definition	Source	Copyright
	when considered alongside the Proposed Scheme.		
Community area boundary	The Environmental Statement has been split into 5 sections called Community Areas.	High Speed Two (HS2) Ltd	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Construction compounds	See Main construction compound and Satellite construction compound.	High Speed Two (HS2) Ltd	
Construction traffic route	Public highways which may be used for HGV construction traffic.	High Speed Two (HS2) Ltd	
County boundary	County boundaries from Ordnance Survey boundary mapping.	Ordnance Survey	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Depot, station, headhouse or portal building	Extends to cover operational footprint of each depot and station and the footprint of each tunnel vent shaft and headhouse at surface level. Excludes any ancillary buildings associated with these structures.	High Speed Two (HS2) Ltd	
District/Borough boundary	Ordnance Survey local authority boundary mapping.	Ordnance Survey	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Ditches – new	The proposed location and extent of drainage ditches.	High Speed Two (HS2) Ltd	
Ecological mitigation pond	Ponds whose primary function is to provide ecological mitigation. This could be a standalone pond or part of a wider wetland habitat creation plan.	High Speed Two (HS2) Ltd	
Electricity substation	Includes all auto-transformers and feeder stations.	High Speed Two (HS2) Ltd	
Engineering earthworks	Engineering (structural) earthworks which include railway slopes and crossings (roads etc.).	High Speed Two (HS2) Ltd	
Engineering earthworks: Cutting	Cuttings created in the construction of the railway and associated works such as highways.	High Speed Two (HS2) Ltd	
Engineering earthworks: Embankment	Embankments created in the construction of the railway and associated works such as highways.	High Speed Two (HS2) Ltd	
Envisaged measures further reducing noise effects	Other environmental features e.g. landscaping: These lines represent environmental mitigation features provided for reasons other than noise mitigation which also reduce sound levels from the Proposed Scheme to the surrounding environment. These features are not placed specifically to reduce or remove a likely significant noise effect. Examples include landscaping and visual mitigation earthworks (non-engineering earthworks). Engineering e.g. cuttings: These lines represent engineering features which reduce sound levels from the Proposed Scheme to the surrounding environment but are not placed specifically to reduce or remove a likely significant noise effect. Examples include cuttings and safety barriers on viaducts which are not	High Speed Two (HS2) Ltd	
Envisaged mitigation to avoid / reduce significant noise	close to sensitive receptors.	High Speed Two (HS2) Ltd	
gen ingener to a tota , teable significant holde			

right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form.

right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form.

right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form.

Legend features	Definition	Source	Copyright
effects	envisaged mitigation provided specifically to reduce sound levels from the Proposed Scheme at sensitive receptors in order to reduce or remove likely operational significant noise effects. Examples include noise fence barriers or earth bunds (non- engineering earthworks) acting as noise barriers. These features are labelled with the height of the top of the barrier/bund above rail level.		
	Engineering e.g. cuttings: These lines represent engineering features of the route which reduce sound levels from the Proposed Scheme at potentially significant sensitive receptors. These features, therefore, serve a material purpose in reducing or avoiding likely significant noise effects. Examples include engineering cuttings near to sensitive receptors. These features are labelled with the height of the top of the feature above rail level.		
Existing buildings	Extent of buildings derived from Ordnance Survey MasterMap data.	Ordnance Survey	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Existing contours	Lines depicting land heights to show topography.	Ordnance Survey	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Existing inland water	See Water body.	See Water body.	See Water body.
Existing Public Right of Way (PRoW)	See Public Rights of Way.	See Public Rights of Way.	See Public Rights
Existing watercourse	See Watercourse.	See Watercourse.	See Watercourse
Existing woodland	See Woodland.	See Woodland.	See Woodland.
Existing woodland and tree belts	A dataset showing large areas of trees that are likely to have an impact on whether the scheme is visible during construction and vegetation. It was used in the ZTV as part of the base models.	High Speed Two (HS2) Ltd	
Extent of land potentially required during construction for mitigation planting	Areas of land outside the main works identified for the planting of woodland, grassland mitigation.	High Speed Two (HS2) Ltd	
Grassed areas	Any other area grassed not included in landscaped earthworks or ecological habitat.	High Speed Two (HS2) Ltd	
Grassland habitat creation	Soft landscape design that can include any seeded areas for the purpose of creating grassland except for the engineering earthworks.	High Speed Two (HS2) Ltd	
Ground-borne noise or vibration impact	Buildings at which an operational ground-borne sound or vibration impact is predicted from the Proposed Scheme.	High Speed Two (HS2) Ltd	© Crown copyrig You are permitte respond to, or int with the data. Yo distribute or sell
Ground-borne sound & vibration study area (highly sensitive non-residential)	This defines the area within which direct operational ground- borne sound and vibration impacts of the scheme at highly sensitive non-residential receptors have been quantitatively assessed. This area is defined as within 200m of the route.	High Speed Two (HS2) Ltd	

right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form. right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form. dy.

nts of Way. rse.

right and database rights 2017 OS 100049190. tted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form.

Legend features	Definition	Source	Copyright
Ground-borne sound & vibration study area (residential and non-residential)	This defines the area within which direct operational ground- borne sound and vibration impacts of the scheme at residential and non-residential receptors have been quantitatively assessed. This area is defined as within 85m of the route.	High Speed Two (HS2) Ltd	
Hedgerow habitat creation	Ecological mitigation to provide new hedgerow planting, connectivity enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	
HS2 access road	Access road to HS ₂ infrastructure such as electricity substations, balancing ponds and maintenance access points to the railway.	High Speed Two (HS2) Ltd	
L _{pAFmax} exceeds 6odB façade	Assessment locations where the predicted value of L_{pAFmax} is 60 dB or greater having applied a façade correction of +2.5 dB to the predicted free field value.	High Speed Two (HS2) Ltd	
Land drainage area	Provision of land to attenuate or infiltrate overland flows at or beyond the HS ₂ railway boundaries; for example, where existing land drainage systems are altered by the HS ₂ works, where the existing landform is reshaped by landscape earthworks or where surface water from third party land is intercepted by the HS ₂ perimeter drainage system.	High Speed Two (HS2) Ltd	
Land potentially required during construction	Boundary defining the maximum possible extent of construction works required to build HS2 as far as the current level of design allows. This only covers surface works and includes all tunnel portals, vent shafts and headhouses, but does not apply to wholly tunnelled sections or to air rights. It also encompasses associated highway, access, drainage and utility works.	High Speed Two (HS2) Ltd	
Landscape earthworks	Landscape earthworks to provide permanent landscape, visual or acoustic mitigation.	High Speed Two (HS2) Ltd	
Landscape mitigation planting (scrub / woodland)	Screening planting, using woodland, for visual mitigation and landscape integration purposes.	High Speed Two (HS2) Ltd	
Main construction compound	Main Construction Compounds in which main contractors offices and welfare facilities will be located.	High Speed Two (HS2) Ltd	
Main utility works	Represents all new major utility installations (included in the hybrid Bill) and also modifications to existing utilities required to construct the scheme. Includes water, electricity, telecommunications and gas.	High Speed Two (HS2) Ltd	
New, diverted or realigned PRoW	New, realigned or diverted Public Rights of Way (PRoW).	High Speed Two (HS2) Ltd	
Noise fence barrier	Denotes fence-style barriers provided as part of the noise mitigation measures. Note that other noise barriers have also been included in the form of landscaping and engineering cuttings - see the SV map series for more detail on noise mitigation.	High Speed Two (HS2) Ltd	
Non engineering earthworks: Cutting	Cuttings created in the construction of landscape features and mitigation measures.	High Speed Two (HS2) Ltd	
Non engineering earthworks: Embankment	Embankments created in the construction of landscape features and mitigation measures.	High Speed Two (HS2) Ltd	
Operational airborne sound impacts at buildings	The buildings shown on SV-02 and SV-05 are colour-coded according to the magnitude of the predicted noise impacts of the Proposed Scheme. Noise impacts are calculated by comparing the sound levels predicted if the Proposed Scheme did not go	High Speed Two (HS2) Ltd	© Crown copyrig You are permitte respond to, or int with the data. Yo

right and database rights 2017 OS 100049190. itted to use this data solely to enable you to r interact with, the organisation that provided you . You are not permitted to copy, sub-licence,

Legend features	Definition	Source	Copyright
	ahead with those if it did (details of this process can be found in Volume 5: Appendix SV001-000). Panel B on SV-02/SV-05 contains a key showing the colours used with the corresponding		distribute or sell an
	impact categories. The impacts presented are the greatest (i.e. worst-case) of the impacts predicted for daytime and night-time.		
Photomontage location	Shows the locations from which verifiable photomontages have been produced. The locations are based on a fully surveyed point.	High Speed Two (HS2) Ltd	
Potential additional noise insulation (triggered by maximum sound levels at night)	This represents dwellings which would potentially be provided with noise insulation due maximum sound levels from the Proposed Scheme (further information regarding assessment criteria can be found in Volume 5 Appendix SV-001).	High Speed Two (HS2) Ltd	
Potential additional noise insulation (triggered by WHO Night Noise Guidelines Interim Target)	This represents dwellings which would potentially be provided with noise insulation due to noise from the Proposed Scheme exceeding the World Health Organization (WHO) night noise guidelines interim target (further information regarding assessment criteria can be found in Volume 5 Appendix SV-001).	High Speed Two (HS2) Ltd	
Potential noise insulation (triggered by Noise Insulation Regulations 1996)	This represents dwellings which would potentially qualify for noise insulation under the Noise Insulation (Railways and Other Guided Transport Systems) Regulations 1996 (further information regarding assessment criteria can be found in Volume 5 Appendix SV-001).	High Speed Two (HS2) Ltd	
Proposed tree planting	A dataset showing proposed planting that may have an impact on whether the scheme is visible during construction and operation. It was used in the operation year 15 ZTV.	High Speed Two (HS2) Ltd	
Public realm/Replacement community facility	Public realm: Specifically provided to show areas to be used for public realm. This layer is mainly associated with station sites and is to be used to indicate general areas for designed soft and hard landscaping. Replacement community facility: Area of land for the provision of a permanent replacement community facility, such as a playground, community centre or activity centre.	High Speed Two (HS2) Ltd	
Public Rights of Way (PRoW)	Public rights of way are highways which can be used for the following purposes: - Footpaths - pedestrians only - Bridleways - pedestrians, cyclists and equestrians - Restricted byways - as bridleways plus non-motorised vehicles - Byways open to all traffic. Definitive Map data supplied by surveying authorities.	Staffordshire County Council Cheshire East Council	© Crown copyright You are permitted respond to, or inter with the data. You distribute or sell an © Staffordshire Co © Cheshire East Co
Rail alignment	Longitudinal geometry of the tracks consisting of a series of straights and curves.	High Speed Two (HS2) Ltd	
Rail alignment formation	The space required to accommodate the railway infrastructure which typically includes the tracks, overhead line equipment, drainage, lineside access paths and cable routes for electrification and communication systems.	High Speed Two (HS2) Ltd	
Railway systems compound	Represents railway systems compounds which facilitate	High Speed Two (HS2) Ltd	

right and database rights 2017 OS 100049190. itted to use this data solely to enable you to interact with, the organisation that provided you You are not permitted to copy, sub-licence, ell any of this data to third parties in any form.

e County Council

st Council

Legend features	Definition	Source	Copyright
	installation, testing and commissioning of the railway systems,		
	including track, overhead line equipment, communications and		
	signalling equipment and traction power supply.		
	Provision of storage to replace floodplain occupied by the		
Replacement floodplain storage	Proposed Scheme. Equivalent storage is provided for events up	High Speed Two (HS2) Ltd	
(epiacement noodplain storage	to the 1 in 100 (1%) annual probability event with an allowance for		
	climate change.		
Returned to suitable development use	Post construction land will be reinstated to enable potential	High Speed Two (HS2) Ltd	
·	future development.		
Route in tunnel	Represents the proposed route of HS2, split into route on surface	High Speed Two (HS2) Ltd	
Route on surface	and tunnelled sections.		
Satellite construction compound	Represents satellite construction compounds which serve local	High Speed Two (HS2) Ltd	
	works for major construction elements within a main contract.		
	This dataset shows the locations of the visual receptors from		
Significantly affected viewpoint	which the schemes visual impact has been assessed and shows	High Speed Two (HS2) Ltd	
5 / 1	whether or not the impact is significant or non-significant during		
	construction and operation.		
	The sound levels from the Proposed Scheme (expressed as $L_{\text{pAeq},\text{T}}$		
	and representing sound from the new railway only) are presented		
Sound contours (SV-02/SV-05)	at two sound levels: 40 dB LAeq,T 23:00 to 07:00 and 55 dB LAeq,T 23:00 to	High Speed Two (HS2) Ltd	
	_{07:00} . The corresponding daytime levels (L _{Aeq,T 07:00 to 23:00}) are shown		
	in Panel A of SV-02/SV-05.		
Stopped-up PRoW	Public rights of way that will be closed due to construction of the scheme.	High Speed Two (HS2) Ltd	
Storage / prefabrication / laydown areas	Storage, prefabrication or laydown areas.	High Speed Two (HS2) Ltd	
	Sustainable placement: the on-site placement for disposal of		
	surplus excavated material to avoid causing environmental		
	effects (e.g. transport) that would otherwise be associated with		
Custo in a blanda a succest	the off-site disposal of that material. "On-site" in this context	Link Crossel True (UCs) Ltd	
Sustainable placement	means within the land required for the purposes of the Proposed	High Speed Two (HS2) Ltd	
	Scheme and "off-site" means external land (or landfill site) which		
	is not specifically required for the purposes of the Proposed		
	Scheme.		
Temperany highway diversion (realignment	Indicative temporary highway diversion layouts during the	Lligh Croad Two (LLCa) Ltd	
Temporary highway diversion / realignment	construction phase.	High Speed Two (HS2) Ltd	
	Represents temporary stockpiling of topsoil, subsoil and other		
Temporary material stockpile	excavated materials to be used for reinstatement purposes, and	High Speed Two (HS2) Ltd	
	also stockpile areas for managing movement of excavated		
	materials during construction.		
	Indicative temporary diversions to public rights of way as a result		
Temporary PRoW diversion / realignment	of construction of the scheme. These will vary depending on	High Speed Two (HS2) Ltd	
	construction phase and local conditions.		
	Area of land for the provision of a temporary replacement		
Temporary replacement community facility	community facility, such as a playground, community centre or	High Speed Two (HS2) Ltd	
	activity centre, whilst construction works are in progress.		
Temporary workers accommodation	Temporary accommodation for workers during the construction	High Speed Two (HS2) Ltd	
	period.		
Tunnel portal	The footprint of a tunnel portal.	High Speed Two (HS2) Ltd	
Funnels external extent	The external excavated extent of each tunnel bore.	High Speed Two (HS2) Ltd	

Legend features	Definition	Source	Copyright
Water body	Any mass of water having definite hydrological, physical, chemical and biological characteristics.	Ordnance Survey	© Crown copyrigh You are permitted respond to, or inte with the data. You distribute or sell a
Watercourse	Any channel through which water flows, can be natural or manmade. They are split into two categories (main rivers or ordinary watercourses) in England and Wales for regulation purposes.	Environment Agency	© Environment A All rights reserved
Watercourse diversion	Includes rivers, streams, ditches and other open channels, diversions to these, together with any new culverts required.	High Speed Two (HS2) Ltd	
Wetland habitat creation	Ecological mitigation area to provide new wetland habitat creation, enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	
Woodland	Woodland areas derived from Ordnance Survey MasterMap data.	Ordnance Survey	© Crown copyrigh You are permitted respond to, or inte with the data. You distribute or sell a
Woodland habitat creation	Ecological mitigation area to provide new woodland planting, connectivity enhancements to existing areas and areas for ecological management. This level does not include screening planting for visual mitigation purposes.	High Speed Two (HS2) Ltd	


ight and database rights 2017 OS 100049190. ted to use this data solely to enable you to nteract with, the organisation that provided you You are not permitted to copy, sub-licence, II any of this data to third parties in any form.

Agency copyright and/or database right 2017. ved.

ight and database rights 2017 OS 100049190. ted to use this data solely to enable you to nteract with, the organisation that provided you You are not permitted to copy, sub-licence, II any of this data to third parties in any form. High Speed Rail (West Midlands - Crewe) Supplementary Environmental Statement and Additional Provision Environmental Statement CT-05 – Construction phase

CT-06 – Proposed scheme






۱, L. Crewer CHESHIRE EAST NEWCASTLE-UNDER-LYME DISTRICT STAFFORD DISTRICT Ruc LICHFIELD DISTRICT Map Series Information: These plans show the land potentially required during construction, the construction features, access requirements and infrastructure associated with construction of the Proposed Scheme. The plans also show the construction phase arrangements for public access using Public Rights of Way. The base mapping shown on the plans is reflective of 2017 Ordnance Survey (OS) data. Note: Not all data layers in the legend are represented on every map. HS2 Ltd accept no responsibility for any circumstances, whi arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued incomplete in any way. hs $\overline{\mathbf{N}}$ Scale at A3: 1:60,000 Orown copyright and database rights 2017 Ordnance Survey Licence Number 10004919

Doc Number: 2PT01-ARP-EV-MAP-000-510001-P03


Date: 20/02/18





1	Crewe CHESHIRE
	EAST
	And the second sec
	NEWCASTLE UNDER-LYME DISTRICT
10	where which is a start
1	
•	STAFFORD
	DISTRICT
	- with the start of the
	have and the first the
-	Rugeley
-	DISTRICT
1	
- [
	Map Series Information:
Ì	-
Ľ	These maps show permanent features, infrastructure, restored land, and areas for landscaping, screening and ecological
	mitigation associated with the Proposed Scheme.
\	The base mapping shown on the plans is reflective of 2017
	Ordnance Survey (OS) data.
P	
,	
4	
57	
5	
1	
F	
/	
er reme	
/	
	Note: Not all data layors in the legend are represented an
	Note: Not all data layers in the legend are represented on every map.
	HS2 Ltd accept no responsibility for any circumstances, which
	arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued
	incomplete in any way.
	Registered in England. Registration number 06791686. Scale at A3: 1:60,000
	Scale at A3: 1:60,000 Registered office: 2 snowhill, Queensway, Birmingham B4 6GA. 0 500 1,000 1,500 2,000 2,500
	© Crown copyright and database rights 2017 Ordnance Survey Licence Number 100049190. Metres


Doc Number: 2PT01-ARP-EV-MAP-000-509001-P03


Date: 20/02/18


































































































































High Speed Rail (West Midlands - Crewe)


Supplementary Environmental Statement and Additional Provision Environmental Statement


LV-03 - Construction phase significantly affected viewpoints LV-04 - Operational phase significantly affected viewpoints



















High Speed Rail (West Midlands - Crewe) Supplementary Environmental Statement and Additional Provision **Environmental Statement** SV-05 - Operational noise and vibration impacts and likely significant effects







SV-05 presents the direct operational noise impacts and likely significant effects of the scheme.

The SV-05 figure series necessarily contains a large amount of information relating to the operational noise and vibration assessment. It is designed to communicate visually the assessment process from the prediction of impacts to the determination of likely residual significant effects. The corresponding text is included in Vol2.

Key items on the figure series include: • the Proposed Scheme (the proposed railway alignments and surrounding associated earthworks/roads);

• blue and green lines representing the wayside airborne noise mitigation measures included in the Proposed Scheme;

• the study areas, which indicate the areas within which direct operational sound and vibration impacts of the scheme have been quantitatively assessed;

• the calculated scheme direct impacts, displayed as colourcoded buildings, and symbols representing buildings that would potentially qualify for noise insulation;

 sound contours representing sound produced by the new railway (displayed in a simpler manner than on SV-01 in order not to obscure other features on the figure series); and

• labels indicating where the likely residual direct noise and/or vibration significant effects have been identified.

The design of the Proposed Scheme will be informed through stakeholder engagement and further engineering and environmental studies.

A more detailed explanation of each legend item included on the figures can be found in the data dictionary.

Note: Not all da map.	ata layers in th	ie legi	end ar	e repre	esenteo	d on ev	ery
hs	HS2 Ltd accept no responsibility for any circumstances, which arise from the reproduction of this map after alteration, amendment or abbreviation or if it is issued in part or issued incomplete in any way.						
Registered in England. Registrat Registered office: 2 Snowhill, Qu Birmingham B4 6GA.	Scale at A3: 1:60,000						
© Crown copyright and da Ordnance Survey Licence		0	500	1,000 Me	1,500 tres	2,000	2,500

Doc Number: 2PT01-ARP-EV-MAP-000-135001-P03

Date: 22/02/18

