

GP In Hours

Syndromic Surveillance System: England

14 August 2018

In This Issue:

Key messages.

Diagnostic indicators at a glance.

GP practices and denominator population.

National syndromic indicators.

Notes and further information.

Appendix.

Key messages

Data to: 12 August 2018

Nothing new to report during week 32.

A Heat-Health Watch system operates in England from 1 June to 15 September each year. As part of the Heatwave Plan for England, the PHE Real-time Syndromic Surveillance team will be routinely monitoring the public health impact of hot weather using syndromic surveillance data during this period. Heat-health watch level (current reporting week): Level 1/3 Summer preparedness/ Heatwave action

Heat-health watch level (current reporting week): Level 1/3 Summer preparedness/ Heatwave action http://www.metoffice.gov.uk/weather/uk/heathealth/

Diagnostic indicators at a glance:

| Indicator | Trend | Level |
|-----------------------------------|------------|----------------------------|
| Upper respiratory tract infection | decreasing | below baseline levels |
| Influenza-like illness | no trend | similar to baseline levels |
| Pharyngitis | decreasing | below baseline levels |
| Scarlet fever | no trend | similar to baseline levels |
| Lower respiratory tract infection | no trend | below baseline levels |
| Pneumonia | no trend | below baseline levels |
| Gastroenteritis | decreasing | below baseline levels |
| Vomiting | decreasing | below baseline levels |
| Diarrhoea | decreasing | below baseline levels |
| Asthma | no trend | similar to baseline levels |
| Conjunctivitis | no trend | below baseline levels |
| Mumps | no trend | below baseline levels |
| Measles | no trend | similar to baseline levels |
| Rubella | no trend | similar to baseline levels |
| Pertussis | no trend | below baseline levels |
| Chickenpox | decreasing | below baseline levels |
| Herpes zoster | no trend | similar to baseline levels |
| Cellulitis | no trend | similar to baseline levels |
| Impetigo | no trend | below baseline levels |
| Allergic rhinitis | no trend | below baseline levels |
| Heat/sunstroke | no trend | above baseline levels |
| Insect Bites | no trend | above baseline levels |

GP practices and denominator population:

| Year | Week | GP Practices Reporting** | Population size** |
|------|------|--------------------------|-------------------|
| 2018 | 32 | 2,439 | 20.8 million |

**based on the average number of practices and denominator population in the reporting working week.

Dublic Health England

14 August 2018

1: Upper respiratory tract infection (URTI)

160

140

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

120 Daily rate per 100,000 population 100 80 60 40 20 0 10/09/17 08/10/17 05/11/17 03/12/17 28/01/18 25/02/18 25/03/18 22/04/18 20/05/18 15/07/18 12/08/18 13/08/17 31/12/17 17/06/18 weekend bank holidav - 7 day mov avg ---- baseline URTI

2: Influenza-like illness (ILI)


Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).


3: Pharyngitis or scarlet fever

Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.








4: Scarlet fever

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, based on a denominator population of approximately 5.5 million patients) 1.6

1.4

1.2



Year - Week → Under 1 Year → 1 to 4 → 5 to 14 → 15 to 44 → 45 to 64 → 65 to 74 → 75 plus → All ages

2018

2017

4a: Scarlet fever by age


Average daily incidence rate by week per 100,000 population (all England, based on a denominator population of approximately 5.5 million patients).

Intentionally left blank

* 7-day moving average adjusted for bank holidays.


5: Lower respiratory tract infection (LRTI)

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



6: Pneumonia

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



Intentionally left blank

* 7-day moving average adjusted for bank holidays.

慾 Public Health England

7: Gastroenteritis

40

35

100

20

2017

rate per ' daily r 60 Average

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).


7a: Gastroenteritis by age

Average daily incidence rate by week per 100,000 population (all England).


8: Vomiting

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.



GP In Hours



33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

Year - Weel


2018

Nublic Health England

14 August 2018


8a: Vomiting by age

Average daily incidence rate by week per 100,000 population (all England).




9: Diarrhoea


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



9a. Diarrhoea by age

Average daily incidence rate by week per 100,000 population (all England).





GP In Hours


Year: 2018 Week: 32

WWW Public Health England

14 August 2018

10: Asthma

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




Intentionally left blank

11: Conjunctivitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.




GP In Hours

(ear: 2018 Week: 32


12: Mumps

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



13: Measles

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




14: Rubella

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.

GP In Hours

'ear: 2018 Week: 32




GP In Hours

Year: 2018 Week: 32


15: Pertussis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




16: Chickenpox

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



17: Herpes zoster

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




慾 Public Health England

GP In Hours


18: Cellulitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




19: Impetigo


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



20: Allergic rhinitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).






GP In Hours

Dublic Health England

14 August 2018


21: Heat/sunstroke

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



21a: Heat/sunstroke


Average daily incidence rate by week per 100,000 population (all England).



22: Insect bites

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.



| 14 August 2018 | Year: 2018 Week: 32 |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notes and further information | The Public Health England GP in hours surveillance system is a syndromic surveillance system monitoring community-based morbidity recorded by GP practices. |
| | • GP consultation data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team. |
| | This system captures anonymised GP morbidity data from two GP clinical software systems, EMIS, from version 1 of the QSurveillance® database, and TPP SystmOne. |
| | • Baselines represent seasonally expected levels of activity and are constructed from historical data. Furthermore, they take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis. |
| | |
| Maps: | From week 40 2017 the levels of influenza-like illness (ILI) rates are illustrated in the bulletin appendix maps. The ILI intensity levels are calculated using the "Moving Epidemic Method" (MEM).¹ MEM is used as a standard methodology for setting influenza surveillance thresholds across Europe.² |
| | • The current ILI thresholds are based upon previous influenza seasons from 2012/13 onwards and therefore illustrate activity levels in relation to previous ILI activity recorded in the GPIH system. IILI thresholds presented in the maps should be interpreted with caution and reference made to other GP surveillance systems incorporating more historical data, which are available in the PHE National Influenza Report. |
| | • The ILI thresholds have been calculated separately for each of the nine PHE Centres to allow for differences between areas e.g. background ILI rates are historically higher in London than other areas of England. However, upper tier Local Authority (utLA) ILI consultation rates are compared to Centre-level thresholds only and therefore utLAs with higher background rates than the Centre may appear to have higher ILI activity. |
| | • ILI consultation rates presented for each utLA in the maps should be interpreted in context of regional and national ILI activity. The small numbers reported at this local level can often result in short-lived fluctuations in rates causing threshold exceedances that are out of context with national and regional activity. utLA ILI data should therefore be interpreted with caution and interpreted in context with the national influenza report which can be found here: |
| | https://www.gov.uk/government/statistics/weekly-national-flu-reports |
| | The maps on the following pages contains Ordnance Survey data © Crown copyright and database right 2015. Contains National Statistics data © Crown copyright and database right 2015. |
| | ¹ Vega T et al. <i>Influenza Other Respir Viruses</i> . 2013; 7 (4):546-58. |
| | ² Green HK et al. <i>Epidemiol Infect.</i> 2015; 143 (1):1-12. |
| Acknowledgements: | We thank and acknowledge the University of Nottingham, ClinRisk [®] and the contribution of EMIS and EMIS practices. Data source: version 1 of the QSurveillance® database. |
| | We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system. |
| Contact ReSST: syndromic.surveillance | GP In Hours Syndromic Surveillance System Bulletin. |
| @phe.gov.uk | Produced by: PHE Real-time Syndromic Surveillance Team |
| | 1st Floor, 5 St Philip's Place, Birmingham, B3 2PW Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215 Web: |
| | Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses 12 |