



## Tuberculosis case reports and rates by place of birth, UK, 2004-2013

Year	Place of birth			
	UK born		Non-UK born	
	Number of cases	Rate per 100,000 (95% CI)	Number of cases	Rate per 100,000 (95% CI)
2004	2,171	4.0 (3.9 -4.2)	4,789	92.8 (90.2 -95.5)
2005	2,142	4.0 (3.8 -4.1)	5,411	98.0 (95.4 -100.6)
2006	2,049	3.8 (3.6 -4.0)	5,429	91.2 (88.7 -93.6)
2007	2,118	3.9 (3.8 -4.1)	5,445	84.4 (82.1 -86.6)
2008	2,175	4.0 (3.9 -4.2)	5,742	85.5 (83.3 -87.8)
2009	2,282	4.2 (4.1 -4.4)	5,982	85.6 (83.4 -87.8)
2010	2,115	3.9 (3.7 -4.1)	5,837	81.8 (79.8 -84.0)
2011	2,224	4.1 (3.9 -4.3)	6,335	84.3 (82.2 -86.4)
2012	2,271	4.2 (4.0 -4.3)	6,174	80.6 (78.6 -82.6)
2013	2,103	3.8 (3.7 -4.0)	5,529	69.7 (67.9 -71.6)

Source: Enhanced Surveillance of Mycobacterial Infections (ESMI), Enhanced Surveillance of Mycobacterial Infections (ESMI), Labour Force Survey (LFS).

Data as at May 2014. Prepared by: TB Section, Centre for Infectious Disease Surveillance and Control, Public Health England