

## Tuberculosis case reports and rates by site of disease, 2013

	Number of	
Site of disease*	cases	Percentage**
Pulmonary	4,096	52.1
Extra-thoracic lymph nodes	1,874	23.9
Unknown extra-pulmonary	931	11.9
Intra-thoracic lymph nodes	916	11.7
Pleural	673	8.6
Other extra-pulmonary	689	8.8
Gastrointestinal	432	5.5
Bone – spine	353	4.5
Bone – other	220	0.5
Miliary <sup>±</sup>	211	2.8
CNS – meningitis	172	2.7
Genitourinary	145	2.2
CNS – other	129	1.8
Cryptic	39	1.6
Laryngeal	19	0.2

<sup>\*</sup>With or without disease at another site

## Number and proportion of tuberculosis case reports by site of disease, 2013

Year	Pulmonary*		Extra-pu	Extra-pulmonary	
-	Number of cases	Percentage	Number of cases	Percentage	
2004	4,480	59.1	3,095	40.9	7,575
2005	4,718	57.1	3,548	42.9	8,266
2006	4,689	56.6	3,599	43.4	8,288
2007	4,608	55.9	3,633	44.1	8,241
2008	4,686	55.6	3,749	44.4	8,435
2009	4,871	55.2	3,949	44.8	8,820
2010	4,524	54.1	3,842	45.9	8,366
2011	4,687	52.8	4,194	47.2	8,881
2012	4,538	52.3	4,142	47.7	8,680
2013	4,096	52.1	3,759	47.9	7,855

<sup>\*</sup>With or without extra-pulmonary disease

<sup>\*\*</sup>Percentage of cases with known sites of disease (7,855)

<sup>±</sup> For Scotland cases, this includes both cryptic and miliary site

CNS - Central Nervous System

Total percentage exceeds 100% due to disease at more than one site

<sup>\*\*</sup> Where place of birth was known