



Number and proportion of tuberculosis cases with first line drug resistance, UK, 2004-2013

Year	Isoniazid resistant		Rifampicin resistant		Ethambutol resistant		Pyrazinamide resistant*		Multi-drug resistant		Resistant to any first line drug		Total**
	n	%	n	%	n	%	n	%	n	%	n	%	
2004	321	7.1	66	1.5	19	0.4	30	0.7	49	1.1	356	7.9	4,504
2005	336	6.8	59	1.2	18	0.4	15	0.3	43	0.9	362	7.3	4,981
2006	359	7.1	79	1.6	29	0.6	29	0.6	58	1.1	397	7.8	5,085
2007	338	6.9	76	1.6	32	0.7	35	0.7	62	1.3	369	7.6	4,872
2008	288	5.8	74	1.5	39	0.8	36	0.7	55	1.1	329	6.7	4,945
2009	353	6.9	73	1.4	29	0.6	54	1.1	61	1.2	399	7.8	5,088
2010	316	6.3	77	1.5	37	0.7	43	0.9	67	1.3	347	6.9	5,035
2011	402	7.5	95	1.8	60	1.1	59	1.1	86	1.6	449	8.3	5,397
2012	360	6.8	92	1.7	51	1.0	47	0.9	82	1.6	389	7.4	5,278
2013	329	7.1	86	1.9	41	0.9	43	0.9	74	1.6	360	7.8	4,606
Total	3,402	6.8	777	1.6	355	0.7	391	0.8	637	1.3	3,757	7.5	49,791

*Excluding *M. bovis* cases

**Culture confirmed cases with DST results for at least isoniazid and rifampicin