

May 2018

Construction noise and vibration Monthly Report – April 2018

London Borough of Ealing



© HS2 Ltd.

gov.uk/hs2

| No | on-te | echnical summary | 1 |
|----|-------|----------------------------------|----|
| Ak | brev | viations and descriptions | 2 |
| 1 | Intr | roduction | 3 |
| | 1.2 | Measurement Locations | 4 |
| 2 | Sur | nmary of results | 4 |
| | 2.1 | Exceedances of SOAEL | 4 |
| | 2.2 | Summary of Measured Noise Levels | 5 |
| | 2.3 | Exceedances of trigger level | 7 |
| | 2.4 | Complaints | 7 |
| Ap | open | dix A Site Locations | 8 |
| Ap | open | dix B Monitoring Locations | 12 |
| Ap | open | dix C Data | 15 |

List of tables

| Table 1: Table of abbreviations | 2 |
|---|---|
| Table 2: Monitoring locations | 4 |
| Table 3: Summary of exceedances of SOAEL. | 5 |
| Table 4: Summary of measured dB L _{Aeq} data over the monitoring period. | 6 |
| Table 5: Summary of exceedances of trigger levels. | 7 |
| Table 6: Summary of complaints. | 7 |

Ŀ

Non-technical summary

This Noise and Vibration Monitoring Report fulfils HS2 Limited's commitment detailed in the Environmental Minimum Requirements (EMRs), Annex 1, Code of Construction Practice, to present the results of noise and vibration monitoring carried out within the London Borough of Ealing (LBE) during the month of April 2018.

The report presents data from noise monitoring installations in the vicinity of the Victoria Road worksite (ref.: S002-WS01), Atlas Road worksite (ref.: S001-WS02), and Willesden EuroTerminal (ref.: S001-WS03), where site set up was underway commenced and Old Oak Common depot worksite (ref.: S004-WS01), where pre-demolition activities commenced.

Given the limited nature of works currently being undertaken the measured noise levels are largely dominated by the underlying ambient noise levels, rather than being attributable to HS2 construction noise. Further noise monitoring installations within the LBE will be put in place over coming months, in advance of significant demolition and construction activities, and resulting data incorporated within future monitoring reports.

Abbreviations and descriptions

The abbreviations, descriptions and project terminology used within this report can be found in the Project Dictionary (HS2-HS2-PM-GDE-000-000002).

Table 1: Table of abbreviations

| Acronym | Meaning |
|---|--|
| L _{Aeq,T} | See equivalent continuous sound pressure level |
| Ambient sound | A description of the all-encompassing sound at a given location and time which will include sound from many sources near and far. Ambient sound can be quantified in terms of the equivalent continuous sound pressure level, L _{pAeq,T} |
| decibel(s), or dB | Between the quietest audible sound and the loudest tolerable sound there is a million to one ratio in sound pressure (measured in Pascal (Pa)). Because of this wide range, a level scale called the decibel (dB) scale, based on a logarithmic ratio, is used in sound measurement. Audibility of sound covers a range of approximately 0-140dB. |
| decibel(s) A- weighted, or dB(A) | The human ear system does not respond uniformly to sound across the detectable frequency range and consequently instrumentation used to measure sound is weighted to represent the performance of the ear. This is known as the 'A weighting' and is written as 'dB(A)'. |
| Equivalent continuous sound pressure level, or L _{pAeq,T} | An index used internationally for the assessment of environmental sound impacts. It is defined as the notional unchanging level that would, over a given period of time (T), deliver the same sound energy as the actual time-varying sound over the same period. Hence fluctuating sound levels can be described in terms of an equivalent single figure value, typically expressed as a decibel level. |
| Façade | A facade noise level is the noise level 1m in front of a large reflecting surface. The effect of reflection, is to produce a slightly higher (typically +2.5 to +3 dB) sound level than it would be if the reflecting surface was not there. |
| Free-field | A free-field noise level is the noise level measured at a location where no reflective surfaces, other than the ground, lies within 3.5 metres of the microphone position. |
| Equivalent continuous sound pressure level, or L _{Aeq,T} | An index used internationally for the assessment of environmental sound impacts. It is defined as the notional unchanging level that would, over a given period of time (T), deliver the same sound energy as the actual time-varying sound over the same period. Hence fluctuating sound levels can be described in terms of an equivalent single figure value, typically expressed as a decibel level. |
| Peak particle velocity, or PPV | Instantaneous maximum velocity reached by a vibrating element as it oscillates about its rest position. The PPV is a simple indicator of perceptibility and risk of damage to structures due to vibration. It is usually measured in mm/s. |
| Sound pressure level | The parameter by which sound levels are measured in air. It is measured in decibels. The threshold of hearing has been set at 0dB, while the threshold of pain is approximately 120dB. Normal speech is approximately 60dB at a distance of 1 metre and a change of 3dB in a time varying sound signal is commonly regarded as being just detectable. A change of 10dB is subjectively twice, or half, as loud. |
| Vibration dose value, or VDV | An index used to evaluate human exposure to vibration in buildings. While the PPV provides information regarding the magnitude of single vibration events, the VDV provides a measure of the total vibration experienced over a specified period of time (typically 16h daytime and 8h night-time). It takes into account the magnitude, the number and the duration of vibration events and can be used to quantify exposure to continuous, impulsive, occasional and intermittent vibration. The vibration dose value is measured in m/s ^{1.75} . |

1 Introduction

- 1.1.1 The nominated undertaker is required to undertake noise (and vibration) monitoring as necessary to comply with the requirements of the High Speed Rail (London-West Midlands) Environmental Minimum Requirements, including specifically Annex 1: Code of Construction Practice, in addition to any monitoring requirements arising from conditions imposed through consents under section 61 of the Control of Pollution Act, 1974 or through Undertakings & Assurances given to third parties. Such monitoring may be undertaken for the following purposes:
 - monitoring the impact of construction works;
 - to investigate complaints, incidents and exceedance of trigger levels; or
 - monitoring the effectiveness of noise and vibration control measures.

Monitoring data and interpretive reports are to be provided to each relevant local authority on a monthly basis and shall include a summary of the construction activities occurring, the data recorded over the monitoring period, any complaints received, any periods in exceedance of agreed trigger levels, the results of any investigations and any actions taken or mitigation measures implemented. This report provides noise data, and interpretation thereof, for monitoring carried out by HS2 within the London Borough of Ealing (LBE) for the period 1st to 30th April 2018.

1.1.2 Active construction sites in the local authority area during this period include:

- Old Oak Common depot, worksite ref. S004-WS01 (see plan 1 in Appendix A)
 - Works activities include site set up.
- Victoria Road, worksite ref. S002-WS01 (see plan 2 in Appendix A)
 - Works activities include pre-demolition activities.
- Atlas Road, worksite ref. S001-WS02 (see plan 3 in Appendix A)
 - Works activities include site set up.
- Willesden EuroTerminal, worksite ref. S001-WS03 (see plan 3 in Appendix A)
 - Works activities include site set up.
- 1.1.3 The applicable standards, guidance, and monitoring methodology is outlined in the construction noise and vibration monitoring methodology report which can be found at the following location www.gov.uk/government/publications/monitoring-noise-and-vibration-on-the-hs2-phase-one-route.

1.2 Measurement Locations

- 1.2.1 The following table summarises the position of noise monitoring installations within the LBE area in April 2018.
- 1.2.2 Maps showing the position of noise monitoring installations are presented in Appendix B.

| Worksite Reference | Measurement Reference | Address |
|-----------------------|--------------------------|--|
| S004-WS01 | N027 | Old Oak Common Lane |
| | N028 | Old Oak Common Lane |
| S002-WS01 | N031 | School Road, outside Acton Business Centre |
| S001-WS02 | N032 | Shaftesbury Gardens |
| | N033 | Outside The Collective, Atlas Road / Victoria Road |
| S001-WS03 | N034 | Stephenson Street (north) |
| | N035 | Stephenson Street (south) |

Table 2: Monitoring locations

2 Summary of results

2.1 Exceedances of SOAEL

- 2.1.1 The significant observed adverse effect levels (SOAEL) is defined in the Planning Practice Guidance Noise as the level above which "noise causes a material change in behaviour and/or attitude, e.g. avoiding certain activities during periods of intrusion; where there is no alternative ventilation, having to keep windows closed most of the time because of the noise. Potential for sleep disturbance resulting in difficulty in getting to sleep, premature awakening and difficulty in getting back to sleep. Quality of life diminished due to change in acoustic character of the area."
- 2.1.2 Where construction noise levels exceed the SOAEL, relevant periods will be identified and summary statistics provided in order to evaluate ongoing qualification for noise insulation and temporary rehousing.
- 2.1.3 Noise monitoring in the vicinity of worksites S001-WS02, S001-WS03, S002-WS01 and S004-WS01 was not considered to be giving rise to substantial levels of HS2 related construction noise during this period and monitoring data will be used to develop an updated baseline for ambient noise.

2.1.4 Table 3 presents a summary of recorded exceedances of the SOAEL due to HS2 related construction noise at each measurement location over the reporting period, including the number of exceedances during each time period. For this monitoring period no exceedances of the SOAEL were recorded.

| Worksite Reference | Measurement Reference | Site Address | Day (Weekday, Saturday, Sunday, Night) | Time period | Number of exceedances of SOAEL | | |
|-----------------------|--------------------------|---|--|----------------|--------------------------------------|--|--|
| S004-WS01 | N027 | Old Oak Common Lane | All days | All periods | No exceedance | | |
| | N028 | Old Oak Common Lane | All days | All periods | No exceedance | | |
| S002-WS01 | N031 | School Road, outside Acton Business Centre | All days | All periods | No exceedance | | |
| S001-WS02 | N032 | Shaftesbury Gardens | All days | All periods | No exceedance | | |
| | N033 | Outside The Collective, Atlas Road / Victoria Road | All days | All periods | No exceedance | | |
| S001-WS03 | N034 | Stephenson Street (north) | All days | All periods | No exceedance | | |
| | N035 | Stephenson Street (south) | All days | All periods | No exceedance | | |

Table 3: Summary of exceedances of SOAEL.

2.2 Summary of Measured Noise Levels

- 2.2.1 Table 4 presents a summary of the measured noise levels at each monitoring location over the reporting period. The L_{Aeq,T} is presented for each of the relevant time periods averaged over the calendar month, along with the highest single period L_{Aeq,T} that was found to occur within the month.
- 2.2.2 Appendix C presents graphs of the noise monitoring data over the month for each of the measurement locations. Data presented includes the hourly L_{Aeq} values and, where relevant, the L_{Aeq,T} values (where the time period T has been taken to be the averaging period as specified in Table 1 of HS2 Information Paper E23). The full data set for the monitoring equipment can be found at the following location <u>www.DATA.gov.uk</u>.
- 2.2.3 Given the limited nature of works currently being undertaken at worksites in LBE the measured noise levels are largely dominated by the underlying ambient noise levels, rather than being attributable to HS2 related construction noise, acknowledging that intermittent HS2 works have on occasion been taking place within the area.

Table 4: Summary of measured dB L_{Aeq} data over the monitoring period.

| Worksite Reference | Measurement Reference | Site Address | Free-field or Façade measurement | Weekly Average L _{Aeq,T} (highest day L _{Aeq,T}) [*] | | | Saturday Average L _{Aeq,T} (highest day L _{Aeq,T}) [*] | | | | Sunday / Public Holiday Average L _{Aeq,T} (highest day L _{Aeq,T})* | | | | |
|-----------------------|------------------------------------|---|--|---|----------------|----------------|---|----------------|----------------|----------------|---|----------------|----------------|----------------|----------------|
| | | | | 0700 - 0800 | 0800 - 1800 | 1800 - 1900 | 1900 - 2200 | 2200 - 0700 | 0700 - 0800 | 0800 - 1300 | 1300 - 1400 | 1400 - 2200 | 2200 - 0700 | 0700 - 2200 | 2200 - 0700 |
| S004-WS01 | N027 | Old Oak Common Lane | Free-field | 71.1 | 71.2 | 71.1 | 68.5 | 64.9 | 68.4 | 69.5 | 70.5 | 69.3 | 64.0 | 66.7 | 64.9 |
| | | | | (73.8) | (72.8) | (73.6) | (74.9) | (72.3) | (69.0) | (71.1) | (71.6) | (72.7) | (68.5) | (70.5) | (69.6) |
| | N028 | Old Oak Common Lane | Free-field | 69.5 | 70.0 | 69.6 | 66.9 | 63.4 | 66.3 | 67.8 | 68.7 | 67.7 | 62.4 | 64.9 | 63.6 |
| | | | | (72.7) | (72.2) | (72.2) | (74.5) | (69.3) | (67.0) | (69.9) | (70.0) | (72.7) | (67.4) | (69.4) | (68.5) |
| S002-WS01 | VS01 N031 | School Road, outside Acton Business Centre | Free-field | 62.6 | 62.7 | 60.7 | 58.2 | 55.6 | 57.4 | 61.0 | 60.6 | 58.9 | 52.2 | 55.9 | 54.5 |
| | | | | (66.5) | (65.4) | (62.7) | (63.3) | (63.8) | (58.7) | (61.5) | (63.1) | (62.0) | (57.8) | (60.4) | (60.5) |
| S001-WS02 | N032 | Shaftesbury Gardens | Free-field | 66.7 | 66.6 | 65.8 | 64.4 | 61.9 | 64.2 | 65.0 | 65.1 | 64.8 | 60.6 | 63.3 | 62.2 |
| | | | | (68.7) | (67.7) | (66.6) | (68.1) | (67.0) | (64.4) | (65.3) | (65.6) | (66.3) | (63.5) | (68.3) | (66.1) |
| | N033 Outside The Collective, Atlas | Outside The Collective, Atlas | Free-field | 69.0 | 69.7 | 67.2 | 65.6 | 63.3 | 65.3 | 68.4 | 66.2 | 66.0 | 61.7 | 63.9 | 63.3 |
| | | Road / Victoria Road | | (71.6) | (71.5) | (71.9) | (70.3) | (69.3) | (65.9) | (75.0) | (66.3) | (70.6) | (66.4) | (71.1) | (68.7) |
| S001-WS03 | N034 | Stephenson Street (north) | Free-field | 58.0 | 57.7 | 55.1 | 54.9 | 51.8 | 52.3 | 55.8 | 53.5 | 54.5 | 49.3 | 51.4 | 51.3 |
| | | | | (61.8) | (62.0) | (57.5) | (60.0) | (61.6) | (54.0) | (59.0) | (55.7) | (59.3) | (57.6) | (61.8) | (58.9) |
| | N035 | Stephenson Street (south) | Free-field | 58.2 | 59.1 | 55.9 | 54.9 | 53.3 | 50.8 | 56.5 | 50.8 | 54.6 | 53.4 | 55.7 | 54.8 |
| | | | | (61.6) | (62.5) | (57.9) | (59.5) | (59.3) | (55.8) | (58.3) | (57.0) | (58.9) | (60.6) | (73.1) | (62.8) |

2.3 Exceedances of trigger level

2.3.1 Table 5 provides a summary of exceedances of the S61 trigger noise levels determined to be due to HS2 related construction noise measured during the reporting period, along with the findings of any investigation.

Table 5: Summary of exceedances of trigger levels.

| Complaint reference number (if applicable) | Worksite reference | Date and time period | Identified Source | Results of investigation (including noise monitoring results) | Actions taken |
|---|-----------------------|-------------------------|----------------------|--|---------------|
| - | - | - | - | - | - |


2.4 Complaints

2.4.1 Table 6 provides a summary of complaint information related to noise and vibration received during the reporting period, along with the findings of any investigation.

Table 6: Summary of complaints.


| Complaint Worksite reference reference number | | Description of complaint | Results of investigation | Actions taken |
|---|---|-----------------------------|--------------------------|---------------|
| - | - | - | - | - |

Appendix A Site Locations




OFFICIAL

HS2 Worksite identification plan - 2




HS2 Worksite identification plan - 3




Appendix B Monitoring Locations

HS2 Noise monitoring plan - 1






Noise monitoring plan - 2





Appendix C Data

The following graphs show the hourly measured ambient noise level $L_{Aeq,1h}$ and, where relevant, the averaged noise level $L_{Aeq,T}$ values, where the time period T is as specified in Table 1 of HS2 Information Paper E23. Periods with adversely weather affected noise levels are greyed out and have been excluded from the calculation of the $L_{Aeq,T}$ values.





Worksite: S004-WS01 – Monitoring Ref: N027






Worksite: S004-WS01 – Monitoring Ref: N028











Worksite: S002-WS01 – Monitoring Ref: N031















Mon 00:00 Mon 12:00 Tue 00:00 Tue 12:00 Wed 00:00 Wed 12:00 Thu 00:00 Thu 12:00 Fri 00:00 Sat 00:00 Sat 12:00 Sun 00:00 Sun 12:00 Date/Time


Worksite: S001-WS02 – Monitoring Ref: N032

















Worksite: S001-WS02 – Monitoring Ref: N033










Worksite: S001-WS03 – Monitoring Ref: N034











Tue 12:00 Wed 00:00 Wed 12:00 Thu 00:00 Thu 12:00

Fri oo:oo

Date/Time

Fri 12:00

Sat oo:oo

Sat 12:00

Sun 00:00 Sun 12:00

Worksite: S001-WS03 – Monitoring Ref: N035

35

Mon 00:00 Mon 12:00 Tue 00:00

