

# **GP OOHSS**

GP Out-of-Hours Surveillance System: England

Data to: 23 September 2018

25 September 2018 Year: 2018 Week: 38

### In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

## **Key messages**

During week 38 there were further increases in GP consultations for difficulty breathing/wheeze/asthma in children aged 1 to 14 years (figure 5a).

## Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

	No. of	%	%	
Key indicator	contacts	Week 38	Week 37	Trend*
All OOH contacts, all causes	163,937			
Acute respiratory infection	8,946	12.43	11.17	<b>^</b>
Influenza-like illness	94	0.13	0.09	<b>←→</b>
Bronchitis/bronchiolitis	148	0.21	0.14	<b>^</b>
Difficulty breathing/wheeze/asthma	1,744	2.42	2.12	<b>^</b>
Pharyngitis	69	0.10	0.12	<b>←→</b>
Gastroenteritis	2,806	3.90	4.08	$lack \Psi$
Diarrhoea	742	1.03	1.12	Ψ
Vomiting	987	1.37	1.43	<b>←→</b>
Myocardial infarction	740	1.03	1.00	<b>←→</b>

<sup>\*</sup>Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

## 1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).





## 2: Acute Respiratory Infection daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.


## 3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

### 4: Bronchitis/ bronchiolitis daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

\*7-day moving average adjusted for bank holidays.




7 day average (adjusted for bank holidays)

Bronchitis



## 5: Difficulty breathing/ wheeze/asthma daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.





### Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

\*7-day moving average adjusted for bank holidays.











# 7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




# 7a: Gastroenteritis weekly contacts by age group.




# 8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

\*7-day moving average adjusted for bank holidays.




8a: Diarrhoea weekly contacts by age group.




# 9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



9a: Vomiting weekly contacts by age group.




\*7-day moving average adjusted for bank holidays.



# 10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



### Intentionally left blank



#### Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out
   -of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify
  national and regional trends. A statistical algorithm underpins each
  system, routinely identifying activity that has increased significantly or is
  statistically significantly high for the time of year. Results from these daily
  analyses are assessed by the ReSST, along with analysis by age group,
  and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data since Nov 2009. They take into account any known substantial changes in data collection, population coverage or reporting practices. Gastroenteritis, diarrhoea and vomiting baselines also account for changes since the introduction of rotavirus vaccine in July 2013. Baselines are refreshed using the latest data on a regular basis.

#### **Further information:**

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

### **Acknowledgements:**

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

#### PHE Out-of-Hours/Unscheduled Care Surveillance

**Produced by:** PHE Real-time Syndromic Surveillance Team 1st Floor, 5 St Philip's Place, Birmingham, B3 2PW