

## **GP OOHSS**

GP Out-of-Hours Surveillance System: England

Data to: 30 September 2018

02 October 2018 Year: 2018 Week: 39

#### In This Issue:

Key Messages.

Weekly summary.

Total contacts.

Syndromic indicators.

Notes and caveats.

Further information.

Acknowledgements.

### **Key messages**

During week 39 there were further increases in GP consultations for acute respiratory infection in line with seasonal expectations (figure 2).

### Syndromic indicators at a glance:


Number of contacts and percentage of Read coded contacts.

	No. of	%	%	
Key indicator	contacts	Week 39	Week 38	Trend*
All OOH contacts, all causes	164,394			
Acute respiratory infection	9,377	13.11	12.35	<b>^</b>
Influenza-like illness	106	0.15	0.13	<b>←→</b>
Bronchitis/bronchiolitis	144	0.20	0.20	<b>1</b>
Difficulty breathing/wheeze/asthma	1,704	2.38	2.41	<b>←→</b>
Pharyngitis	61	0.09	0.10	<b>←→</b>
Gastroenteritis	2,748	3.84	3.87	$lack \Psi$
Diarrhoea	714	1.00	1.02	•
Vomiting	1,066	1.49	1.36	<b>←→</b>
Myocardial infarction	728	1.02	1.02	<b>←→</b>

<sup>\*</sup>Trend: reports on the trend seen over previous weeks in the percentage of Read coded contacts.

### 1: Total out-of-hours contacts:

Daily total number of out-of-hours and unscheduled contacts and 7 day average (adjusted for bank holidays).





### 2: Acute Respiratory Infection daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.


### 3: Influenza-like illness daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

### 4: Bronchitis/ bronchiolitis daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.

\*7-day moving average adjusted for bank holidays.




 $01/10/17 \quad 29/10/17 \quad 26/11/17 \quad 24/12/17 \quad 21/01/18 \quad 18/02/18 \quad 18/03/18 \quad 15/04/18 \quad 13/05/18 \quad 10/06/18 \quad 08/07/18 \quad 05/08/18 \quad 02/09/18 \quad 30/09/18 \quad 09/07/18 \quad 09/07/18$ 7 day average (adjusted for bank holidays)

Bronchitis




### 5: Difficulty breathing/ wheeze/asthma daily contacts.


Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




### Acute pharyngitis and persistent sore throat.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.











### 7: Gastroenteritis daily contacts

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




# 7a: Gastroenteritis weekly contacts by age group.




### 8: Diarrhoea daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.






8a: Diarrhoea weekly contacts by age group.




### 9: Vomiting daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.




9a: Vomiting weekly contacts by age group.





# 10: Myocardial Infarction daily contacts.

Shown as a percentage of the total contacts with a Read code and as a 7 day average\*.



### Intentionally left blank



#### Notes and caveats:

- This bulletin presents data from the Public Health England (PHE) GP Out
   -of-hours\Unscheduled Care Surveillance System (GP OOHSS).
- Fully anonymised data from GP out-of-hours (OOH) and unscheduled care service providers in England are being transferred to the PHE for analysis and interpretation by the PHE Real-time Syndromic Surveillance Team (ReSST).
- This system supplements existing PHE syndromic surveillance systems by monitoring data on general practitioner consultations outside of routine surgery opening times (evenings, weekends and bank holidays) and unplanned contacts within NHS primary care.
- The key indicators presented within this bulletin are derived by grouping selected Read coded consultations.
- GP OOH consultation data are analysed on a daily basis to identify
  national and regional trends. A statistical algorithm underpins each
  system, routinely identifying activity that has increased significantly or is
  statistically significantly high for the time of year. Results from these daily
  analyses are assessed by the ReSST, along with analysis by age group,
  and anything deemed of public health importance is alerted by the team.
- Baselines represent seasonally expected levels of activity and are constructed from historical data since Nov 2009. They take into account any known substantial changes in data collection, population coverage or reporting practices. Gastroenteritis, diarrhoea and vomiting baselines also account for changes since the introduction of rotavirus vaccine in July 2013. Baselines are refreshed using the latest data on a regular basis.

#### **Further information:**

The GP Out-of-Hours Surveillance System Bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

#### **Acknowledgements:**

We are grateful to Advanced Health and Care and the GP out-of-hours and unscheduled care service providers who have kindly agreed to participate in this system.

#### PHE Out-of-Hours/Unscheduled Care Surveillance

**Produced by:** PHE Real-time Syndromic Surveillance Team 1st Floor, 5 St Philip's Place, Birmingham, B3 2PW