

DEPARTMENT FOR ENVIRONMENT, FOOD AND RURAL AFFAIRS SCOTTISH GOVERNMENT - RURAL DIRECTORATE WELSH GOVERNMENT, DEPARTMENT FOR RURAL AFFAIRS DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT NORTHERN IRELAND

1	O	:							

EXPORT OF FROZEN PORCINE SEMEN TO INDONESIA

HEALTH CERTIFICATE

EXPORTING COUNTRY: UNITED KINGDOM

FOR COMPLETION BY: OFFICIAL VETERINARIAN

Information concerning the donor boar(s)

Breed	Date of Birth	Name and Ear Mark
	(1	

II. Information concerning the semen

- a) Date(s) of collection:
- b) Number of doses and volume of each:
- c) Identification code:

III. Place of collection of the semen

- a) Name and address of semen collection centre:
- b) Registration number:
- c) Name and address of owner of the donor boar(s):

IV. Destination of the semen

a) Name and address of exporter:

- b) Name and address of consignee:
- c) Means of transportation (including registration number of vehicle, flight number of aircraft or name of ship):
- *d) Import Permit No:

V. Health Information

- I, the undersigned Official Veterinarian, certify that:
- (a) the semen described above was collected, processed, packaged and stored in a semen collection centre approved by the competent veterinary authorities of the United Kingdom, which is under official veterinary control and operates in accordance with the conditions laid down in EU Council Directive 90/429/EEC (as amended);
- (b) the United Kingdom has been free from foot and mouth disease, swine vesicular disease, Rinderpest, African swine fever and classical swine fever (hog cholera) for at least 3 (three) years prior to the date of collection of the semen for export and until its dispatch. Vaccination of animals against these diseases is not permitted in the United Kingdom;
- the semen collection centre at III(a) above has been free from vesicular stomatitis, Aujeszky's disease, heartwater disease, progressive atrophic rhinitis, swine erysipelas, porcine reproductive and respiratory syndrome (PRRS) and teschovirus encephalomyelitis (enterovirus encephalomyelitis, Teschen disease) for at least 6 (six) months prior to the date of collection of the semen for export and until its dispatch;
- (d) the donor boars from which the semen for export was collected:
 - (i) were born and reared in the United Kingdom and have never been resident in another country;
 - (ii) have been resident in the semen collection centre for at least 6 (six) months prior to the date of the first collection of semen for export;
- (e) as far as can be determined, no significant genetic abnormalities have been recorded in the progeny of the donor boars;
- (f) on (date), being within thirty (30) days prior to the date of the first collection of semen for export, blood samples were taken from the donor boars and sent to a laboratory officially approved by the competent veterinary authority where they were subjected to the following tests with negative results:
 - (i) porcine brucellosis (B. suis) * EITHER buffered brucella antigen
 test (BBAT) * OR competitive enzyme-linked immunosorbent assay
 (cELISA);
 - (ii) transmissible gastroenteritis (TGE) * EITHER serum neutralisation
 test (SNT) * OR differential ELISA;
 - (iii) porcine reproductive and respiratory syndrome (PRRS) ELISA (negative result is an S/P ratio of <0.4); AND, for any donor boar showing a positive ELISA result of ≥ 0.4 , immunoperoxidase monolayer assay (IPMA) (negative IPMA result is a titre of less than 1 in 10);

(g)	date of the	d to leptospirosis, within the thirty (30) days prior to the e first collection of semen for export, the donor boars were inst leptospirosis as follows:		
	one injecti of treatmen	on of (type at) at a dose rate effective against leptospirosis;		
	Date of tre	atment: ;		
(h)		poars have not performed natural mating since the last negative the tests in paragraph $V(f)$ or the treatment(s) described in $V(g)$ above;		
(j)		en collection, the donor boars have remained in good health and linical evidence of infectious or contagious diseases;		
(k)	particular	to be exported was treated with a mixture of antibiotics, in against leptospires and mycoplasmas, to produce an effect in the ion at least equivalent to the following:		
	not less th	an: 500 µg of streptomycin per ml; 500 IU of penicillin per ml; 150 µg of lincomycin per ml; 300 µg of spectinomycin per ml.		
		after the addition of the antibiotics, the diluted semen was emperature of at least 15°C for not less than 45 minutes;		
(1)	the semen t	o be exported:		
	(i)	was stored separately under official veterinary control for at least 28 days prior to dispatch in flasks containing fresh liquid nitrogen which were cleansed and sterilised before use;		
	(ii)	was sealed under official veterinary control before dispatch and sent to the place of loading in sealed containers under conditions which comply with the provisions of EU Council Directive $90/429/\text{EEC}$ (as amended) and the current regulations of the International Air Transport Association (IATA).		
	Official Se	al No(s):		
* delete if not applicable				
Offic	ial Stamp	Signed RCVS Official Veterinarian		
		Name in block letters		
Date		. Address		