

Protecting and improving the nation's health

Monthly Legionella Report February 2019

National Surveillance Scheme for Legionnaires' disease in Residents of England and Wales

About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy. We provide government, local government, the NHS, Parliament, industry and the public with evidence-based professional, scientific and delivery expertise and support.

Public Health England Wellington House 133-155 Waterloo Road London SE1 8UG

Tel: 020 7654 8000 www.gov.uk/phe Twitter: @PHE_uk

Facebook: www.facebook.com/PublicHealthEngland

For queries relating to this document, please contact: legionella@phe.gov.uk



© Crown copyright 2019

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit OGL. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

Published March 2019
PHE publications
gateway number: GW-257



PHE supports the UN Sustainable Development Goals



Contents

About Public Health England	2
Introduction	4
Legionella data: February 2019	5

Introduction

The national surveillance scheme for Legionnaires' disease in residents of England and Wales is co-ordinated by PHE.

The main objectives of the scheme are to:

- detect clusters and outbreaks of Legionella in England and Wales or abroad through the surveillance of all reported cases
- identify sources of infection so that control measures can be assessed and where necessary improved upon, to prevent further cases
- as a member state, collaborate with the European Legionnaires' disease Surveillance Network (ELDSNet) in the detection, control and prevention of cases, clusters and outbreaks within European countries through the reporting of travel associated cases of Legionnaires' disease

This report provides a summary of data extracted from the national Legionella database for confirmed and suspected cases of Legionellosis in residents of England and Wales, as reported to the national surveillance scheme during the month of February 2019.

The report only provides an interim representation of Legionella activity in England and Wales during this time period due to delays in reporting. This means that the data for this month may not be comparable with previously published data for the same period in previous years. Changes as updates reported after the date of this report will be updated in subsequent monthly reports as further data becomes available.

Figures are correct at the time of publication and may be subject to change.

Legionella data: February 2019


All data presented in this report is correct as at 5 March 2019.

Table 1: Reported/notified[†] number of Legionella infection cases

Number of cases [‡] of Legionellosis reported/notified [†] during February 2019	24
Number of confirmed* cases of Legionnaires' disease (LD) since 1 January 2019	58

These case numbers are provisional and subject to change.

Figure 1: Confirmed* cases of LD by category of exposure, excluding unassigned cases, with onset of symptoms in February 2019



^{*} cases confirmed to have pneumonia and laboratory confirmation of Legionella infection; includes some with incomplete data.

[†] reported/notified cases are any cases reported to the national surveillance scheme via regional colleagues, laboratories and statutory notifications (including all confirmed and non-confirmed cases).

[‡] cases reported with onset of symptoms between 1 January to 28 February 2019, inclusive.

^{*} cases confirmed to have clinical and/or radiological signs of pneumonia and positive microbiology in the form of culture, urinary antigen and/or nucleic acid detection.


Table 2: Number of confirmed* cases of LD by category with onset in February 2019

Category	Confirmed* cases with onset in February 2019	Confirmed* cases with onset since 1 January 2019
Community	10	25
Nosocomial	0	2
Travel abroad	4	12
Travel UK	0	3
Unassigned	1	1
Total	15	43

^{*} cases confirmed to have pneumonia and laboratory confirmation of Legionella infection; includes some with incomplete data.

nb: figures in this table are not equivalent to table 1 as cases reported in February may have earlier onset dates or cases may later prove to be negative or probable.

Figure 2: Confirmed* cases of LD by month of onset (February 2019 against monthly mean for previous 3 years)



^{*} cases confirmed to have pneumonia and laboratory confirmation of Legionella infection; includes some with incomplete data.

Table 3: All confirmed* cases by region of residence

Region of	Confirmed* cases with onset in February 2019		Confirmed* cases with onset since 1 January 2019	
residence	Total cases	Cases with LRT (%)	Total cases	Cases with LRT (%)
East Midlands	2	-	6	-
East of England	1	-	3	-
London	6	3 (50.0)	12	3 (25.0)
North East	-	-	-	-
North West	1	1 (100.0)	2	1 (50.0)
South East	2	1 (50.0)	4	1 (25.0)
South West	3	2 (66.7)	6	2 (33.3)
Wales	-	-	1	-
West Midlands	-	-	5	-
Yorkshire & Humber	-	-	4	2 (50.0)
Other	-	-	-	-
Total	15	7 (46.7)	43	9 (20.9)

LRT – lower respiratory tract sample

^{*} cases confirmed to have pneumonia and laboratory confirmation of Legionella infection; includes some with incomplete data.

Table 4: Positive clinical tests of confirmed* cases of LD with onset of symptoms since 1 January 2019

	Number of confirmed cases	Number of cases with respiratory samples	Number of culture &/or PCR positive cases	Number of cases with SBT identified
Total number of cases	43	14	10	7

PCR: polymerase chain reaction **SBT:** sequence based typing

Of the 43 cases of Legionnaires' disease reported to the National Surveillance Scheme 14 (32.6%) cases had a respiratory specimen taken and tested for Legionella infection. Of the 14 cases where a respiratory specimen was tested by culture and/or PCR, 10 (71.4%) specimens tested positive for *Legionella pneumophila* serogroup 1. A complete sequence type was determined for 7 cases.

(Please note that some results may still be pending at the time of this report.)

Comments

None for February 2019

^{*} cases confirmed to have pneumonia and laboratory confirmation of Legionella infection; includes some with incomplete data.