

Protecting and improving the nation's health

Summary of Results

External Quality Assessment of Water Microbiology

Bottled and Mineral Water Scheme

Distribution Number: BMW21 Sample Numbers 34, '21', BMW21B

Distribution Date:	January 2010
Results Due:	22 Februa v 2 J 15
Report Date:	06 March 26 2
Samples prepared and	Ang `a Appea
quality control tested by:	Richaru Borrill
	rhomas Harper
	N argaret Njenga
	Zak Prior
	Lili Tsegaye
	Vanessa Waite
Data analys id by.	Joanna Donn
10,	Manchari Rajkumar
Report compiled by:	Joanna Donn
	Manchari Rajkumar
Authorised by:	Nita Patel

This report must not be reproduced without permission of the organisers.

Public Health England
Food and Environmental Proficiency Testing Unit (FEPTU)

61 Colindale Avenue London

NW9 5EQ

Tel: +44 (0)20 8327 7119 Fax: +44 (0)20 8200 8264 Email: foodega@phe.gov.uk For further information about the scheme please refer to:

 $\textbf{Scheme Guide:} \quad \underline{\text{https://www.gov.uk/government/publications/food-and-water-proficiency-testing-schemes-scheme-guide} \\$

Guide to Scoring and Statistics:

https://www.gov.uk/government/publications/food-and-water-proficiency-testing-schemes-scoring-systems-and-statistics

General guidance for z-scores:

Participants' enumeration results are converted into z-scores using the following formula:

= participants' result expressed (expressed as a log 10 value)

 $Z = (x_i - X_{\underline{pt}})$ X_{pt} = assigned value (participants' consensus median (expressed as a log 10 value))

 σ_{pt} σ_{pt} = the fixed standard deviation for the examination (calculated by FEPTU)

The opt-value expresses the acceptable difference between the individual participant's result and the participants' consensus median. The σ_{pt} -value used for calculating z-scores for all parameters in the Bottled and Mineral Water Scheme is 0.35. A guide to interpreting z-scores follows, although laboratories must interpret their scores in the context of their own laboratory situation.

z = -1.99 to +1.99satisfactory z = -2 to -2.99 or +2 to +2.99questionable z = < -3.00 or > +3.00unsatisfactory

It is usually recommended that z-scores exceeding +/-2 are investigated to establish " oo ible cause. general rule, PHE recommends that all questionable and unsatisfactory results are investigated

FEPTU Quality Control: To demonstrate homogeneity of the sample, a mir mun. or 10 LENTICULE® discs, selected randomly from a batch, are tested in duplicate for parameters requiring enume. tion.

To demonstrate stability of the sample, a minimum of six LENTICULE discs selected randomly from a batch, are examined throughout the distribution period for enumeration parameters

Public Health England uses methods stipulated in The Natura Mi erail. Iter, Spring Water and Bottled Drinking Water (England) Regulations (2018).

The FEPTU results are used for guidance in the preliminant intended results notification, letters are posted on the website immediately after every distribution; electronic notification of heir availability is sent to all participants.

Refer to section 17.0 of the Scheme Guide if you have experenced difficulties with any of the examinations.

https://www.gov.uk/government/publications/foc_l-and-vater-proficiency-testing-schemes-scheme-guide

Participants are reminded that reporting a inc to refalse negative results could have serious public health implications.

Results as summarised in the perform. 'ce as essment sheet included in this report, provide a more effective indication of on-going area with the enumeration of low levels of indicator organisms in bottled and mineral water sam, les Pe prmance assessment cannot be undertaken as effectively if laboratories do not particip te in "I'?" stributions for the Bottled and Mineral Water Scheme.

Please contact FL (U station advice and information:

Repeat samples Carmen Gomes or Kermin Daruwalla Tel: +44 (0)20 8327 7119 Fax: +44 (0)20 8200 8264 Manchari Rajkumar or Nita Patel **Data Analysis** Email: foodeqa@phe.gov.uk Nita Patel or Zak Prior Microbiological advice

FEPTU's website General comments and complaints Nita Patel or Zak Prior

Julie E. Russell Scheme consultants **Scheme Co-ordinator** Nita Patel

Accreditation: PHE Water EQA Scheme for Bottled and Mineral Water is accredited by the United Kingdom Accreditation Service (UKAS) to ISO/IEC 17043:2010.



Sample: BMW21A

Contents:

Escherichia coli (wild strain), Klebsiella pneumoniae (wild strain), Enterococcus faecium (wild strain), Pseudomonas aeruginosa (NCTC 10332), Clostridium perfringens (wild strain)

Expected Results:

All counts are expressed as colony forming units (cfu) in 250mL except sporulated sulphite-reducing anaerobes which is in 50 mL and the colony counts at 37°C/24h and 22°C/72h which are cfu per mL.

The fixed standard deviation value ($\mathcal{O}pt$ value) used for calculation of the z-scores is **0.35** for all parameters.

Parameter	Coliform bacteria	E.coli	Enterococci	P.aeruginosa	Sporulated sulphite-reducing anaerobes	Colony count 37°C/24h	Colony count 22°C/72h
FEPTU median	38	25	43	31	47	1	1
No. results returned	50	50	50	50	40	50	46
Assigned value (Participants median all results)	32	23	38	22	50	1	1
Uncertainty of assigned value*	0.04	0.04	0.02	0.03	0.03	0.08	0
Participants mean (all results)	31	23	39		45	0	0
Participants median (MPN only)	N/A	N/A	N/A	7,4	N/A	N/A	N/A
Participants median (MF only)	32 (n=42)	23 (n=42)	N/A	N/A	N/A	N/A	N/A
Expected Range	10 - 100	1 - 73	150	5 - 68	7 - 157	0 - 3	0 - 3
Standard deviation**	0.25	0.23	0.11	0.19	0.15	0.45	0
No of outlying counts	5	2	7	5	4	4	3
False positives	N/.	N/A	N/A	N/A	N/A	N/A	N/A
False negatives		2	7	2	0	0	0
Your result							
Score for performance assessment							
Z-score							

^{*} $U(X_{Pl})$ is based on results transformed to a \log_{10} scale

^{**} Robust \mathcal{S}^{\star} based on median absolute deviation about the participants' median (MADe)

Total sent samples	52
Not examined	1
Non returns	0

Sample: BMW21B

Contents:

Enterobacter cloacae (wild strain), Enterococcus faecalis (wild strain), Pseudomonas aeruginosa (wild strain), Clostridium bifermentans (wild strain), Kocuria kristinae (NCTC 11038)

Expected Results:

All counts are expressed as colony forming units (cfu) in 250mL except sporulated sulphite-reducing anaerobes which is in 50 mL and the colony counts at 37°C/24h and 22°C/72h which are cfu per mL.

The fixed standard deviation value ($\mathcal{O}pt$ value) used for calculation of the z-scores is **0.35** for all parameters.

		TOT CATCUIATION OF IT					
Parameter	Coliform bacteria	E.coli	Enterococci	P.aeruginosa	Sporulated sulphite-reducing anaerobes	Colony count 37°C/24h	Colony count 22°C/72h
FEPTU median	18	0	103	19	20	114	121
No. results returned	50	50	50	49	40	50	46
Assigned value (Participants median all results)	14	0	94	8	20	104	109
Uncertainty of assigned value*	0.03	N/A	0.01	0.07	0.05	0.02	0.01
Participants mean (all results)	14	0	92	2	20	101	107
Participants median (MPN only)	N/A	N/A	N/A	·A	N/A	N/A	N/A
Participants median (MF only)	14 (n=42)	N/A	N/A	N/A	N/A	N/A	N/A
Expected Range	4 - 44	N/A	20 797	1 - 25	4 - 62	33 - 327	34 - 345
Standard deviation**	0.2	N/A	C 77	0.26	0.27	0.09	0.08
No of outlying counts	3	N/s	1	0	5	2	0
False positives	N/.	0	N/A	N/A	N/A	N/A	N/A
False negatives		N/A	0	17	5	0	0
Your result							
Score for performance assessment							
Z-score							

^{*} $U(X_{pt})$ is based on results transformed to a \log_{10} scale

^{**} Robust \mathcal{S}^{\star} based on median absolute deviation about the participants' median (MADe)

Total sent samples	52
Not examined	1
Non returns	0

Performance Assessment Sheet

Distribution	Sample	Coliform bacteria score	Escherichia coli score	Enterococci score	Pseudomonas aeruginosa score	Sporulated sulphite-reducing anaerobes	Colony Count 37°C/24 h score	Colony Count 22°C/72 h score
BMW21	BMW21A							
	BMW21B							
BMW20	BMW20A							
	BMW20B							
BMW19	BMW19A							
	BMW19B							
Total max possible								
Total percentage								


Performance Assessment Comment:

Participants are reminded that to take advantage of the performance assessment overtime tool provided in the reports they need to take part in more than one distribution a year.

Performance assessments are designed to alert participants to on-going problems with their examinations and are provided aftr every distribution. Scores are allocated to results reported for e ery parameter, for every sample to help assess performance.

Cumulative scores are calculated for the current and the previous two distributions for the Bottled and Mineral Water Scheme. Factionants' cummulative scores for each of the examinations are cor par d with the maximum possible scores after every distribution.

Your overall performance with the enumerations of two levels of indicator organisms in Bottled and Mineral Wate profit ency testing samples for the current and the previous two catribians are collated in the chart to the right.




Performance Assessment Comment:


Laboratories that achieve less than 70 $_{\circ}$ c the reaximum possible score are likely to be experiencing significant problems with their examinations and are advised to:

- a) refer to the relevant distribution repol 3 for sample-specific comments
- b) refer to the website gridan documents:

 https://www.gov.uk/gridan.documents/conte
- c) contact the organians or advine



BMW21A: Colony Count 22°C/72 h		
No data for graph		
	6-6-1	
The data in FEPTU reports is confidential	Page 7 of 11	Printed at 14:24 on Wednesday, 6 March, 2019






General comment:


If you do not return a result for a distribution, you will not be able to view all the participants' results data in your individualised report. Please contact us if you require this information on foodega@phe.gov.uk.

Sample specific comment

BMW21A - Colony counts 37°C/24h and 22°C/72h

Below are graphs of the colony counts 37°C/24h and 22°C/72h reported by participants for BMW21A which are not shown in the main report.





BMW12B: Pseudomor as a rugir sa

17/49 (35%) of the abora ories reported a false negative result for this examination. The sample contained a Ps monas aeruginosa at approximately 8 colony forming units per 250mL. This strain of Ps aerugin sa was atypical as it produced <0.5mm translucent non-pigmented colonies on PCN yar, of ea file prescence and casein hydrolysis that was weak. This examination has not been scored. This organism was included to raise awareness of the existence of such strains in the environment ary for laboratories to have a greater understanding of the impact on laboratory testing and results.

End of report

