

Syndromic Surveillance System: England

Data to: 09 June 2019

12 June 2019 Year: 2019 Week: 23

In This Issue:

Key messages.

Syndromic indicators at a glance.

Data summary.

Indicators by syndrome.

Total calls.

Cold/flu.

Fever.

Cough.

Difficulty Breathing.

Sore throat.

Diarrhoea.

Vomiting.

Eye problems.

Introduction to charts.

Moving Epidemic Method (MEM).

Notes and further information.

Acknowledgements.

Key messages

Eye problems calls in the 5-14 years age group increased during week 23 in line with the expected seasonal increases in grass pollen (figure 9a).

A Heat-Health Watch system operates in England from 1 June to 15 September each year. As part of the Heatwave Plan for England, the PHE Real-time Syndromic Surveillance team will be routinely monitoring the public health impact of hot weather using syndromic surveillance data during this period.

Heat-health watch level (current reporting week): Level 1 Summer preparedness

http://www.metoffice.gov.uk/weather/uk/heathealth/

Syndromic indicators at a glance:

Indicator	Trend	Level
Cold/flu	no trend	pre-epidemic threshold*
Fever	no trend	similar to baseline levels
Cough	decreasing	below baseline levels
Difficulty breathing	decreasing	below baseline levels
Sore throat	no trend	below baseline levels
Diarrhoea	decreasing	below baseline levels
Vomiting	decreasing	below baseline levels
Eye problems	no trend	below baseline levels
Heat/sun impact	no trend	below baseline levels
Insect bites	no trend	below baseline levels

^{*} Moving Epidemic Method (MEM) influenza activity threshold (see notes)

Data summary:

Year	Week	Total calls
2019	23	248,773

12 June 2019 2019 Week: 23 100000 1: Total calls. 90000 The total number of 80000 syndromic calls recorded each day by NHS 111. 60000 50000 40000 30000 20000 10/06/18 08/07/18 05/08/18 02/09/18 30/09/18 28/10/18 25/11/18 23/12/18 20/01/19 17/02/19 17/03/19 14/04/19 12/05/19 09/06/19 bank holiday weekend total calls ■7 day average (adjusted for bank holidays) 6.0 2: Cold/flu Daily 'cold/flu' calls as a 5.0 percentage of total calls. Baselines are constructed from historical data since 2013. 1.0 25/11/18 23/12/18 20/01/19 17/02/19 --- baseline bank holiday cold/flu 7 day average (adjusted for bank holidays) weekend 3: Fever Daily 'fever' calls as a percentage of total calls. Baselines are constructed from Percentage of total calls (%) 1.0 c 1.1 historical data since 2013. 0.5

28/10/18

bank holiday

25/11/18


23/12/18

2

12 June 2019 Year: 2019 Week: 23


4: Cough

Daily 'cough' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



5: Difficulty breathing

Daily 'difficulty breathing' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



5a: Difficulty breathing calls by age group


Difficulty breathing calls as a percentage of total calls within each age group, shown as a 7 day moving average adjusted for bank holidays.



12 June 2019 Year: 2019 Week: 23


6: Sore throat

Daily 'sore throat' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.




7. Diarrhoea

Daily 'diarrhoea' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



7a: Diarrhoea calls by age group


Daily 'diarrhoea' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



12 June 2019 2019


8: Vomiting calls

Daily 'vomiting' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.




8a: Vomiting calls by age group

Vomiting calls as a percentage of total calls within each age group, shown as a 7 day moving average adjusted for bank holidays.



9: Eye problems


Daily 'eye problems' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



12 June 2019 Year: 2019 Week: 23


9a: Eye problems calls by age group

Eye problems calls as a percentage of total calls within each age group, shown as a 7 day moving average adjusted for bank holidays.




10: Heat/sun impact calls

Daily 'heat/sun impact' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



11: Insect bites calls

Daily 'eye problems' calls as a percentage of total calls. Baselines are constructed from historical data since 2013.



12 June 2019 2019 Week: 23

Introduction to charts:

- Weekends and bank holidays are marked by vertical grey lines (bank) holidays darker grey).
- A 7-day moving average (adjusted for bank holidays) is overlaid on the daily data reported in each chart, unless specified.
- Baselines represent seasonally expected levels of activity and are constructed from historical data since September 2013. They take into account any known substantial changes in data collection, population coverage or reporting practices. Baselines are refreshed using the latest data on a regular basis.
- NHS 111 call data are analysed on a daily basis to identify national and regional trends. A statistical algorithm underpins each system, routinely identifying activity that has increased significantly or is statistically significantly high for the time of year. Results from these daily analyses are assessed by the ReSST, along with analysis by age group, and anything deemed of public health importance is alerted by the team.

Moving Epidemic Method (MEM):

- During each winter we present Moving Epidemic Method (MEM) influenza thresholds on selected indicators.
- The moving epidemic method or MEM is a standard methodology used for setting influenza thresholds across many European nations.¹
- MEM is used for NHS 111 cold/flu thresholds at a national level.
- MEM thresholds should be interpreted using 7 day moving averages rather than daily data.
- MEM thresholds currently use five years of historic data. The thresholds are re-calculated every year.
- 'Pre-epidemic thresholds' are used alongside other surveillance systems to identify the start of influenza circulating in the community.
- 40%, 95% and 97.5% intensity thresholds are used to identify when influenza activity moves from low to medium, high or very high.

¹Vega T et al. Influenza Other Respir Viruses. 2013;7(4):546-58.

Notes and further information:

- Further information about NHS 111 can be found at: https://www.nhs.uk/using-the-nhs/nhs-services/urgent-and-emergency-care/ nhs-111/
- The Remote Health Advice Syndromic Surveillance bulletin can also be downloaded from the PHE Real-time Syndromic Surveillance website which also contains more information about syndromic surveillance: https://www.gov.uk/government/collections/syndromic-surveillance-systemsand-analyses

Acknowledgements:

We are grateful to NHS 111 and to NHS Digital for their assistance and support in providing the anonymised call data that underpin the Remote Health Advice Syndromic Surveillance System.

Remote Health Advice Syndromic Surveillance System Bulletin.

Produced by: PHE Real-time Syndromic Surveillance Team 1st Floor, 5 St Philips Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 Fax: 0121 236 2215 Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses