

ANNEX 1

PROPOSED AMENDMENTS TO THE DEEMED MARINE LICENCES CONTAINED WITHIN THE DOGGER BANK CREYKE BECK OFFSHORE WIND FARM ORDER 2015

Provision	Previous text	Replacement text
<i>Deemed Marine Licence 1</i>		
<p>Schedule 8 Part B Condition 6 (1)(a) Notifications and inspections</p>	<p>before any licensed activities are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets; (iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and (iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;</p>	<p>before any licensed activities or any phase of those activities (insofar as relevant to that activity or phase) are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets; (iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and (iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;</p>
<p>Schedule 8 Part B Condition 11 (1) Offshore safety Management</p>	<p>Offshore works must not commence until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised</p>	<p>Offshore works must not commence (excluding commencement at Work No 3A) until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full</p>

	<p>scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.</p>	<p>details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.</p>
<p>Schedule 8 Part B Condition 11 (3) Offshore safety Management</p>	<p>No authorised development seaward of MHWS must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.</p>	<p>No authorised development seaward of MHWS or any phase of it must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme or the relevant phase of it contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.</p>
<p>Schedule 8 Part B Condition 12 (1) Offshore safety Management</p>	<p>The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities to the MMO at least 2 weeks before the intended commencement of construction.</p>	<p>The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities or any phase of them to the MMO at least 2 weeks before the intended commencement of construction of that phase.</p>
<p><i>Deemed Marine Licence 2</i></p>		
<p>Schedule 9 Part B Condition 6 (1)(a) Notifications and inspections</p>	<p>before any licensed activities are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities;</p>	<p>before any licensed activities or any phase of those activities (insofar as relevant to that activity or phase) are carried out under this licence, the undertaker informs the MMO of—</p>

	<p>(ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets;</p> <p>(iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and</p> <p>(iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;</p>	<p>(i) the name of the person undertaking the licensed activities;</p> <p>(ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets;</p> <p>(iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and</p> <p>(iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;</p>
<p>Schedule 9 Part B Condition 11 (1) Offshore safety Management</p>	<p>Offshore works must not commence until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.</p>	<p>Offshore works must not commence (excluding commencement at Work No 3B) until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.</p>
<p>Schedule 9 Part B Condition 11 (3) Offshore safety Management</p>	<p>No authorised development seaward of MHWS must commence until the MMO, in consultation with the MCA, has confirmed in writing that the</p>	<p>No authorised development seaward of MHWS or any phase of it must commence until the MMO, in consultation with the MCA, has confirmed in</p>

	undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.	writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme or the relevant phase of it contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.
Schedule 9 Part B Condition 12 (1) Offshore safety Management	The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities to the MMO at least 2 weeks before the intended commencement of construction.	The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities or any phase of them to the MMO at least 2 weeks before the intended commencement of construction of that phase .
<i>Deemed Marine Licence 3</i>		
Schedule 10 Part B Condition 5 (1)(a) Notifications and inspections	before any licensed activities are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets; (iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and (iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;	before any licensed activities or any phase of those activities (insofar as relevant to that activity or phase) are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets; (iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and

		(iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;
Schedule 10 Part B Condition 10 (1) Offshore safety Management	Offshore works must not commence until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.	Offshore works must not commence (excluding commencement at Work No 3A) until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.
Schedule 10 Part B Condition 10 (3) Offshore safety Management	No authorised development seaward of MHWS must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.	No authorised development seaward of MHWS or any phase of it must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme or the relevant phase of it contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues” and its annexes.

<p>Schedule 10 Part B Condition 11 (1) Offshore safety Management</p>	<p>The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities to the MMO at least 2 weeks before the intended commencement of construction.</p>	<p>The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities or any phase of them to the MMO at least 2 weeks before the intended commencement of construction of that phase.</p>
<p>Schedule 10 Part B Condition 17(1) Aids to navigation</p>	<p>Before commencement of the authorised scheme, an aids to navigation management plan must be approved in writing by the MMO following consultation with Trinity House and MCA specifying the— (a) aids to navigation to be established from the commencement of the authorised scheme to the completion of decommissioning;</p>	<p>Before commencement of the authorised scheme (excluding commencement at Work No 3A and Work No 2A), an aids to navigation management plan must be approved in writing by the MMO following consultation with Trinity House and MCA specifying the— (a) aids to navigation to be established from the commencement of the authorised scheme (excluding commencement at Work No 3A and Work No 2A) to the completion of decommissioning;</p>
<p><i>Deemed Marine Licence 4</i></p>		
<p>Schedule 11 Part B Condition 5 (1)(a) Notifications and inspections</p>	<p>before any licensed activities are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets; (iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and</p>	<p>before any licensed activities or any phase of those activities (insofar as relevant to that activity or phase) are carried out under this licence, the undertaker informs the MMO of— (i) the name of the person undertaking the licensed activities; (ii) the works being undertaken pursuant to this licence comprising those works necessary up to the point of connection with the transmission assets;</p>

	(iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;	(iii) the maximum total area and volume for any cable protection for HVAC inter-array cables and HVAC inter-platform cables to be constructed within the array area pursuant to this licence; and (iv) the maximum total area and volume for any cable protection to be constructed within the array area pursuant to this licence;
Schedule 11 Part B Condition 10 (1) Offshore safety Management	Offshore works must not commence until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.	Offshore works must not commence (excluding commencement at Work No 3B) until the MMO, in consultation with the MCA, has given written approval for an Emergency Response and Co-operation Plan (“ERCoP”) which includes full details of the ERCoP for the construction, operation and decommissioning phases of the authorised scheme in accordance with the MCA recommendations contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response Issues”. The ERCOP must include the identification of a point of contact for emergency response.
Schedule 11 Part B Condition 10 (3) Offshore safety Management	No authorised development seaward of MHWS must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK	No authorised development seaward of MHWS or any phase of it must commence until the MMO, in consultation with the MCA, has confirmed in writing that the undertaker has taken into account and adequately addressed all MCA recommendations as appropriate to the authorised scheme or the relevant phase of it contained within MGN371 “Offshore Renewable Energy Installations (OREIs) – Guidance on UK

	Navigational Practice, Safety and Emergency Response Issues” and its annexes.	Navigational Practice, Safety and Emergency Response Issues” and its annexes.
Schedule 11 Part B Condition 11 (1) Offshore safety Management	The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities to the MMO at least 2 weeks before the intended commencement of construction.	The undertaker must provide the name and function of any agent or contractor appointed to engage in the licensed activities or any phase of them to the MMO at least 2 weeks before the intended commencement of construction of that phase .
Schedule 11 Part B Condition 17(1) Aids to navigation	Before commencement of the authorised scheme, an aids to navigation management plan must be approved in writing by the MMO following consultation with Trinity House and MCA specifying the— (a) aids to navigation to be established from the commencement of the authorised scheme to the completion of decommissioning;	Before commencement of the authorised scheme (excluding commencement at Work No 3B, Work No 2BA, Work No 2BC and Work No 2B) , an aids to navigation management plan must be approved in writing by the MMO following consultation with Trinity House and MCA specifying the— (a) aids to navigation to be established from the commencement of the authorised scheme (excluding commencement at Work No 3B, Work No 2BA, Work No 2BC and Work No 2B) to the completion of decommissioning;
Composite Schedule issued with Variation 1 25 April 2019 - Heading	Schedule 1	Schedule 8
Composite Schedule issued with Variation 1 25 April 2019 - Heading	Schedule 2	Schedule 9

Composite Schedule issued with Variation 1 25 April 2019 - Heading	Schedule 3	Schedule 10
Composite Schedule issued with Variation 1 25 April 2019 - Heading	Schedule 4	Schedule 11