

PHE Influenza Surveillance graphs

- Influenza activity in the United Kingdom is monitored using a variety of <u>surveillance systems</u>. The <u>National Influenza Report</u> which interprets the data is published weekly.
- National and subnational outputs from the various surveillance systems are grouped according to the following categories:
 - Community influenza surveillance
 - Influenza-like illness GP consultation rates
 - Influenza-confirmed hospitalisations
 - All-cause mortality
 - Microbiological surveillance
 - Influenza vaccination

Influenza Section Immunisations and Countermeasures Division Centre for Infectious Disease Surveillance and Control Public Health England respscidsc@phe.gov.uk






Community influenza surveillance

10 October 2019

Public Health Number of acute respiratory outbreaks by institution, UK





Number of acute respiratory outbreaks by PHE Centre


	Outbreaks reported in week 40	Cumulative number of outbreaks since week 40					
PHE North East	0	0					
PHE North West	7	7					
PHE Yorkshire and Humber	1	1					
PHE East Midlands	0	0					
PHE West Midlands	4	4					
PHE East of England	13	13					
PHE London	0	0					
PHE South East	6	6					
PHE South West	6	6					



Influenza-like illness GP consultation rates



RCGP ILI consultation rate, England





GP ILI consultations in the UK for all ages with MEM thresholds applied


GP ILI consultation	Week number																
rates (all ages)	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
England (RCGP)	4.3																
Wales	1.7																
Scotland	5.5																
Northern Ireland	3.9																

*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for GP ILI consultations for the start of influenza activity (based on 10 seasons excluding 2009/10), in a standardised approach across Europe. For MEM threshold values for each country, please visit: <u>https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#clinical-surveillance-through-primary-care</u>.




Influenza-confirmed hospitalisations

10 October 2019



Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population, England, since week 40 2019




*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: https://www.gov.uk/quidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data

Return to main menu




Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, North East, North West and Yorkshire and Humber, since week 40 2019







Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, East Midlands, West Midlands and East of England since week 40 2019






Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, South East, South West and London, since week 40 2019












Weekly hospitalised influenza case rate per 100,000 trust catchment population , England, since week 40 2019




*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <u>https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data</u>

Return to main menu





Influenza confirmed hospital admissions (USISS sentinel)
by age and influenza subtype, since week 40 2019






All-cause mortality




Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, England







Microbiological surveillance

10 October 2019














DataMart: Number and proportion of samples positive for influenza, by type, PHE North West of England




























DataMart: Number and proportion of samples positive for Public Health England influenza, by type, PHE London
















DataMart: Proportion of samples positive for RSV, by age group










Influenza vaccination




Return to main menu

10 October 2019

×3

Seasonal influenza vaccine uptake in targeted groups, 2019/20, England



Ś

Public Health

England



Links

• Sources of UK flu surveillance data:

<u>https://www.gov.uk/sources-of-uk-flu-data-</u> influenza-surveillance-in-the-uk

• Weekly flu report

https://www.gov.uk/government/statistics/wee kly-national-flu-reports-2018-to-2019-season