



Breast screening: achieving and maintaining the 36-month round length

Appendix 5: BSS reports, NBSS end codes and translation to BSS

Breast Screening Select (BSS) reports

BS Select Reports and functions	
BS Select Monitoring Report	BS Select Functions
Failsafe Batches	BSO Mapping shows GPP Changes and date changed
Outstanding Episodes	RISP and NTDD population estimates
SSPI will show deceased subjects	Outcome List, identifies outcome of screening episode
Ceased List	
SSPI report will identify date of birth changes, deceased subjects and screening history	
Higher Risk NBRs	

National Breast Screening System (NBSS) end codes and translation to BSS

NBSS Reason Episode Closed	NBSS Final Action Code	For use when?	BS Select End code	Effect on BSS
BS, CP, CT, DD, NS, NT, OP, OT, RS and X end codes				
BS	N/A	Being screened. Client has two open episodes (e.g. duplicate registrations).	PC or WO	<p>End code will be PC if:</p> <ul style="list-style-type: none"> - There is a screening appointment that is not cancelled. <p>Note</p> <ul style="list-style-type: none"> - BS Select will set the NTDD to 3 years from the Date of First Offered Appointment (DOFOA). - NBRs will not have NTDD set. <p>End code will be WO if:</p> <ul style="list-style-type: none"> - There are no screening appointments, or all appointments are Cancelled by Hospital. <p>Note</p> <ul style="list-style-type: none"> - BS Select will leave the NTDD unchanged from the previous episode. - If address is changed, BS Select may change the end code to WM.
CP	N/A	Under care permanently. Client is permanently under care (this code is rarely used).		
CT	N/A	Under care temporarily. Client notified BSO that they are currently under care elsewhere.		
DD	N/A	Deceased. BSO has been informed that the client has died, before the death notification has been added to BS Select.		
NS	N/A	Attended not screened. Client attended but then declined screening or reported that they had recently been screened elsewhere.		
NT	N/A	No transport. Client advised that they were unable to attend due to lack of transport (this code is rarely used).		
OP	N/A	Opt out permanently. Client has informed the BSO that they don't want to attend for screening permanently. The BSO then completes the ceasing protocol to prevent the client being re-invited in future.		
OT	N/A	Opt out temporarily. Client has informed the BSO that they don't want to attend for screening this time.		
RS	N/A	Recently screened.		

NBSS Reason Episode Closed	NBSS Final Action Code	For use when?	BS Select End code	Effect on BSS
X	N/A	Episode closed, other reason This is a catch-all code (e.g. closure of duplicate open episodes and closure of episodes for clients who have been identified as male). This code is rarely used.		
R (EC, MT, FP, RR), DE and DU end codes				
R	EC	Routine Closure - Short term recall. Client has had a technically adequate routine screen, has completed her recall assessment and will be recalled back at a shorter recall interval.	SC	<ul style="list-style-type: none"> - BS Select expects the Appointment made flag to be Yes. - NTDD is set to 3 years from the Date of First Offered Appointment (DOFOA) or Episode Date. - NBRs will only have the NTDD set if the end code is "SC".
R	MT	Routine Closure - Medical Treatment. Client is undertaking medical cancer treatment other than surgery, for example drug therapy.		
R	FP	Routine Closure - Follow-up. Client diagnosed with cancer is now under care of the surgical team.		
R	RR	Routine Closure - Routine recall. Client has had a technically adequate routine screen.		
DE	N/A	Defaulted. Client has had a technically adequate routine screen but has failed to attend the recall to assessment appointment.		
DU	N/A	Details unknown. Client has had a technically adequate routine screen, but further details are not available, for example assessed elsewhere. (This code is rarely used).		

NBSS Reason Episode Closed	NBSS Final Action Code	For use when?	BS Select End code	Effect on BSS
MV and NK				
MV	N/A	Moved. BSO advised that the client had moved away.	WF	<ul style="list-style-type: none"> - NTDD is set to 3 years from the Date of First Offered Appointment DOFOA or Episode Date. NBRs will only have the NTDD set if the end code is "SC". - If address is changed, BS Select may change the end code to WM and reset the NTDD according to the episode history.
NK	N/A	Not Known at this address. BSO advised that the client is not known at the address.		
NBSS Reason Episode Closed	NBSS Final Action Code	For use when?	BS Select End code	Effect on BS Select
NA, HR, NR end codes				
NA	N/A	Non-attender. Client didn't attend their first or second timed appointments.	DNA	<ul style="list-style-type: none"> - BS Select expects the Appointment made flag to be Yes. - NTDD is set to 3 years from the Date of First Offered Appointment (DOFOA) or Episode Date. NBRs will not have NTDD set.
HR	N/A	On Higher Risk. The routine screening/failsafe episode has been closed because the client is currently in the Higher Risk surveillance programme.		
NR	N/A	Non-responder. Higher Risk client did not respond to communications from the BSO. This code is used relatively infrequently, as clients who do not respond to a routine timed appointment will be closed as NA.	DNR	<ul style="list-style-type: none"> - If address is changed, BS Select will change the end code to WM and reset the NTDD according to the episode history.

NBSS Reason Episode Closed	NBSS Final Action Code	For use when?	BS Select End code	Effect on BSS
F end codes – previously sent by NHAIS.				
FC	N/A	Ceased. The client was ceased on BS Select when the batch was selected.	WC	NTDD is set to 3 years from the Date of First Offered Appointment DOFOA or Episode Date.
FX	N/A	WO Withdrawn – other. Only used following direction from NHS Digital or Hitachi.	WO	If address is changed, BS Select will change the end code to WM.