

#### PHE Influenza Surveillance graphs

- Influenza activity in the United Kingdom is monitored using a variety of <u>surveillance systems</u>. The <u>National Influenza Report</u> which interprets the data is published weekly.
- National and subnational outputs from the various surveillance systems are grouped according to the following categories:
  - Community influenza surveillance
  - Influenza-like illness GP consultation rates
  - Influenza-confirmed hospitalisations
  - All-cause mortality
  - Microbiological surveillance
  - Influenza vaccination

Influenza Section
Immunisations and Countermeasures Division
Centre for Infectious Disease Surveillance and Control
Public Health England
respscidsc@phe.gov.uk




#### Community influenza surveillance

Return to main menu



#### Number of acute respiratory outbreaks by institution, UK





#### Number of acute respiratory outbreaks by PHE Centre

	Outbreaks reported in week 04	Cumulative number of outbreaks since week 40
PHE North East	0	178
PHE North West	7	247
PHE Yorkshire and Humber	1	190
PHE East Midlands	4	130
PHE West Midlands	2	129
PHE East of England	5	142
PHE London	1	27
PHE South East	6	146
PHE South West	9	234

30 January 2020 Return to main menu




#### Influenza-like illness GP consultation rates

Return to main menu



#### RCGP ILI consultation rate, England





# GP ILI consultations in the UK for all ages with MEM thresholds applied

GP ILI consultation								We	ek nun	nber							
rates (all ages)	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
England (RCGP)	4.3	5.0	5.5	6.2	4.5	4.6	5.3	6.5	10.6	13.1	16.0	19.4	12.9	16.6	14.7	10.3	9.0
Wales	1.7	4.0	4.2	6.2	1.7	4.2	3.7	10.1	10.6	8.5	24.4	23.8	37.1	34.5	22.3	14.3	8.8
Scotland	5.1	6.3	4.4	4.0	8.0	5.0	7.0	11.9	11.9	14.0	19.6	21.3	17.1	13.0	21.8	11.5	11.5
Northern Ireland	3.9	4.8	4.6	5.1	6.5	7.2	6.9	14.2	28.2	29.2	24.8	21.3	10.4	15.9	13.4	7.6	6.6

<sup>\*</sup>The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for GP ILI consultations for the start of influenza activity (based on 10 seasons excluding 2009/10), in a standardised approach across Europe. For MEM threshold values for each country, please visit: <a href="https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#clinical-surveillance-through-primary-care">https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#clinical-surveillance-through-primary-care</a>.




#### Influenza-confirmed hospitalisations

Return to main menu




#### Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population, England, since week 40 2019



<sup>\*</sup>The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <a href="https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data">https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data</a>




Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, North East, North West and Yorkshire and Humber, since week 40 2019






Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, East Midlands, West Midlands and East of England since week 40 2019






Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, South East, South West and London, since week 40 2019






### Influenza confirmed ICU admissions (USISS mandatory) by age and influenza subtype, since week 40 2019






#### Weekly hospitalised influenza case rate per 100,000 trust catchment population, England, since week 40 2019



<sup>\*</sup>The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data




Weekly hospitalised influenza admission rate per 100,000 trust catchment population by PHE region, since week 40 2019



Return to main menu



### Influenza confirmed hospital admissions (USISS sentinel) by age and influenza subtype, since week 40 2019






#### All-cause mortality

30 January 2020 Return to main menu




# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE North of England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE Midlands and East of England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE London





# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE South of England






#### Microbiological surveillance

Return to main menu




#### DataMart: Number and proportion of samples positive for influenza, by type, England






#### DataMart: Number and proportion of samples positive for influenza, by type, PHE North East of England






#### DataMart: Number and proportion of samples positive for influenza, by type, PHE North West of England






#### DataMart: Number and proportion of samples positive for influenza, by type, PHE Yorkshire and Humber






# DataMart: Number and proportion of samples positive for influenza, by type, PHE East Midlands of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE West Midlands of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE East of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE London






### DataMart: Number and proportion of samples positive for influenza, by type, PHE South East of England






### DataMart: Number and proportion of samples positive for influenza, by type, PHE South West of England






# DataMart: Proportion of samples positive for RSV, by age group





#### DataMart: Proportion of samples positive for other viruses






#### Influenza vaccination

Return to main menu




#### Seasonal influenza vaccine uptake in targeted groups, 2019/20, England





# Seasonal influenza vaccine uptake in targeted groups, 2019/20, England





#### Links

Sources of UK flu surveillance data:

https://www.gov.uk/sources-of-uk-flu-datainfluenza-surveillance-in-the-uk

Weekly flu report

https://www.gov.uk/government/statistics/weekly-national-flu-reports-2019-to-2020-season

Return to main menu