



# PHE Influenza Surveillance graphs

- Influenza activity in the United Kingdom is monitored using a variety of [surveillance systems](#). The [National Influenza Report](#) which interprets the data is published weekly.
- National and subnational outputs from the various surveillance systems are grouped according to the following categories:
  - [Community influenza surveillance](#)
  - [Influenza-like illness GP consultation rates](#)
  - [Influenza-confirmed hospitalisations](#)
  - [All-cause mortality](#)
  - [Microbiological surveillance](#)
  - [Influenza vaccination](#)

Influenza Section

Immunisations and Countermeasures Division

Centre for Infectious Disease Surveillance and Control

Public Health England

[respcidsc@phe.gov.uk](mailto:respcidsc@phe.gov.uk)




Public Health  
England

# Community influenza surveillance



# Number of acute respiratory outbreaks by institution, UK





## Number of acute respiratory outbreaks by PHE Centre


	Outbreaks reported in week 06	Cumulative number of outbreaks since week 40
PHE North East	2	180
PHE North West	0	253
PHE Yorkshire and Humber	4	196
PHE East Midlands	3	139
PHE West Midlands	1	130
PHE East of England	4	159
PHE London	0	29
PHE South East	6	155
PHE South West	6	242



# Influenza-like illness GP consultation rates



# RCGP ILI consultation rate, England





# GP ILI consultations in the UK for all ages with MEM thresholds applied

GP ILI consultation rates (all ages)	Week number																		
	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
England (RCGP)	4.3	5.0	5.5	6.2	4.5	4.6	5.3	6.5	10.6	13.1	16.0	19.4	12.9	16.6	14.7	10.3	9.0	10.3	9.8
Wales	1.7	4.0	4.2	6.2	1.7	4.2	3.7	10.1	10.6	8.5	24.4	23.8	37.1	34.5	22.3	14.3	8.6	9.6	10.4
Scotland	5.1	6.3	4.4	4.0	8.0	5.0	7.0	11.9	11.9	14.0	19.6	21.3	17.1	13.0	21.8	11.5	11.3	11.4	10.2
Northern Ireland	3.9	4.8	4.6	5.1	6.5	7.2	6.9	14.2	28.2	29.2	24.8	21.3	10.4	15.9	13.4	7.6	6.6	7.0	5.9

\*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for GP ILI consultations for the start of influenza activity (based on 10 seasons excluding 2009/10), in a standardised approach across Europe. For MEM threshold values for each country, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#clinical-surveillance-through-primary-care> .




Public Health  
England

# Influenza-confirmed hospitalisations






# Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population , England, since week 40 2019



\*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data>




# Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, North East, North West and Yorkshire and Humber, since week 40 2019






# Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, East Midlands, West Midlands and East of England since week 40 2019






# Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, South East, South West and London, since week 40 2019






# Influenza confirmed ICU admissions (USISS mandatory) by age and influenza subtype, since week 40 2019






# Weekly hospitalised influenza case rate per 100,000 trust catchment population , England, since week 40 2019



\*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data>




# Weekly hospitalised influenza admission rate per 100,000 trust catchment population by PHE region, since week 40 2019





# Influenza confirmed hospital admissions (USISS sentinel) by age and influenza subtype, since week 40 2019








# All-cause mortality




# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE North of England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE Midlands and East of England






# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE London





# Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE South of England






Public Health  
England

# Microbiological surveillance




# DataMart: Number and proportion of samples positive for influenza, by type, England








# DataMart: Number and proportion of samples positive for influenza, by type, PHE North East of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE North West of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE Yorkshire and Humber






# DataMart: Number and proportion of samples positive for influenza, by type, PHE East Midlands of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE West Midlands of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE East of England






# DataMart: Number and proportion of samples positive for influenza, by type, PHE London






# DataMart: Number and proportion of samples positive for influenza, by type, PHE South East of England








# DataMart: Number and proportion of samples positive for influenza, by type, PHE South West of England






# DataMart: Proportion of samples positive for RSV, by age group





## DataMart: Proportion of samples positive for other viruses






Public Health  
England

# Influenza vaccination




# Seasonal influenza vaccine uptake in targeted groups, 2019/20, England



2019/20 season indicated by bold lines, 2018/19 season indicated by fainter dashed lines



# Seasonal influenza vaccine uptake in targeted groups, 2019/20, England





# Links

- Sources of UK flu surveillance data:

<https://www.gov.uk/sources-of-uk-flu-data-influenza-surveillance-in-the-uk>

- Weekly flu report

<https://www.gov.uk/government/statistics/weekly-national-flu-reports-2019-to-2020-season>