



PHE Influenza Surveillance graphs

- Influenza activity in the United Kingdom is monitored using a variety of [surveillance systems](#). The [National Influenza Report](#) which interprets the data is published weekly.
- National and subnational outputs from the various surveillance systems are grouped according to the following categories:
 - [Community influenza surveillance](#)
 - [Influenza-like illness GP consultation rates](#)
 - [Influenza-confirmed hospitalisations](#)
 - [All-cause mortality](#)
 - [Microbiological surveillance](#)
 - [Influenza vaccination](#)

Influenza Section

Immunisations and Countermeasures Division

Centre for Infectious Disease Surveillance and Control

Public Health England

respcidsc@phe.gov.uk




Public Health
England

Community influenza surveillance



Number of acute respiratory outbreaks by institution, UK





Number of acute respiratory outbreaks by PHE Centre


	Outbreaks reported in week 08	Cumulative number of outbreaks since week 40
PHE North East	0	180
PHE North West	2	259
PHE Yorkshire and Humber	1	200
PHE East Midlands	1	145
PHE West Midlands	3	133
PHE East of England	4	164
PHE London	1	30
PHE South East	4	163
PHE South West	5	251



Influenza-like illness GP consultation rates



RCGP ILI consultation rate, England





GP ILI consultations in the UK for all ages with MEM thresholds applied

GP ILI consultation rates (all ages)	Week number																				
	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
England (RCGP)	4.3	5.0	5.5	6.2	4.5	4.6	5.3	6.5	10.6	13.1	16.0	19.4	12.9	16.6	14.7	10.3	9.0	10.3	9.8	8.4	6.7
Wales	1.7	4.0	4.2	6.2	1.7	4.2	3.7	10.1	10.6	8.5	24.4	23.8	37.1	34.5	22.3	14.3	8.6	9.6	10.4	11.3	4.0
Scotland	5.1	6.3	4.4	4.0	8.0	5.0	7.0	11.9	11.9	14.0	19.6	21.3	17.1	13.0	21.8	11.5	11.3	11.4	10.2	12.9	9.0
Northern Ireland	1.7	4.0	4.2	6.2	1.7	4.2	3.7	10.1	10.6	8.5	24.4	23.8	37.1	34.5	22.3	14.3	8.6	9.6	10.4	11.3	4.0

*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for GP ILI consultations for the start of influenza activity (based on 10 seasons excluding 2009/10), in a standardised approach across Europe. For MEM threshold values for each country, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#clinical-surveillance-through-primary-care> .




Public Health
England

Influenza-confirmed hospitalisations




Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population , England, since week 40 2019



*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data>




Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, North East, North West and Yorkshire and Humber, since week 40 2019






Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, East Midlands, West Midlands and East of England since week 40 2019






Weekly ICU/HDU influenza admission rate per 100,000 trust catchment population by PHE Centre, South East, South West and London, since week 40 2019






Influenza confirmed ICU admissions (USISS mandatory) by age and influenza subtype, since week 40 2019






Weekly hospitalised influenza case rate per 100,000 trust catchment population , England, since week 40 2019



*The Moving Epidemic Method (MEM) has been adopted by the European Centre for Disease Prevention and Control to calculate thresholds for ICU/HDU admission rates for the start of influenza activity (based on 6 seasons) in a standardised approach across Europe. For MEM threshold values, please visit: <https://www.gov.uk/guidance/sources-of-uk-flu-data-influenza-surveillance-in-the-uk#disease-severity-and-mortality-data>




Weekly hospitalised influenza admission rate per 100,000 trust catchment population by PHE region, since week 40 2019





Influenza confirmed hospital admissions (USISS sentinel) by age and influenza subtype, since week 40 2019






All-cause mortality




Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, England






Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE North of England






Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE Midlands and East of England






Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE London





Excess mortality (all causes) by week of death through the EuroMOMO algorithm in all ages, PHE South of England






Public Health
England

Microbiological surveillance




DataMart: Number and proportion of samples positive for influenza, by type, England






DataMart: Number and proportion of samples positive for influenza, by type, PHE North East of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE North West of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE Yorkshire and Humber






DataMart: Number and proportion of samples positive for influenza, by type, PHE East Midlands of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE West Midlands of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE East of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE London






DataMart: Number and proportion of samples positive for influenza, by type, PHE South East of England






DataMart: Number and proportion of samples positive for influenza, by type, PHE South West of England






DataMart: Proportion of samples positive for RSV, by age group





DataMart: Proportion of samples positive for other viruses






Public Health
England

Influenza vaccination




Seasonal influenza vaccine uptake in targeted groups, 2019/20, England



2019/20 season indicated by bold lines, 2018/19 season indicated by fainter dashed lines



Seasonal influenza vaccine uptake in targeted groups, 2019/20, England





Links

- Sources of UK flu surveillance data:

<https://www.gov.uk/sources-of-uk-flu-data-influenza-surveillance-in-the-uk>

- Weekly flu report

<https://www.gov.uk/government/statistics/weekly-national-flu-reports-2019-to-2020-season>