



Public Health
England

Protecting and improving the nation's health

National Drug Treatment Monitoring System (NDTMS)

Reference data

Core dataset P

V15.01

About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, research, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy. We provide government, local government, the NHS, Parliament, industry and the public with evidence-based professional, scientific and delivery expertise and support.

Public Health England, Wellington House, 133-155 Waterloo Road, London SE1 8UG
Tel: 020 7654 8000 www.gov.uk/phe Twitter: [@PHE_uk](https://twitter.com/PHE_uk)
Facebook: www.facebook.com/PublicHealthEngland

For PHE-owned reference items please contact: Steve Casson, consultant in Public Health Medicine (NDR PH Informatics) Lead for the National Drug Treatment Monitoring System.

Public Health England, 2nd Floor, Skipton House, 80 London Road, London, SE1 6LH
NDTMS.admin@phe.gov.uk

For more information: <https://www.gov.uk/government/collections/alcohol-and-drug-misuse-treatment-core-dataset-collection-guidance>



© Crown copyright 2020

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government License v3.0. To view this license, visit [OGL](https://www.nationalarchives.gov.uk/ogl/) or email psi@nationalarchives.gsi.gov.uk. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned. Any enquiries regarding this publication should be sent to: Neelam.Alhaddad@phe.gov.uk.

Published: September 2019, updated March 2020

PHE publications
gateway number: GW-711

PHE supports the UN
Sustainable Development Goals



Revision history

Version	Author	Purpose/reason
15.01	L Hughes	<p>Amendments since V15.00</p> <ul style="list-style-type: none"> • References to ‘client’, ‘YP’ and ‘detainee’ within ‘comments’ changed to ‘young person’/ ‘young people’. • SEX – comments text ‘Sex at registration of birth’ removed • LIVSCRN & CIRLIVSCRN – added comments to ‘unknown’ • HIVSTAT & CIRHIVSTAT – added comments to ‘unknown’ • NALOXAD & CIRNALOXAD – added comments to ‘unknown’ • HCVAS & CIRHCVAS – added comments to ‘unknown’ • HCVPCR & CIRHCVPCR – added comments to ‘unknown’ • HIVSTAT & CIRHIVSTAT – description changed to ‘Is client HIV positive?’ so it is in keeping with reference data • HEPBSTAT – text column expanded so all of ‘Offered and accepted – completed vaccination course’ is visible • RTOAGNCY – added comment that ‘Referred to youth offending team and treatment provider’ relates to structured treatment providers only • RFLS – Employed & ATR – removed references to primary alcohol clients. Some other definitions updated so consistent with business definitions. • PHCARBALC – typo ‘carbamazepine’ corrected to ‘carbamazepine’
15.00	HSmith	<p>Amendments since v14.03</p> <p>Remove all reference to adult alcohol dataset (AA) including the Alcohol outcome record (AOR)</p> <p>Remove fields (dataset being removed from)</p> <ul style="list-style-type: none"> • ALCUNITS – Units of alcohol (AD,SA,SY) • ALCDDAYS – Drinking days (AD,SA,SY) • MODEXIT – Intervention exit status (AD,YP,SA,SY) • TITREAT – Time in treatment (AD) • ROUTE – Route of administration of problem substance 1 (AD,YP) • HEPBVAC - Hep B vaccination count (AD,SA) • CIRHEPBVAC – CIR Hep B vaccination count (AD) • HEPCTD – Hep C tested (AD,SA) • CIRHEPCTD – CIR Hep C tested (AD)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • RECHEPC – Referred to hep C treatment (recovery support sub-intervention) (AD) • LWWAS – Life worthwhile (YPOR) (YP,SY) • FMCRCOH – How well do they get on with family/friends (YPOR) (YP,SY) • RECTHNAL – Client provided with take home Naloxone and training information (recovery support sub-intervention) (AD) • SHOTHEFT – Shoplifting (TOP) (AD,SA) • DRGSELL – Selling drugs (TOP) (AD,SA) • OTHTHEFT – Other theft (TOP) (AD,SA) • ASSAULT – Assault/violence (TOP) (AD,SA) • PHSTBL – Prescribing intention is assessment and stabilization (pharmacological sub-intervention) (AD) • PHWTH – Prescribing intention is withdrawal (pharmacological sub-intervention) (AD) • PHMAIN – Prescribing intention is maintenance (pharmacological sub-intervention) (AD) • PHRELPR – Prescribing intention is relapse prevention (pharmacological sub-intervention) (AD) • APHWITH – Alcohol prescribing intention is withdrawal (pharmacological sub-intervention) (AD) • APHREPR – Alcohol prescribing intention is relapse prevention (pharmacological sub-intervention) (AD) • PHUSMET – Prescribed unsupervised methadone (pharmacological sub-intervention) (AD) • PHSUPMET – Prescribed supervised methadone (pharmacological sub-intervention) (AD) • PHUSBUP – Prescribed unsupervised buprenorphine (pharmacological sub-intervention) (AD) • PHSUPBUP – Prescribed supervised buprenorphine (pharmacological sub-intervention) (AD) • PHUSBUNAL – Prescribed unsupervised buprenorphine/Naloxone for example, Suboxone (pharmacological sub-intervention) (AD) • PHSUPBUNAL - Prescribed supervised buprenorphine/Naloxone for example, Suboxone (pharmacological sub-intervention) (AD) • PHDIAM - Prescribed diamorphine (pharmacological sub-intervention) (AD) • PHNALT – Prescribed naltrexone (pharmacological sub-intervention) (AD)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • PHCHLOR – Prescribed chlordiazepoxide (pharmacological sub-intervention) (AD) • PHACAMP – Prescribed acamprosate (pharmacological sub-intervention) (AD) • PHNALME – Prescribed nalmefene (pharmacological sub-intervention) (AD) • PHDISULF – Prescribed disulfiram (pharmacological sub-intervention) (AD) • PHOTHER – Prescribed other medication (pharmacological sub-intervention) (AD) <p style="color: red;">Add new fields (dataset being added to)</p> <ul style="list-style-type: none"> • UTLA- Upper tier Local Authority (AD, SA, YP, SY) • LTLA – Lower tier Local Authority (AD, YP) • HIVSTAT – HIV status (AD, SA) • CIRHIVSTAT – CIR HIV status (AD) • EHCSC2 – Early help 2 (AD, SA, YP, SY) • EHCSC3 – Early help 3 (AD, SA, YP, SY) • CIREHCSC2 – CIR early help 2 (AD, YP) • CIREHCSC3 – CIR early help 3 (AD, YP) • CIRREFHEPCTX – CIR Referred for hep c treatment (AD) • VETERAN – British Armed Forces veteran (AD, SA) • CIRYPCPL – CIR YP subject to Child protection plan (CPP) (YP) • CIRYPESTI – CIR YP screening for sexually transmitted infections (YP) • CIRYPSCCH – CIR YP offered screen for chlamydia (YP) • YPGANGS - YP affected by gangs (YP, SY) • YPCRIMEX – YP affected by criminal exploitation (YP, SY) • RATEFAM – YP rate relationships with family members (YPOR) (YP, SY) • RATEFRI – YP rate relationships with friends (YPOR) (YP, SY) • RECMEDRLP – Provided with prescribed medication for relapse prevention (recovery support sub-intervention) (AD) • NALOXISS – Client issued with Naloxone at episode start (AD) • NALOXAD – Client ever been administered with Naloxone to reverse overdose (AD) • CIRNALOXISS – CIR Client issued with Naloxone in last 6 months (AD)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • CIRNALOXAD – CIR Client been administered with Naloxone to reverse overdose in last 6 months (AD) • NPSUSE – Use of new psychoactive substances during treatment episode (SA) • MHTINT – Mental health interventions prior to custody (SA) • MHTXEXIT – Mental health treatment during stay (SA) • LIVSCRN – Referral for liver investigation (AD,SA) • CIRLIVSCRN – CIR Referral for liver investigation (AD) • PARENT – Parental responsibility (AD,YP,SA,SY) • CIRPARENT – CIR Parental responsibility (AD,YP) • PHMETSTBL - Methadone (oral solution) * – Opioid assessment and stabilisation (AD) • PHMETWTH - Methadone (oral solution) * – Opioid withdrawal (AD) • PHMETMAIN – Methadone (oral solution) * – Opioid maintenance (AD) • PHBUPSTBL – Buprenorphine (tablet/wafer) # – Opioid assessment and stabilisation (AD) • PHBUPWTH – Buprenorphine (tablet/wafer) # – Opioid withdrawal (AD) • PHBUPMAIN – Buprenorphine (tablet/wafer) # – Opioid maintenance (AD) • PHBUNASTBL – Buprenorphine (tablet/wafer) with naloxone# – Opioid assessment and stabilisation (AD) • PHBUNAWTH – Buprenorphine (tablet/wafer) with naloxone# – Opioid withdrawal (AD) • PHBUNAMAIN – Buprenorphine (tablet/wafer) with naloxone# – Opioid maintenance (AD) • PHDOSMET - Current daily dose of liquid oral methadone medication (ml)* (AD) • PHDOSBUP – Current daily dose of oral buprenorphine medication (mg)# (AD) • PHOSTSPVD – Is consumption of OST medication currently supervised? * # (AD) • PHBUDIWITH – Buprenorphine depot injection (rods or fluid) – Opioid withdrawal (AD) • PHBUDIMAIN – Buprenorphine depot injection (rods or fluid) – Opioid maintenance (AD) • PHDIAINJ – Diamorphine injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance (AD) • PHMETHINJ – Methadone injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance (AD)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • PHBENMAIN – Benzodiazepine – Benzodiazepine maintenance (AD) • PHBENSWTH – Benzodiazepine – Stimulant withdrawal (AD) • PHBENGWTH – Benzodiazepine – GHB/GBL withdrawal (AD) • PHSTIMWTH – Stimulant (for example, dexamfetamine) – Stimulant withdrawal (AD) • PHPREGWTH – Pregabalin – Gabapentinoid withdrawal (AD) • PHGABAWTH – Gabapentin – Gabapentinoid withdrawal (AD) • PHNALTRLPR v Naltrexone (oral) – Opioid relapse prevention (AD) • PHNALTALC – Naltrexone (oral) – Alcohol relapse prevention/consumption reduction (AD) • PHCHLORALC – Chlordiazepoxide – Alcohol withdrawal (AD) • PHDIAALC – Diazepam – Alcohol withdrawal (AD) • PHCARBALC – Carbamazepine – Alcohol withdrawal (AD) • PHOTHALCW – Other prescribed medication for alcohol withdrawal – Alcohol withdrawal (AD) • PHACAMALC – Acamprosate – Alcohol relapse prevention (AD) • PHDISUALC – Disulfiram – Alcohol relapse prevention (AD) • PHVITBC – Vitamin B and C supplement to prevent/treat Wernicke’s encephalopathy/Wernicke-Korsakoffs (AD) • PHOTHMED – Any other medication for the treatment of drug misuse/dependence/withdrawal/associated symptoms (AD) • CIRSTAGE – CIR stage <p>Existing fields and associated reference data being applied to new dataset type</p> <ul style="list-style-type: none"> • REFHEPCTX – applied to SA now applies to AD and SA • YPEBABDA - applied to YP now applies to YP and SY • YPLCS - applied to YP now applies to YP and SY • YPCPL - applied to YP now applies to YP and SY

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • YPSSLFHM - applied to YP now applies to YP and SY • YPSSEXEX - applied to YP now applies to YP and SY • YPASMFM - applied to YP now applies to YP and SY • YPSGP - applied to YP now applies to YP and SY • YPSESTAT - applied to YP now applies to YP and SY • YPSUSS - applied to YP now applies to YP and SY • ACCMNEED – applied to AD, YP now applies to SY <p>New reference data added to existing fields</p> <p>RFLS – Referral source</p> <ul style="list-style-type: none"> • code 74 Domestic abuse service (AD) • code 75 Recommissioning transfer (AD,YP) • code 76 Hospital alcohol care team/liaison nurse (AD) • code 77 Housing/homelessness service (AD) • code 78 Helpline/website (YP) • code 37 Relative/peer/concerned other (AD,YP) • code 59 Employment/education service (AD) • code 61 Children and YP secure estate (YP) <p>DISRSN – Discharge reason</p> <ul style="list-style-type: none"> • code 74 Transferred – Recommissioning transfer (AD,YP,SA,SY) <p>YPSSLFHM – Has the YP self-harmed prior to treatment start</p> <ul style="list-style-type: none"> • code Z Client declined to answer (YP,SY) <p>YPSGP – Is the YP registered with a GP treatment start</p> <ul style="list-style-type: none"> • code Z Client declined to answer (YP,SY) <p>YPSSEXEX – Has the YP been sexually exploited prior to treatment start</p> <ul style="list-style-type: none"> • code Z Client declined to answer (YP,SY) • code U Unknown (YP,SY) <p>YPSUSS – Has the YP engaged in unsafe sex prior to treatment start</p> <ul style="list-style-type: none"> • code Z Client declined to answer (YP,SY)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • code U Unknown (YP, SY) <p>HCVPCR – Hep C test result PCR (RNA) status</p> <ul style="list-style-type: none"> • code 4 Negative (cleared by treatment) (AD) <p>CIRHCVPCR – CIR Hep C test result PCR (RNA) status</p> <ul style="list-style-type: none"> • code 4 Negative (cleared by treatment) (AD) <p>Remove reference items</p> <p>HEPBSTAT – Hep B intervention status</p> <ul style="list-style-type: none"> • Code A Offered and accepted (AD,SA) • Code J Offered and accepted but refused at a later date (AD,YP) <p>HEPCSTAT – Hep C intervention status</p> <ul style="list-style-type: none"> • Code A Offered and accepted (AD,SA) • Code J Offered and accepted but refused at a later date (AD,YP) <p>CIRHEPBSTAT – CIR Hep B intervention status</p> <ul style="list-style-type: none"> • Code A Offered and accepted (AD) • Code J Offered and accepted but refused at a later date (AD,YP) <p>CIRHEPCSTAT – CIR Hep C intervention status</p> <ul style="list-style-type: none"> • Code A Offered and accepted (AD) • Code J Offered and accepted but refused at a later date (AD,YP) <p>MODAL – Intervention type</p> <ul style="list-style-type: none"> • Code 76 Alc brief intervention (AA) • Code 60 – YP non-structured intervention (YP) <p>TSLPE – Time since last paid employment</p> <ul style="list-style-type: none"> • Code 98 Currently employed (AD) <p>RFLS – Referral source</p> <ul style="list-style-type: none"> • Code 21 Sex worker project (AD) • Code 65 Criminal justice other (AD) • Code 18 Connexions (AD) • Code 1 Drug service statutory (AD)

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • Code 2 Drug service non-statutory (AD) • Code 32 Community alcohol team (AD) • Code 9 AandE (AD,YP) • Code 24 Relative (AD,YP) • Code 58 Peer (AD) • Code 25 Concerned other (AD,YP) • Code 53 Job centre plus (AD) • Code 14 Employment service (AD) • Code 16 Education service (AD) • Code 73 Children’s social services (AD) • Code 20 CLA children looked after (AD,YP) • Code 12 Community care assessment (AD) • Code 11 Psychiatry services (AD) • Code 23 Psychological services (AD) • Code 66 Secure children’s home (YP) • Code 68 Youth offender institute (YP) • Code 67 Secure training centre (YP) • Code 42 Helpline (YP) • Code 52 Website (YP) • Code 51 FRANK (YP) <p>PRNTSTAT – Parental status</p> <ul style="list-style-type: none"> • Code 14 Not a parent (AD,YP,SA,SY) <p>CIRPRTST – CIR Parental status</p> <ul style="list-style-type: none"> • Code 14 Not a parent (AD,YP) <p>YPESTI – YP screen for sexually transmitted infections</p> <ul style="list-style-type: none"> • Code C Not known (YP) <p>YPSCCCH – YP screen for chlamydia</p> <ul style="list-style-type: none"> • Code C Not known (YP) <p>YPSUSS - YP engaged in unsafe sex prior to treatment start?</p> <ul style="list-style-type: none"> • Code 99 ‘Not asked’ (YP) <p>DRUG1, DRUG2, DRUG3 – Problem substance 1,2,3.</p> <ul style="list-style-type: none"> • Code 9998 Alcohol free (AD,YP,SA,SY) • Code 9999 Drug free (AD,YP,SA,SY)

Version	Author	Purpose/reason
		<p>Changes to existing reference data</p> <p>ACCMNEED – Accommodation need</p> <ul style="list-style-type: none"> • Code 26 ‘YP living with relative’ applied to YP now applies to YP,SY • Code 27 ‘Independent YP – settled accommodation’ applied to YP now applies to YP,SY • Code 28 ‘Independent YP – unsettled accommodation’ applied to YP now applies to YP,SY • Code 29 ‘Independent YP with no fixed abode’ applied to YP now applies to YP,SY • Code 31 ‘YP supported housing’ applied to YP now applies to YP,SY • Code 33 ‘YP living in care’ applied to YP now applies to YP,SY <p>HEPBSTAT – Hep B status</p> <ul style="list-style-type: none"> • Code G ‘Offered and accepted – not yet had any vaccinations’ applied to YP,SY now applies to AD,YP,SA,SY • Code H ‘Offered and accepted – started having vaccinations’ applied to YP,SY now applies to AD,YP,SA,SY • Code I ‘Offered and accepted – completed vaccination course’ applied to YP,SY now applies to AD,YP,SA,SY <p>HEPCSTAT – Hep C intervention status</p> <ul style="list-style-type: none"> • Code G ‘Offered and accepted – not yet had a test’ applied to YP,SY now applies to AD,YP,SA,SY • Code H ‘Offered and accepted – had a hep C test’ applied to YP,SY now applies to AD,YP,SA,SY <p>CIRHEPBSTAT – CIR Hep B status</p> <ul style="list-style-type: none"> • Code G ‘Offered and accepted – not yet had any vaccinations’ applied to YP now applies to AD,YP • Code H ‘Offered and accepted – started having vaccinations’ applied to YP now applies to AD,YP • Code I ‘Offered and accepted – completed vaccination course’ applied to YP now applies to AD,YP

Version	Author	Purpose/reason
		<p>CIRHEPCSTAT – CIR Hep C intervention status</p> <ul style="list-style-type: none"> • Code G ‘Offered and accepted – not yet had a test’ applied to YP now applies to AD,YP • Code H ‘Offered and accepted – had a hep C test’ applied to YP now applies to AD,YP <p>RFLS – Referral source</p> <ul style="list-style-type: none"> • Code 40 ‘Young people’s structured treatment provider’ applied to YP now applies to AD,YP • Code 39 ‘Adult treatment provider’ applied to YP now applies to AD,YP • Code 38 ‘Adult mental health services’ applied to YP now applies to AD,YP <p>Re-wording fields/reference items</p> <p>NATION – Country of birth</p> <ul style="list-style-type: none"> • Field description ‘Nationality’ reworded to ‘Country of birth’ <p>EHCS and CIREHCS – Early help and CIR early help</p> <ul style="list-style-type: none"> • Field description updated from ‘Are any of the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care?’ to ‘What help are the client’s children/children living with the client receiving?’ • Reference item ‘5’ re-worded from ‘No’ to ‘None of the children are receiving any help’ <p>EMPSTAT – Employment status</p> <ul style="list-style-type: none"> • comments updated for reference items 2, 9, 10, 12, 13, and 14. <p>MODAL – Intervention type</p> <ul style="list-style-type: none"> • Reference item 76 re-worded from ‘ALC Brief Intervention’ to ‘Alcohol brief intervention’ • Reference item 77 re-worded from ‘ALC Prescribing’ to ‘Alcohol prescribing’ <p>RTOAGNCY - Referred to agency</p>

Version	Author	Purpose/reason
		<ul style="list-style-type: none"> • Reference item 5 ‘Referred to YOT and treatment provider’ re-worded to ‘Referred to Youth Offending Team and treatment provider’ • Reference item 6 ‘Referred to YOT’ re-worded to ‘Referred to Youth Offending Team’ <p>SEXUALO – Client stated sexual orientation</p> <ul style="list-style-type: none"> • field description updated from ‘Sexual orientation’ to ‘Client stated sexual orientation’ <p>RFLS – Referral source</p> <ul style="list-style-type: none"> • Reference item 38 ‘Non child mental health services’ re-worded to ‘Adult mental health services’ <p>YPCPL – YP subject to child protection plan at treatment start</p> <ul style="list-style-type: none"> • Reference item ‘1 - Currently subject to CPP’ re-worded to ‘1- Is currently subject to a child protection plan (CPP)’ • Reference item ‘3 - Never been subject to CPP’ re-worded to ‘3 - Has never been subject to a child protection plan (CPP)’ • Reference item ‘4 - Previously been subject to CPP’ re-worded to ‘4 - Has previously been subject to a child protection plan (CPP)’ <p>HCVPCR and CIRHCVPCR - Hep C test result PCR (RNA) status</p> <ul style="list-style-type: none"> • Reference item 2 ‘Negative’ reworded to ‘Negative (never infected)’ <p>YPLCS – YP care status at treatment start</p> <ul style="list-style-type: none"> • Code 1 ‘Yes, looked after child’ reworded to ‘Looked after child’ • Code 2 ‘No’ reworded to ‘Not a looked after child or child in need’ • Code 3 ‘Yes, child in need’ reworded to ‘Child in need’ <p>YPSLFHM – Has the YP self-harmed prior to treatment start</p> <ul style="list-style-type: none"> • Field description ‘YP involved in self harm at treatment start’ reworded to ‘Has the YP self-harmed prior to treatment start’

Version	Author	Purpose/reason
		<p>YPSSEXEX – Has the client been sexually exploited prior to treatment start</p> <ul style="list-style-type: none"> • Field description ‘YP involved in sexual exploitation prior to treatment start’ reworded to ‘Has the client been sexually exploited prior to treatment start’ <p>CHILDWTH and CIRCLDWT – Children under 18 living with client</p> <ul style="list-style-type: none"> • Field description ‘Children living with client’ reworded to ‘Children under 18 living with client’

Contents

1. Introduction	17
2. Change control	20
3. Community data items	21
3.1 Client sex at registration of birth – SEX	21
3.2 Ethnicity – ETHNIC	21
3.3 Country of birth – NATION	22
3.4 Agency codes – AGENCY	22
3.5 Consent for NDTMS – CONSENT	22
3.6 Postcode – PC	22
3.7 DAT of residence – DAT	23
3.8 Local authority – LA	23
3.9 Upper tier local authority – UTLA	23
3.10 Lower tier local authority – LTLA	23
3.11 Referral source – RFLS	23
3.12 Previously treated – PREVTR	27
3.13 TOP care coordination – TOPCC	27
3.14 Client stated sexual orientation – SEXUALO	27
3.15 Pregnant – PREGNANT	27
3.16 Religion – RELIGION	28
3.17 Disability (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3	28
3.18 Accommodation need – ACCMNEED	29
3.19 Employment status – EMPSTAT	30
3.20 Time since last paid employment - TSLPE	31
3.21 British Armed Forces veteran - VETERAN	32
3.22 Parental responsibility for children under 18 – PARENT	32
3.23 Parental status – Do any of these children live with the client – PRNTSTAT	32
3.24 Children under 18 living with client – CHILDWTH	32
3.25 What help are the client's children/children living with the client receiving? – EHCSC	33
3.26 What help are the client's children/children living with the client receiving? (2) – EHCSC2	34
3.27 What help are the client's children/children living with the client receiving? (3) – EHCSC3	34
3.28 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3	35
3.29 Injecting status – INJSTAT	35
3.30 Client's SADQ Score – SADQ	35
3.31 Hep B intervention status – HEPBSTAT	36
3.32 Hep C intervention status – HEPSTAT	36
3.33 Hep C test result antibody status – HCVAS	36

3.34	Hep C test result PCR (RNA) status – HCVPCR	37
3.35	Is client HIV positive? – HIVSTAT	37
3.36	Referral for liver investigation – LIVSCRN	37
3.37	Has the client been issued with naloxone at episode start? – NALOXISS.....	38
3.38	Has the client ever been administered with naloxone to reverse the effects of an overdose? – NALOXAD.....	38
3.39	Does the client have a mental health treatment need – MTHTN.....	38
3.40	Is the client receiving treatment for their mental health need(s) – CRTMHN.....	39
3.41	What was the care status of the YP at treatment start? – YPLCS	39
3.42	Has the YP been sexually exploited prior to treatment start? – YPSSEXEX	39
3.43	Has the YP self-harmed prior to treatment start? – YPSSLFHM	40
3.44	Has YP been involved in antisocial behaviour or committed a criminal act on more than 1 occasion in the past 6 months? – YPABACF	40
3.45	YP’s education/employment/training status at treatment start – YPSESTAT	40
3.46	YP registered with GP at treatment start? – YPSGP	41
3.47	YP engaged in unsafe sex prior to treatment start? – YPSUSS.....	41
3.48	Has the YP been offered a screen for sexually transmitted infections? – YPESTI	41
3.49	Has the YP been offered a screen specifically for chlamydia? – YPSCCH.....	42
3.50	Was the YP subject to a Child Protection Plan (CPP) at treatment start? – YPCPL	42
3.51	Has the YP been involved in gangs at treatment start? – YPGANGS	42
3.52	Has the YP been affected by child criminal exploitation at treatment start? – YPCRIMEX	42
3.53	Does the young person feel affected by substance misuse in their close family/members of their household at treatment start? – YPASMFM	43
3.54	Has the YP ever been affected by domestic abuse? – YPEBABDA	43
3.55	YP met goals agreed on care plan at discharge – YPECAREP	43
3.56	YP offered continuing support from non-substance misuse services at discharge – YPCSNSM.....	43
3.57	Discharge Reason – DISRSN.....	43
3.58	Referred for hep C treatment – REFHEPCTX	44
3.59	Treatment interventions – MODAL	45
3.60	Intervention setting – MODSET	45
3.61	Adult pharmacological prescribing sub interventions.....	45
3.62	Adult psychosocial sub interventions	53
3.63	Adult recovery support sub interventions.....	55
3.64	YP psychosocial sub interventions	59
3.65	YP multi agency working sub interventions	60
3.66	CIR Stage – CIRSTAGE	64
3.67	CIR Hep B intervention status – CIRHEPBSTAT	65
3.68	CIR Hep C intervention status – CIRHEPCSTAT.....	65
3.69	CIR Hep C test result antibody status – CIRHCVAS	65
3.70	CIR Hep C test result PCR (RNA) status – CIRHCVPCR	66
3.71	CIR Referred for Hep C treatment – CIRREFHEPCTX.....	66

NDTMS reference data – CDS P

3.72	CIR Is client HIV positive? – CIRHIVSTAT	66
3.73	CIR Referral for liver investigation – CIRLIVSCRN	66
3.74	CIR Has the client been issued with naloxone in the last 6 months? – CIRNALOXISS	67
3.75	CIR Has the client been administered with naloxone to reverse the effects of an overdose in the last 6 months? - CIRNALOXAD	67
3.76	CIR pregnant – CIRPREGNANT	68
3.77	CIR Parental responsibility for children under 18 – CIRPARENT	68
3.78	CIR parental status – Do any of these children live with the client – CIRPRTST	68
3.79	CIR Children under 18 living with client – CIRCLDWT	68
3.80	CIR What help are the client's children/children living with the client receiving? – CIREHCSC	69
3.81	CIR What help are the client's children/children living with the client receiving? (2) – CIREHCSC2	69
3.82	CIR What help are the client's children/children living with the client receiving? (3) – CIREHCSC3	69
3.83	CIR does the client have a mental health treatment need? – CIRMHTN	70
3.84	CIR is the client currently receiving treatment for their mental health need(s)? – CIRCRTMHN	70
3.85	CIR Is the YP subject to a child protection plan (CPP)? – CIRYPCPL	71
3.86	CIR Has the YP been offered a screen for sexually transmitted infections? – CIRYPESTI	71
3.87	CIR Has the YP been offered a screen specifically for chlamydia? – CIRYPCCH	71
4.	Secure Setting Data Items	72
4.1	Client sex at registration of birth – SEX	72
4.2	Ethnicity – ETHNIC	72
4.3	Country of birth – NATION	73
4.4	Agency codes – AGENCY	73
4.5	Consent for NDTMS – CONSENT	73
4.6	Postcode mappings – PC	73
4.7	DAT of residence – DAT	73
4.8	Upper tier local authority – UTLA	74
4.9	Transferred from – PRISON	74
4.10	Client stated sexual orientation – SEXUALO	74
4.11	Pregnant – PREGNANT	74
4.12	Religion – RELIGION	75
4.13	Disability (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3	75
4.14	Accommodation need prior to custody – ACCMNEED	76
4.15	Time since last paid employment – TSLPE	77
4.16	British Armed Forces veteran - VETERAN	77
4.17	Parental responsibility for children aged under 18 – PARENT	77
4.18	Parental status - Do any of these children live with the client – PRNTSTAT	78
4.19	Children under 18 living with client – CHILDWTH	78
4.20	What help are the client's children/children living with the client receiving? – EHCSC	78
4.21	What help are the client's children/children living with the client receiving? (2) – EHCSC2	79
4.22	What help are the client's children/children living with the client receiving? (3) – EHCSC3	80

4.23	Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3.....	81
4.24	Injecting status – INJSTAT	81
4.25	Alcohol Audit Score – AUDIT.....	81
4.26	Hep B intervention status – HEPBSTAT.....	81
4.27	Hep C intervention status – HEPCSTAT	82
4.28	HIV status – HIVSTAT	82
4.29	Referral for liver investigation – LIVSCRN	82
4.30	Dual diagnosis – DUALDIAG.....	83
4.31	Mental health interventions outside of substance misuse treatment – MHTINT	83
4.32	Treatment for mental health during current stay – MHTXEXIT	83
4.33	What was the care status of the YP in the 28 days prior to custody? – YPLCS	83
4.34	Was the YP being sexually exploited in the 28 days prior to custody? – YPSSEXEX.....	83
4.35	Had the YP self-harmed in the 28 days prior to custody? – YPSSLFHM.....	84
4.36	What was the YP’s education/ employment/training status in the 28 days prior to custody? – YPSESTAT 84	
4.37	Was the YP registered with GP in the 28 days prior to custody? – YPSGP	85
4.38	Was the YP engaged in unsafe sex in the 28 days prior to custody? – YPSUSS.....	85
4.39	Was the YP subject to a Child Protection Plan (CPP) in the 28 days prior to custody? – YPCPL	85
4.40	Has the YP been involved in gangs in the 28 days prior to custody? – YPGANGS	85
4.41	Has the YP been affected by criminal exploitation in the 28 days prior to custody? – YPCRIMEX.....	86
4.42	Does the young person feel they were affected by substance misuse in their close family/members of their household in the 28 days prior to custody? – YPASMFM	86
4.43	Has the YP ever been affected by domestic abuse prior to custody? – YPEBABDA	86
4.44	Has the client used new psychoactive substances during treatment episode – NPSUSE	86
4.45	Discharge Reasons – DISRSN.....	87
4.46	Has the client been sentenced – SENTENCED	87
4.47	Take home Naloxone and training information – THNALOX.....	87
4.48	Referred for Hep C treatment – REFHEPCTX	88
4.49	Secure setting exit reason – EXITRSN.....	88
4.50	Secure setting exit destination – EXITDEST	88
4.51	Referral on release status – RTOAGNCY	88
4.52	Treatment interventions – MODAL	89
5.	Outcomes Profiles	91
5.1	Treatment Outcomes Profile (TOP)	91
5.2	Young People’s Outcomes Record (YPOR)	93
	Appendix A: drug codes and names	100
	Appendix B: list of reference data owners.....	105

Introduction

The National Drug Treatment Monitoring System (NDTMS) data helps drug treatment demonstrate the outcomes it achieves for the people it treats and in doing so aids accountability for the money invested in it. NDTMS is a national standard and is applicable to young people and adults within community and secure setting-based treatment providers.

This document establishes the text to codal values (the reference data) in use with the NDTMS data set and will support software suppliers in implementing the data set.

Reference data is defined as (relatively) static data. Generally, it is employed as a means of validating data entry, and will typically be used to control the contents of drop-down lists, for example. This document gives the permissible values for each of the reference items in the NDTMS datasets, only values for the relevant dataset should be included in the CSV file. The document is split into the following sections: community (burgundy), secure setting (green) and outcomes (blue).

Data items are applicable to young people and adults within community and secure setting based treatment providers. The dataset inclusion column provides information regarding which items are relevant to each dataset whereby:

- AD = community adult dataset
- YP = community young person dataset
- SA = secure setting adult dataset
- SY = secure setting young person dataset

This document is intended to be a definitive and accessible source for use. It is not intended to be read from end to end, rather as a reference document, which is utilised by a variety of readers, including:

- Interpreters of data provided from PHE systems
- Suppliers of systems to PHE
- Suppliers of systems which interface to PHE systems
- PHE/National Drug Treatment Monitoring System (NDTMS) personnel

This document should not be used in isolation, it is part of a package of documents supporting the NDTMS dataset and reporting requirements.

Please read this document in conjunction with the following documents, all of which are available on: <https://www.gov.uk/government/collections/alcohol-and-drug-misuse-treatment-core-dataset-collection-guidance>:

- NDTMS CSV File Format Specification – defines the format of the CSV file used as the primary means of inputting the core data set into NDTMS
- NDTMS technical definition – provides the full list of fields that are required in the CSV file and the verification rules for each item
- NDTMS geographic information – provides the locality information, for example DAT of residence and Local Authority
- NDTMS business definitions – provides the explicit definition of each of the fields we collect to ensure data is consistent. There is a separate definitions document for each of the datasets: adult drug and alcohol, young people and secure settings

1. Change control

Each significant change to the NDTMS data set is allocated a letter. The current version (commonly referred to as NDTMS data set P) for national data collection will come into effect on 1 April 2020.

As this document is the ultimate definition for NDTMS reference data the behaviour of the NDTMS system must strictly adhere to the latest approved version of this document which can be found on the Gov.uk website

<https://www.gov.uk/government/publications/national-drug-treatment-monitoring-system-reference-data>

For those data items defined by PHE (internal data), the details contained in this document are the master definitions of such data, extending to issues such as upper/lower case, hyphenation and punctuation.

For those data items not defined by PHE (external data – see [appendix B](#)) this document defines the owner of the master data.

2. Community data items

3.1 Client sex at registration of birth – SEX

Code	Text	Comments	Dataset inclusion	Sort order
1	Male		AD,YP	1
2	Female		AD,YP	2
9	Not specified		AD,YP	3
0	Not known		AD,YP	4

3.2 Ethnicity – ETHNIC

Code	Text	Comments (ONS Group)	Dataset inclusion	Sort order
A	White British	White	AD,YP	1
B	White Irish	White	AD,YP	2
C	Other white	White	AD,YP	3
D	White and Black Caribbean	Mixed	AD,YP	4
E	White and Black African	Mixed	AD,YP	5
F	White and Asian	Mixed	AD,YP	6
G	Other mixed	Mixed	AD,YP	7
H	Indian	Asian/Asian British	AD,YP	8
J	Pakistani	Asian/Asian British	AD,YP	9
K	Bangladeshi	Asian/Asian British	AD,YP	10
L	Other Asian	Asian/Asian British	AD,YP	11
M	Caribbean	Black/Black British	AD,YP	12
N	African	Black/Black British	AD,YP	13
P	Other Black	Black/Black British	AD,YP	14
R	Chinese	Other Ethnic	AD,YP	15
S	Other	Other Ethnic	AD,YP	16
Z	Not stated	Not stated	AD,YP	17
99	Ethnicity is unknown		AD,YP	18

3.3 Country of birth – NATION

Country of birth, code selected from ISO 3166-1 alpha-3 standard.

ISO 3166 Country Codes - www.iso.org/iso/country_codes. To view list of codes select the link to the Online Browsing Platform and refer to Alpha 3 codes.

New permissible value added in core dataset H of 'Z – Not stated'. Dataset inclusion: AD,YP.

3.4 Agency codes – AGENCY

Each treatment provider or secure setting establishment is assigned with an agency code. Responsibility for allocating a code is that of the relevant regional NDTMS manager.

A general guideline is that the code should comprise of 2 parts.

1. A letter or letters which is intended to indicate the NDTMS region which 'manages' that treatment provider or secure setting establishment.
2. An identifier (1 to 6 alphanumeric characters) which uniquely identifies that treatment provider within the region.

This guideline will ensure uniqueness of the agency code on a national basis.

Examples of agency codes include L0043, W1000 and U0001.

Dataset inclusion: AD,YP.

3.5 Consent for NDTMS – CONSENT

Code	Text	Comments	Dataset inclusion	Sort order
N	No client has not consented		AD,YP	1
Y	Yes client has consented		AD,YP	2

3.6 Postcode – PC

Postcode mappings are used to establish/validate the geographic areas in which a client is resident. Only partial postcodes should be submitted and must be separated by a space (for example, NW7 3)

Default post code for clients with No fixed abode is ZZ99 3VZ (submitted partially as ZZ99 3). Dataset inclusion: AD,YP

3.7 DAT of residence – DAT

A list of the partnership and DAT codes currently used for NDTMS is given in the NDTMS Geographic Information document:

www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: AD,YP

3.8 Local authority – LA

A list of local authority codes currently used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: AD,YP

3.9 Upper tier local authority – UTLA

A list of upper tier local authority codes to be used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: AD,YP

3.10 Lower tier local authority – LTLA

A list of lower tier local authority codes to be used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: AD,YP

3.11 Referral source – RFLS

Code	Text	Comments	Dataset inclusion	Sort order
4	Self	Self-referral by client.	AD,YP	1
69	Self-referred via health professional	Self-referred following advice from a health professional.	AD,YP	2
37	Relative/peer/concerned other	Including parents, siblings and other relatives; carers, friends, boyfriends or girlfriends; other service user.	AD,YP	3
3	GP	Referrals from general medical practitioners.	AD,YP	4
63	Arrest referral	Arrest Referral services engage with	AD	5

Code	Text	Comments	Dataset inclusion	Sort order
		clients whose offending is linked to drugs or alcohol misuse at the point of arrest.		
70	Community Rehabilitation Company (CRC)	A Community Rehabilitation Company (CRC) is the term given to a private-sector supplier of Probation and Prison-based rehabilitative services for offenders in England and Wales. A number of CRCs were established in 2015 as part of the Ministry of Justice's (MoJ) Transforming Rehabilitation (TR) strategy for the reform of offender rehabilitation.	AD	6
6	DRR	Drug Rehabilitation Requirement – formally Drug Treatment and Testing order (DTTO).	AD	7
71	National Probation Service		AD	8
72	Liaison and Diversion	From https://www.england.nhs.uk/commissioning/health-just/liaison-and-diversion/ Liaison and Diversion (L and D) services identify people who have mental health, learning disability, substance misuse or other vulnerabilities when they first come into contact with the criminal justice system as suspects, defendants or offenders. The service can then support people through the early stages of criminal system pathway, refer them for appropriate health or social care or enable them to be diverted away from the criminal justice system into a more appropriate setting, if required.	AD	9
19	Social Services		AD	10
74	Domestic abuse service		AD	11
59	Employment/ education service		AD	12
10	Syringe exchange		AD	13
13	Prison		AD	14
22	Hospital	Referrals from hospitals (including A and E departments).	AD,YP	15
76	Hospital alcohol care team/liaison nurse		AD	16

Code	Text	Comments	Dataset inclusion	Sort order
77	Housing/ homelessness service		AD	17
36	Outreach	Referrals from services which provide active outreach to address homelessness, anti-social behaviour, child exploitation or other issues.	AD,YP	18
56	Employer		AD,YP	19
57	ATR	Alcohol treatment requirement (applicable to primary alcohol clients only).	AD	20
75	Recommissioning transfer	For use when clients have been referred from a decommissioned service for further structured drug or alcohol treatment.	AD, YP	21
15	Other		AD	22
30	Children and family services	Any referrals from Children and Family Social Services.	YP	23
33	Universal education	Referrals from main stream or universal educational services such as schools, colleges and universities.	YP	24
34	Alternative education	Referrals from Pupil Referral Units and other alternative education services for excludes and truants or any young people who cannot access universal education provision for any reason.	YP	25
35	Targeted youth support	Referrals from services providing prevention or early intervention or support services for vulnerable young people.	YP	26
38	Adult mental health services	Referrals from mental health services such as adult psychiatric and psychological services; private psychiatric and psychological services and third sector mental health or advocacy services for people with mental health needs.	AD,YP	27
49	Primary care	Referrals from services delivered by health care professionals such as practice nurses, midwives and pharmacists in general medical settings such as walk in centres and pharmacies.	YP	28
28	Children's mental health services	Including child and adolescent mental health services.	YP	29
50	School nurse	Referrals from services delivered by registered nurses within the school setting.	YP	30

Code	Text	Comments	Dataset inclusion	Sort order
39	Adult treatment provider	Services providing structured drug or alcohol treatment services predominantly for those aged 18 years or older. This includes needle exchange programmes and other services to address adult substance misuse.	AD,YP	31
40	Young people's structured treatment provider	Services providing specialist substance misuse treatment services pre-dominantly for those under 18.	AD,YP	32
41	Non-structured treatment substance misuse services	Referrals from young people specific services providing universal, targeted or early interventions to address substance misuse.	YP	33
61	Children and YP secure estate		YP	34
43	Crime prevention	Referrals from services working with young people identified as at risk of offending or of coming into formal contact with the youth justice system such as liaison and diversion schemes, and other local early intervention services.	YP	35
45	YOT	Referrals from youth offending teams or youth offending services working with young people who have been convicted or sentenced by the court and are serving either a community-based disposal or are on licence post release from custody.	YP	36
47	Post custody	Self-referral from a young person who has been discharged from a young offender institution, secure training centre or local authority secure children's home in the last 28 days. After 28 days such a referral should be counted as a self-referral.	YP	37
78	Helpline/website		YP	38
55	YP housing	Referrals from services specifically commissioned to meet the accommodation needs of young people. This could include a foyer, hostel or other accommodation provided by a registered social landlord.	YP	39

3.12 Previously treated – PREVTR

Code	Text	Comments	Dataset inclusion	Sort order
N	No		AD,YP	1
Y	Yes		AD,YP	2

3.13 TOP care coordination – TOPCC

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD	1
1	Yes		AD	2

3.14 Client stated sexual orientation – SEXUALO

Code	Text	Comments	Dataset inclusion	Sort order
1	Heterosexual or Straight		AD	1
2	Gay or Lesbian		AD	2
3	Bisexual		AD	3
U	Person asked and does not know or is not sure		AD	4
Z	Not stated	Person asked but declined to provide a response	AD	5
4	Other sexual orientation not listed		AD	6
9	Not known	Not recorded – service unable to obtain information	AD	7

3.15 Pregnant – PREGNANT

Code	Text	Comments	Dataset inclusion	Sort order
N	No		AD,YP	1
Y	Yes	Only expected for females	AD,YP	2

3.16 Religion – RELIGION

Code	Text	Comments	Dataset inclusion	Sort order
A	Baha'i		AD	1
B	Buddhist		AD	2
C	Christian		AD	3
D	Hindu		AD	4
E	Jain		AD	5
F	Jewish		AD	6
G	Muslim		AD	7
H	Pagan		AD	8
I	Sikh		AD	9
J	Zoroastrian		AD	10
K	Other		AD	11
L	None		AD	12
M	Declines to disclose		AD	13
N	Unknown		AD	14

3.17 Disability (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3

Code	Text	Comments	Dataset inclusion	Sort order
1	Behaviour and emotional	Should be used where the client has times when they lack control over their feelings or actions.	AD	1
2	Hearing	Should be used where the client has difficulty hearing, or need hearing aids, or need to lip-read what people say.	AD	2
3	Manual dexterity	Should be used where the client experiences difficulty performing tasks with their hands.	AD	3
4	Learning disability	Should be used where the client has difficulty with memory or ability to concentrate, learn or understand which began before the age of 18.	AD	4
5	Mobility and gross motor	Should be used where the client has difficulty getting around physically without assistance or needs aids like wheelchairs or walking frames; or where the client has difficulty controlling how their arms, legs or head move.	AD	5

Code	Text	Comments	Dataset inclusion	Sort order
6	Perception of physical danger	Should be used where the client has difficulty understanding that some things, places or situations can be dangerous and could lead to a risk of injury or harm.	AD	6
7	Personal, self-care and continence	Should be used where the client has difficulty keeping clean and dressing the way they would like to.	AD	7
8	Progressive conditions and physical health	Should be used where the client has any illness which affects what they can do, or which is making them more ill, which is getting worse, and which is going to continue getting worse (such as HIV, cancer, multiple sclerosis and fits).	AD	8
9	Sight	Should be used where the client has difficulty seeing signs or things printed on paper, or seeing things at a distance.	AD	9
10	Speech	Should be used where the client has difficulty speaking or using language to communicate or make their needs known.	AD	10
XX	Other	Should be used where the client has any other important health issue including dementia or autism.	AD	11
NN	No disability		AD	12
ZZ	Not stated	Client asked but declined to provide a response	AD	13

3.18 Accommodation need – ACCMNEED

Code	Text	Comments	Dataset inclusion	Sort order
1	NFA - urgent housing problem	Lives on streets/rough sleeper Uses night shelter (night-by-night basis) /emergency hostels Sofa surfing/sleeps on different friend's floor each night	AD	1
2	Housing problem	Staying with friends/family as a short-term guest Night winter shelter Direct Access short stay hostel Short term B & B or other hotel Placed in temporary accommodation by Local Authority	AD	2

Code	Text	Comments	Dataset inclusion	Sort order
		Squatting		
3	No housing problem	Owner occupier Tenant – private landlord/ housing association/ Local Authority/ registered landlord/ arm’s length management organisation Approved premises Supported housing/hostel Traveller Own property Settled mainstream housing with friends/family Shared ownership scheme	AD	3
26	YP living with relative	Client living with parents, relatives or other carers	YP	4
27	Independent YP – settled accommodation	Client living independently in settled accommodation	YP	5
28	Independent YP – unsettled accommodation	Client living independently in unsettled accommodation	YP	6
29	Independent YP with No Fixed Abode	Client living independently with No Fixed Abode	YP	7
31	YP supported housing	Client living in specifically commissioned housing	YP	8
33	YP living in care	Client has been placed in care, such as children’s homes, foster care for looked after child	YP	9
34	YP living in secure care	Client has been placed in a secure setting for example, a young offender institution (YOI), a secure training centre or a secure children’s home.	YP	10

3.19 Employment status – EMPSTAT

Code	Text	Comments	Dataset inclusion	Sort order
1	Regular employment		AD	1
2	Pupil/student	Undertaking full (at least 16 hours per week) or part-time (less than 16 hours per week) education or training as a student and not working or actively seeking work	AD	2
9	Long term sick or	Long-term sick or disabled, those receiving	AD	3

Code	Text	Comments	Dataset inclusion	Sort order
	disabled	government sickness and disability benefits		
10	Homemaker	Looking after the family or home as a homemaker and not working or actively seeking work	AD	4
12	Unemployed and seeking work	Unemployed and actively seeking work	AD	5
13	Not receiving benefits	Not receiving government sickness and disability benefits and not working or actively seeking work	AD	6
14	Unpaid voluntary work	Unemployed and actively seeking work	AD	7
15	Retired from paid work	Retired	AD	8
16	Unemployed and not seeking work	Expansion of unemployed, for instance those who are not working or actively seeking work	AD	9
99	Not stated	Client asked but declines to answer	AD	10
5	Other		AD	11
6	Not known		AD	12

3.20 Time since last paid employment – TSLPE

Code	Text	Comments	Dataset inclusion	Sort order
0	Less than one year	Less than one year since paid employment	AD	1
1	1 to 2 years	Between 1 and 2 years since last paid employment	AD	2
2	2 to 3 years	Between 2 and 3 years since last paid employment	AD	3
n^*	n years since paid employment	n is defined as an integer between 3 and 75. Number of years should be rounded down, for example if a person was last in employment 3.6 years ago enter 3.	AD	4
97	Never employed	Client has never been in paid employment	AD	5
99	Client declined to answer		AD	6

3.21 British Armed Forces veteran – VETERAN

Code	Text	Comments	Dataset inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
Z	Client declined to answer		AD	3

3.22 Parental responsibility for children under 18 – PARENT

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes	Client has full or partial responsibility for one or more children under 18	AD,YP	1
N	No	Client does not have responsibility for any children under 18	AD,YP	2
Z	Client declined to answer		AD,YP	3

3.23 Parental status – Do any of these children live with the client – PRNTSTAT

Code	Text	Comments	Dataset inclusion	Sort order
11	All the children live with client		AD,YP	1
12	Some of the children live with client		AD,YP	2
13	None of the children live with client		AD,YP	3
15	Client declined to answer		AD,YP	4

3.24 Children under 18 living with client – CHILDWTH

Code	Text	Comments	Dataset inclusion	Sort order
0	No children living with client		AD,YP	1
1	1 child living with client		AD,YP	2
2	2 children living with client		AD,YP	3
n^*	n children living with client	n is defined as an integer between 0 and 30	AD,YP	4

Code	Text	Comments	Dataset inclusion	Sort order
98	Client declined to answer		AD,YP	5
99	Undisclosed number		AD,YP	6

3.25 What help are the client's children/children living with the client receiving? – EHCSC

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	AD,YP	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989	AD,YP	2
3	Has a Child Protection Plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency Child Protection Plan has been formulated to protect the child	AD,YP	3
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	AD,YP	4
5	None of the children are receiving any help	Children are not receiving early help nor are they in contact with children's services.	AD,YP	5
99	Client declined to answer	Question was asked but client declined to answer.	AD,YP	6

3.26 What help are the client's children/children living with the client receiving? (2) – EHCSC2

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	AD,YP	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989	AD,YP	2
3	Has a child protection plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency child protection plan has been formulated to protect the child	AD,YP	3
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	AD,YP	4
99	Client declined to answer	Question was asked but client declined to answer.	AD,YP	5

3.27 What help are the client's children/children living with the client receiving? (3) – EHCSC3

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	AD,YP	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989	AD,YP	2

Code	Text	Comments	Dataset inclusion	Sort order
3	Has a child protection plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency child protection plan has been formulated to protect the child	AD,YP	3
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	AD,YP	4
99	Client declined to answer	Question was asked but client declined to answer.	AD,YP	5

3.28 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3

This is controlled by PHE. Details (groups, names and codes) are given in Appendix A.
Dataset inclusion: AD,YP.

3.29 Injecting status – INJSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
P	Previously injected (but not currently)		AD	1
C	Currently injecting		AD	2
N	Never injected		AD	3
Z	Client declined to answer		AD	4

3.30 Client's SADQ Score – SADQ

Code	Text	Comments	Dataset Inclusion	Sort order
0 to 60	The client's SADQ score	SADQ specified response	AD	1
98	Information not available		AD	2
99	Client declined to answer		AD	3

3.31 Hep B intervention status – HEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		AD,YP	1
C	Immunised already		AD,YP	2
D	Not offered		AD,YP	3
F	Assessed as not appropriate to offer		AD,YP	4
G	Offered and accepted – not yet had any vaccinations		AD,YP	5
H	Offered and accepted – started having vaccinations		AD,YP	6
I	Offered and accepted – completed vaccination course		AD,YP	7
K	Deferred due to clinical reasons		AD,YP	8

3.32 Hep C intervention status – HEPSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		AD,YP	1
D	Not offered		AD,YP	2
F	Assessed as not appropriate to offer		AD,YP	3
G	Offered and accepted – not yet had a test		AD,YP	4
H	Offered and accepted – had a hep C test		AD,YP	5
K	Deferred due to clinical reasons		AD,YP	6

3.33 Hep C test result antibody status – HCVAS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown	Client has received a test but the result is unknown/ inconclusive	AD	3

3.34 Hep C test result PCR (RNA) status – HCVPCR

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative (never infected)		AD	2
3	Unknown	Client has received a test but the result is unknown/inconclusive	AD	3
4	Negative (cleared by treatment)	Client has received treatment for hep c and has subsequently tested negative for hep c.	AD	4

3.35 Is client HIV positive? – HIVSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
U	Unknown	Unknown should be used when: <ul style="list-style-type: none"> the client hasn't been tested the client has been tested but hasn't had the result yet the client has been tested but cannot recall the result the client has been tested but the result was inconclusive 	AD	3
Z	Client declined to answer		AD	4

3.36 Referral for liver investigation – LIVSCRN

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
U	Unknown	Unknown should be used when the service user doesn't remember whether they have had an investigation for liver disease (via GP or specialist) and drops out before the treatment service has been able to establish this or made a referral themselves.	AD	3

3.37 Has the client been issued with naloxone at episode start? – NALOXISS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Yes – nasal naloxone	For example, Nyoxid	AD	1
2	Yes – injectable naloxone	For example, Prenoxad	AD	2
3	Yes – both nasal and injectable naloxone		AD	3
4	No – client already in possession of adequate naloxone		AD	4
5	No – assessed as not appropriate		AD	5
6	No – service does not provide naloxone		AD	6

3.38 Has the client ever been administered with naloxone to reverse the effects of an overdose? – NALOXAD

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
U	Unknown	The client cannot recall or is not sure whether they have ever been administered with naloxone.	AD	3
Z	Client declined to answer		AD	4

3.39 Does the client have a mental health treatment need – MHTHN

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD,YP	1
1	Yes		AD,YP	2
99	Client declined to answer		AD,YP	3

3.40 Is the client receiving treatment for their mental health need(s) – CRTMHN

Code	Text	Comments	Dataset Inclusion	Sort order
1	Already engaged with the community mental health team/other mental health services		AD,YP	1
2	Engaged with Improved Access to Psychological therapy (IAPT)		AD,YP	2
3	Receiving mental health treatment from GP		AD,YP	3
4	Receiving any NICE-recommended psychosocial or pharmacological intervention provided for the treatment of a mental health problem in drug or alcohol services		AD,YP	4
5	Has an identified space in a health-based place of safety for mental health crises		AD,YP	5
6	Treatment need identified but no treatment being received		AD,YP	6
99	Client declined to commence treatment for their mental health need	Client was referred for treatment but treatment commencement was declined by client.	AD,YP	7

3.41 What was the care status of the YP at treatment start? – YPLCS

Code	Text	Comments	Dataset inclusion	Sort order
2	Not a looked after child or child in need		YP	1
1	Looked after child		YP	2
3	Child in need		YP	3

3.42 Has the YP been sexually exploited prior to treatment start? – YPSSEXEX

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1

Code	Text	Comments	Dataset inclusion	Sort order
1	Yes		YP	2
U	Unknown		YP	3
Z	Client declined to answer		YP	4

3.43 Has the YP self-harmed prior to treatment start? – YPSSLFHM

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
98	Not known		YP	3
Z	Client declined to answer		YP	4

3.44 Has YP been involved in antisocial behaviour or committed a criminal act on more than 1 occasion in the past 6 months? – YPABACF

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.45 YP's education/employment/training status at treatment start – YPSESTAT

Code	Text	Comments	Dataset inclusion	Sort order
1	Mainstream education		YP	1
2	Alternative education		YP	2
3	Temporarily excluded		YP	3
4	Permanently excluded		YP	4
5	Persistent absentee		YP	5
6	Apprenticeship or training		YP	6
10	Economically inactive caring role		YP	7
11	Economically inactive health issue		YP	8
12	Voluntary work		YP	9

Code	Text	Comments	Dataset inclusion	Sort order
13	Regular employment		YP	10
14	Not in employment or education or training (NEET)		YP	11
Z	Client declined to answer		YP	12

3.46 YP registered with GP at treatment start? – YPSGP

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
98	Not known		YP	3
Z	Client declined to answer		YP	4

3.47 YP engaged in unsafe sex prior to treatment start? – YPSUSS

Code	Text	Comments	Dataset inclusion	Sort order
1	No		YP	1
2	Yes		YP	2
U	Unknown		YP	3
Z	Client declined to answer		YP	4

3.48 Has the YP been offered a screen for sexually transmitted infections? – YPESTI

Code	Text	Comments	Dataset inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3

3.49 Has the YP been offered a screen specifically for chlamydia? – YPSCCH

Code	Text	Comments	Dataset inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3

3.50 Was the YP subject to a Child Protection Plan (CPP) at treatment start? – YPCPL

Code	Text	Comments	Dataset inclusion	Sort order
1	Is currently subject to Child Protection Plan (CPP)		YP	3
3	Has never been subject to Child Protection Plan (CPP)		YP	1
4	Has previously been subject to a Child Protection Plan (CPP)		YP	2

3.51 Has the YP been involved in gangs at treatment start? – YPGANGS

Code	Text	Comments	Dataset inclusion	Sort order
Y	Yes		YP	1
N	No		YP	2
U	Unknown		YP	3
Z	Client declined to answer		YP	4

3.52 Has the YP been affected by child criminal exploitation at treatment start? – YPCRIMEX

Code	Text	Comments	Dataset inclusion	Sort order
Y	Yes		YP	1
N	No		YP	2
U	Unknown		YP	3
Z	Client declined to answer		YP	4

3.53 Does the young person feel affected by substance misuse in their close family/members of their household at treatment start? – YPASMFM

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.54 Has the YP ever been affected by domestic abuse? – YPEBABDA

Code	Text	Comments	Dataset inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.55 YP met goals agreed on care plan at discharge – YPECAREP

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		YP	1
1	Yes		YP	2

3.56 YP offered continuing support from non-substance misuse services at discharge – YPCSNSM

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		YP	1
1	Yes		YP	2
3	No further support required		YP	3

3.57 Discharge Reason – DISRSN

Code	Text	Comments	Dataset Inclusion	Sort order
80	Treatment completed – drug-free		AD,YP	1
81	Treatment completed – alcohol-free		AD	2
82	Treatment completed – occasional		AD,YP	3

Code	Text	Comments	Dataset Inclusion	Sort order
	user (not opiates or crack)			
83	Transferred – not in custody		AD,YP	4
84	Transferred – in custody		AD,YP	5
74	Transferred – recommissioning transfer		AD, YP	6
71	Incomplete - onward referral offered and refused		AD,YP	7
85	Incomplete – dropped out		AD,YP	8
86	Incomplete – treatment withdrawn by provider		AD,YP	9
87	Incomplete – retained in custody		AD,YP	10
88	Incomplete – treatment commencement declined by client		AD,YP	11
89	Incomplete – client died		AD,YP	12
93	Transferred – programme completed at the residential provider – additional residential treatment required		AD	13
94	Transferred – programme completed at the residential provider – additional community treatment required		AD	14
95	Transferred – programme not completed at the residential provider – additional residential treatment required		AD	15
96	Transferred – programme not completed at the residential provider – additional community treatment required		AD	16
97	Transferred – transition to adult substance misuse service		YP	17

3.58 Referred for hep C treatment – REFHEPCTX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD	1
1	Yes		AD	2

3.59 Treatment interventions – MODAL

Code	Text	Comments	Dataset Inclusion	Sort order
94	Pharmacological intervention	Structured intervention	AD	1
95	Psychosocial intervention	Structured intervention	AD	2
96	Recovery support	Non-structured intervention	AD	3
98	YP pharmacological	Structured intervention	YP	4
102	YP psychosocial	Structured intervention	YP	5
101	YP multi agency working	Non-structured intervention	YP	6
52	YP harm reduction service	Structured intervention	YP	7

3.60 Intervention setting – MODSET

Code	Type	Comments	Dataset Inclusion	Sort order
1	Community		AD	1
2	Inpatient unit		AD	2
3	Primary care		AD	3
4	Secure setting		AD	4
5	Residential		AD	5
6	Recovery house		AD	6
13	YP community		YP	7
7	YP inpatient unit – substance misuse specific		YP	8
8	YP inpatient unit – not substance misuse specific		YP	9
9	YP residential unit – substance misuse specific		YP	10
11	YP residential unit – not substance misuse specific		YP	11
10	YP home		YP	12
12	YP secure estate		YP	13

3.61 Adult pharmacological prescribing sub interventions

Methadone (oral solution) * – Opioid assessment and stabilisation – PHMETSTBL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2
---	-----	---	----	---

Methadone (oral solution) * – Opioid withdrawal – PHMETWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Methadone (oral solution) * – Opioid maintenance – PHMETMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Current daily dose of liquid oral methadone medication *(ml) – PHDOSMET

Permissible responses	Comments	Dataset Inclusion
0 to 999	Number of millilitres (ml) of liquid methadone solution Field should be completed at SIR if treatment intervention is/was pharmacological	AD

Buprenorphine (tablet/wafer) # – Opioid assessment and stabilisation – PHBUPSTBL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Buprenorphine (tablet/wafer) # – Opioid withdrawal – PHBUPWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2
---	-----	---	----	---

Buprenorphine (tablet/wafer) # – Opioid maintenance – PHBUPMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Buprenorphine (tablet/wafer) with Naloxone # – Opioid assessment and stabilisation – PHBUNASTBL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Buprenorphine (tablet/wafer) with Naloxone # - Opioid withdrawal – PHBUNAWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Buprenorphine (tablet/wafer) with Naloxone # - Opioid maintenance – PHBUNAMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Current daily dose of liquid oral buprenorphine medication #(mg) – PHDOSBUP

Permissible responses	Comments	Dataset Inclusion
0-99	Number of milligrams (mg) of liquid methadone solution Field should be completed at SIR if treatment intervention is/was pharmacological	AD

Is consumption of opioid substitution therapy (OST) medication currently supervised – PHOSTSPVD

Code	Text	Comments	Dataset Inclusion	Sort order
1	Supervised	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
2	Unsupervised	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2
99	Not applicable	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	3

Buprenorphine depot injection (rods or fluid) – Opioid withdrawal – PHBUDIWITH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Buprenorphine depot injection (rods or fluid) – Opioid maintenance – PHBUDIMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Diamorphine injection – Opioid assessment and stabilisation/withdrawal/maintenance – PHDIAINJ

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Methadone injection – Opioid assessment and stabilisation/withdrawal/maintenance – PHMETHINJ

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Benzodiazepine – Benzodiazepine maintenance – PHBENMAIN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Benzodiazepine – Stimulant withdrawal – PHBENSWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Benzodiazepine – GHB/GBL withdrawal – PHBENGWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Stimulant (for example, dexamphetamine) – Stimulant withdrawal – PHSTIMWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Pregabalin – Gabapentinoid withdrawal – PHPREGWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Gabapentin – Gabapentinoid withdrawal – PHGABAWTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Naltrexone (oral) – Opioid relapse prevention – PHNALTRLPR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1

Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2
---	-----	---	----	---

Naltrexone (oral) – Alcohol relapse prevention/consumption reduction – PHNALTALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Chlordiazepoxide – Alcohol withdrawal – PHCHLORALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Diazepam – Alcohol withdrawal – PHDIAALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Carbamazepine – Alcohol withdrawal – PHCARBALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Other prescribed medication for alcohol withdrawal – PHOTHALCW

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Acamprosate – Alcohol relapse prevention – PHACAMALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Disulfiram – Alcohol relapse prevention – PHDISUALC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Vitamin B and C supplement to prevent/treat Wernicke's encephalopathy/Wernicke-Korsakoffs – PHVITBC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

Any other medication for the treatment of drug misuse/dependence/withdrawal/
associated symptoms – PHOTHMED

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was pharmacological	AD	2

3.62 Adult psychosocial sub interventions

Client involved in motivational interventions – PSYMOTI

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved with contingency management (drug focused) – PSYCNMG

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved with family and social network interventions – PSYFSNI

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Evidence-based psychological interventions for co-existing mental health disorders – PSYMNTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved with psychodynamic therapy – PSYDNMC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved with 12-step work – PSYSTP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved in counselling – BACP accredited – PSYCOUN

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

Client involved with cognitive and behavioural based relapse prevention interventions (substance misuse specific) – PSYCGBH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was psychosocial	AD	2

3.63 Adult recovery support sub interventions

Client provided with peer support involvement – RECPEER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with facilitated access to mutual aid – RECMAID

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with family support – RECFMSP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with parenting support – RECPRNT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with housing support – RECHSE

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with employment support – RECEMP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with education and training support – RECEDUT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with supported work projects – RECWPRJ

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with recovery check-ups – RECCHKP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with evidence-based psychosocial interventions to support relapse prevention – RECRLPP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with complementary therapies – RECCMPT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with mental health interventions – RECGNH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with smoking cessation interventions – RECSMOC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Has there been facilitation to domestic abuse/violence support? – RECDOMV

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

Client provided with prescribing for relapse prevention (post structured treatment only) – RECMEDRLP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was recovery support	AD	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was recovery support	AD	2

3.64 YP psychosocial sub interventions

Client provided with cognitive and behavioural interventions – CBIYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with motivational interventions – MIYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with structured family interventions (including family therapy) – SFIFTYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with multi component programmes – MCPYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with contingency management – CMYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

Client provided with counselling – CYPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if intervention is/was YP psychosocial	YP	1
Y	Yes	Field should be completed at SIR if intervention is/was YP psychosocial	YP	2

3.65 YP multi agency working sub interventions

Education/training – YPEDTR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Employment/volunteering – YPEVOL

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Housing – YPINHOU

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Generic family support – YPRGFS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Generic parenting support – YPGPS

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Peer support involvement/mentoring – YPPSIM

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Mental health – YPMHLTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Offending – YPOFFND

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Health – YPHEALTH

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Sexual health/pregnancy – YPSHP

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Meaningful activity – YPMATY

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Disability services – YPDISSER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Behavioural services – YPBESER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Young carers – YPYCAR

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Smoking cessation – YPSCES

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Youth services (including targeted youth support) – YPSEER

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

Children’s social care – YPCSC

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	1
Y	Yes	Field should be completed at SIR if treatment intervention is/was multi-agency working	YP	2

3.66 CIR Stage – CIRSTAGE

Code	Text	Comments	Dataset Inclusion	Sort order
1	Partial CIR	CIR where only fields where the status has changed are being updated	AD,YP	1
2	Full CIR	All CIR fields are completed providing a snapshot of all existing statuses	AD,YP	2

3.67 CIR Hep B intervention status – CIRHEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		AD,YP	1
C	Immunised already		AD,YP	2
D	Not offered		AD,YP	3
F	Assessed as not appropriate to offer		AD,YP	4
G	Offered and accepted – not yet had any vaccinations		AD,YP	5
H	Offered and accepted – started having vaccinations		AD,YP	6
I	Offered and accepted – completed vaccination course		AD,YP	7
K	Deferred due to clinical reasons		AD,YP	8

3.68 CIR Hep C intervention status – CIRHEPCSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		AD,YP	1
D	Not offered		AD,YP	2
F	Assessed as not appropriate to offer		AD,YP	3
G	Offered and accepted – not yet had a test		AD,YP	4
H	Offered and accepted – had a Hep C test		AD,YP	5
K	Deferred due to clinical reasons		AD,YP	6

3.69 CIR Hep C test result antibody status – CIRHCVAS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative		AD	2
3	Unknown	Client has received a test but the result is unknown/ inconclusive	AD	3

3.70 CIR Hep C test result PCR (RNA) status – CIRHCVPCR

Code	Text	Comments	Dataset Inclusion	Sort order
1	Positive		AD	1
2	Negative (never infected)		AD	2
3	Unknown	Client has received a test but the result is unknown/ inconclusive	AD	3
4	Negative (cleared by treatment)	Client has received treatment for hep c and has subsequently tested negative for hep c.	AD	4

3.71 CIR Referred for Hep C treatment – CIRREFHEPCTX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD	1
1	Yes		AD	2

3.72 CIR Is client HIV positive? – CIRHIVSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
U	Unknown	Unknown should be used when: <ul style="list-style-type: none"> the client hasn't been tested the client has been tested but hasn't had the result yet the client has been tested but cannot recall the result the client has been tested but the result was inconclusive 	AD	3
Z	Client declined to answer		AD	4

3.73 CIR Referral for liver investigation – CIRLIVSCRN

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2

Code	Text	Comments	Dataset Inclusion	Sort order
U	Unknown	Unknown should be used when the service user doesn't remember whether they have had an investigation for liver disease (via GP or specialist) and drops out before the treatment service has been able to establish this or made a referral.	AD	3

3.74 CIR Has the client been issued with naloxone in the last 6 months? – CIRNALOXISS

Code	Text	Comments	Dataset Inclusion	Sort order
1	Yes – nasal naloxone	For example, Nyoxid	AD	1
2	Yes – injectable naloxone	For example, Prenoxad	AD	2
3	Yes – both nasal and injectable naloxone		AD	3
4	No – client already in possession of adequate naloxone		AD	4
5	No – assessed as not appropriate		AD	5
6	No – service does not provide naloxone		AD	6

3.75 CIR Has the client been administered with naloxone to reverse the effects of an overdose in the last 6 months? - CIRNALOXAD

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		AD	1
N	No		AD	2
U	Unknown	The client cannot recall or is not sure whether they have ever been administered with naloxone.	AD	3
Z	Client declined to		AD	4

3.76 CIR pregnant – CIRPREGNANT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No		AD,YP	1
Y	Yes	Only expected for females	AD,YP	2

3.77 CIR Parental responsibility for children under 18 – CIRPARENT

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes	Client has full or partial responsibility for one or more children under 18	AD,YP	1
N	No	Client does not have responsibility for any children under 18	AD,YP	2
Z	Client declined to answer		AD,YP	3

3.78 CIR parental status – Do any of these children live with the client – CIRPRTST

Code	Text	Comments	Dataset Inclusion	Sort order
11	All the children live with client		AD,YP	1
12	Some of the children live with client		AD,YP	2
13	None of the children live with client		AD,YP	3
15	Client declined to answer		AD,YP	4

3.79 CIR Children under 18 living with client – CIRCLDWT

Code	Text	Comments	Dataset Inclusion	Sort order
0	No children living with client		AD,YP	1
1	1 child living with client		AD,YP	2
2	2 children living with client		AD,YP	3
n^*	n children living with client	n is defined as an integer between 0 and 30	AD,YP	4
98	Client declined to answer		AD,YP	5
99	Undisclosed number		AD,YP	6

3.80 CIR What help are the client's children/children living with the client receiving? – CIREHCSC

Code	Text	Comments	Dataset Inclusion	Sort order
1	Early Help		AD,YP	1
2	Child in need		AD,YP	2
3	Has a child protection plan		AD,YP	3
4	Looked after child		AD,YP	4
5	None of the children are receiving any help	Children are not receiving early help nor are they in contact with children's services.	AD,YP	5
99	Client declined to answer		AD,YP	6

3.81 CIR What help are the client's children/children living with the client receiving? (2) – CIREHCSC2

Code	Text	Comments	Dataset Inclusion	Sort order
1	Early Help		AD,YP	1
2	Child in need		AD,YP	2
3	Has a child protection plan		AD,YP	3
4	Looked after child		AD,YP	4
99	Client declined to answer		AD,YP	6

3.82 CIR What help are the client's children/children living with the client receiving? (3) – CIREHCSC3

Code	Text	Comments	Dataset Inclusion	Sort order
1	Early Help		AD,YP	1
2	Child in need		AD,YP	2
3	Has a child protection plan		AD,YP	3
4	Looked after child		AD,YP	4
99	Client declined to answer		AD,YP	5

3.83 CIR does the client have a mental health treatment need? – CIRMTHTN

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		AD,YP	1
1	Yes		AD,YP	2
99	Client declined to answer		AD,YP	3

3.84 CIR is the client currently receiving treatment for their mental health need(s)? – CIRCRTMHN

Code	Text	Comments	Dataset Inclusion	Sort order
1	Already engaged with the community mental health team/Other mental health services		AD,YP	1
2	Engaged with Improved Access to Psychological Therapy (IAPT)		AD,YP	2
3	Receiving mental health treatment from GP		AD,YP	3
4	Receiving any NICE-recommended psychosocial or pharmacological intervention provided for the treatment of a mental health problem in drug or alcohol services		AD,YP	4
5	Has an identified space in a health-based place of safety for mental health crises		AD,YP	5
6	Treatment need identified but no treatment being received		AD,YP	6
99	Client declined to commence treatment for their mental health need	Client was referred for treatment by service but declined to commence.	AD,YP	7

3.85 CIR Is the YP subject to a child protection plan (CPP)? – CIRYPCPL

Code	Text	Comments	Dataset Inclusion	Sort order
1	Is currently subject to child protection plan (CPP)		YP	3
3	Has never been subject to child protection plan (CPP)		YP	1
4	Has previously been subject to a child protection plan (CPP)		YP	2

3.86 CIR Has the YP been offered a screen for sexually transmitted infections? – CIRYPESTI

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3

3.87 CIR Has the YP been offered a screen specifically for chlamydia? – CIRYPSCCH

Code	Text	Comments	Dataset Inclusion	Sort order
A	Offered and accepted		YP	1
B	Offered and refused		YP	2
D	Assessed as not appropriate to offer		YP	3

3. Secure Setting Data Items

4.1 Client sex at registration of birth – SEX

Code	Text	Comments	Dataset inclusion	Sort order
1	Male		SA,SY	1
2	Female		SA,SY	2
9	Not specified		SA,SY	3
0	Not known		SA,SY	4

4.2 Ethnicity – ETHNIC

Code	Text	Comments	Dataset inclusion	Sort order
A	White British	White	SA,SY	1
B	White Irish	White	SA,SY	2
C	Other white	White	SA,SY	3
D	White and Black Caribbean	Mixed	SA,SY	4
E	White and Black African	Mixed	SA,SY	5
F	White and Asian	Mixed	SA,SY	6
G	Other mixed	Mixed	SA,SY	7
H	Indian	Asian/Asian British	SA,SY	8
J	Pakistani	Asian/Asian British	SA,SY	9
K	Bangladeshi	Asian/Asian British	SA,SY	10
L	Other Asian	Asian/Asian British	SA,SY	11
M	Caribbean	Black/Black British	SA,SY	12
N	African	Black/Black British	SA,SY	13
P	Other Black	Black/Black British	SA,SY	14
R	Chinese	Other Ethnic	SA,SY	15
S	Other	Other Ethnic	SA,SY	16
Z	Not stated	Not stated	SA,SY	17
99	Ethnicity is unknown		AD,YP	18

4.3 Country of birth – NATION

Country of birth, code selected from ISO 3166-1 alpha-3 standard.

ISO 3166 Country Codes - www.iso.org/iso/country_codes. To view list of codes select the link to the Online Browsing Platform and refer to Alpha 3 codes.

New permissible value added in core dataset H of 'Z – Not stated'. Dataset Inclusion: SA,SY.

4.4 Agency codes – AGENCY

Each treatment provider or secure setting establishment is assigned with an agency code. Responsibility for allocating a code is that of the relevant regional NDTMS manager.

A general guideline is that the code should comprise of 2 parts.

1. A single letter(s) which is intended to indicate the NDTMS region which 'manages' that treatment provider or secure setting establishment.
2. An identifier (1 to 6 alphanumeric characters) which uniquely identifies that treatment provider within the region.

This guideline will ensure uniqueness of the agency code on a national basis.

Examples of agency codes include L0043, W1000 and U0001. Dataset Inclusion: SA,SY.

4.5 Consent for NDTMS – CONSENT

Code	Text	Comments	Dataset inclusion	Sort order
N	No client has not consented		SA,SY	1
Y	Yes client has consented		SA,SY	2

4.6 Postcode mappings – PC

Postcode mappings are used to establish/validate the geographic areas in which a client is resident. Only partial postcodes should be submitted and must be separated by a space (for example, NW7 3)

Default post code for clients with No fixed abode is ZZ99 3VZ (submitted partially as ZZ99 3). Dataset Inclusion: SA,SY.

4.7 DAT of residence – DAT

A list of the partnership and DAT codes currently used for NDTMS is given in the NDTMS Geographic Information document:

www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset Inclusion: SA,SY.

4.8 Upper tier local authority – UTLA

A list of upper tier local authority codes to be used for NDTMS is given in the NDTMS Geographic Information document: www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Dataset inclusion: SA,SY

4.9 Transferred from – PRISON

Only applicable to the secure settings dataset.

Please note, this list will change periodically as secure settings are recommissioned.

Please contact your local NDTMS team for an up to date list.

Dataset Inclusion: SA,SY.

4.10 Client stated sexual orientation – SEXUALO

Code	Text	Comments	Dataset inclusion	Sort order
1	Heterosexual or Straight		SA	1
2	Gay or Lesbian		SA	2
3	Bisexual		SA	3
U	Person asked and does not know or is not sure		SA	4
Z	Not stated	Person asked but declined to provide a response	SA	5
4	Other sexual orientation not listed		SA	6
9	Not known	Not recorded – service unable to obtain information	SA	7

4.11 Pregnant – PREGNANT

Code	Text	Comments	Dataset inclusion	Sort order
N	No		SA,SY	1
Y	Yes	Only expected for females	SA,SY	2

4.12 Religion – RELIGION

Code	Text	Comments	Dataset inclusion	Sort order
A	Baha'i		SA	1
B	Buddhist		SA	2
C	Christian		SA	3
D	Hindu		SA	4
E	Jain		SA	5
F	Jewish		SA	6
G	Muslim		SA	7
H	Pagan		SA	8
I	Sikh		SA	9
J	Zoroastrian		SA	10
K	Other		SA	11
L	None		SA	12
M	Declines to disclose		SA	13
N	Unknown		SA	14

4.13 Disability (Disability No 1, No 2, No 3) – DISABLE1, DISABLE2, DISABLE3

Code	Text	Comments	Dataset inclusion	Sort order
1	Behaviour and emotional	Should be used where the client has times when they lack control over their feelings or actions.	SA	1
2	Hearing	Should be used where the client has difficulty hearing, or need hearing aids, or need to lip-read what people say.	SA	2
3	Manual dexterity	Should be used where the client experiences difficulty performing tasks with their hands.	SA	3
4	Learning disability	Should be used where the client has difficulty with memory or ability to concentrate, learn or understand which began before the age of 18.	SA	4
5	Mobility and gross motor	Should be used where the client has difficulty getting around physically without assistance or needs aids like wheelchairs or walking frames; or where the client has difficulty controlling how their arms, legs or head move.	SA	5

Code	Text	Comments	Dataset inclusion	Sort order
6	Perception of physical danger	Should be used where the client has difficulty understanding that some things, places or situations can be dangerous and could lead to a risk of injury or harm.	SA	6
7	Personal, self-care and continence	Should be used where the client has difficulty keeping clean and dressing the way they would like to.	SA	7
8	Progressive conditions and physical health	Should be used where the client has any illness which affects what they can do, or which is making them more ill, which is getting worse, and which is going to continue getting worse (such as HIV, cancer, multiple sclerosis and fits).	SA	8
9	Sight	Should be used where the client has difficulty seeing signs or things printed on paper, or seeing things at a distance.	SA	9
10	Speech	Should be used where the client has difficulty speaking or using language to communicate or make their needs known.	SA	10
XX	Other	Should be used where the client has any other important health issue including dementia or autism.	SA	11
NN	No disability		SA	12
ZZ	Not stated	Client asked but declined to provide a response	SA	13

4.14 Accommodation need prior to custody – ACCMNEED

Code	Text	Comments	Dataset inclusion	Sort order
26	YP living with relative	Client living with parents, relatives or other carers	SY	1
27	Independent YP – settled accommodation	Client living independently in settled accommodation	SY	2
28	Independent YP – unsettled accommodation	Client living independently in unsettled accommodation	SY	3
29	Independent YP with No Fixed Abode	Client living independently with No Fixed Abode	SY	4
31	YP supported housing	Client living in specifically commissioned housing	SY	5
33	YP living in care	Client has been placed in care, such as	SY	6

Code	Text	Comments	Dataset inclusion	Sort order
		children's homes, foster care for looked after child		

4.15 Time since last paid employment – TSLPE

Code	Text	Comments	Dataset inclusion	Sort order
0	Less than 1 year	Less than 1 year since paid employment	SA	1
1	1 to 2 years	Between 1 and 2 years since last paid employment	SA	2
2	2 to 3 years	Between 2 and 3 years since last paid employment	SA	3
<i>n</i> *	<i>n</i> years since paid employment	<i>n</i> is defined as an integer between 3 and 75. Number of years should be rounded down, for example if a person was last in employment 3.6 years ago enter 3.	SA	4
97	Never employed	Client has never been in paid employment	SA	5
98	Currently employed		SA	6
99	Client declined to answer		SA	7

4.16 British Armed Forces veteran - VETERAN

Code	Text	Comments	Dataset inclusion	Sort order
Y	Yes		SA	1
N	No		SA	2
Z	Client declined to answer		SA	3

4.17 Parental responsibility for children aged under 18 – PARENT

Code	Text	Comments	Dataset inclusion	Sort order
Y	Yes	Client has full or partial responsibility for one or more children under 18	SA,SY	1
N	No	Client does not have responsibility for any children under 18	SA,SY	2
Z	Client declined to answer		SA,SY	3

4.18 Parental status - Do any of these children live with the client – PRNTSTAT

Code	Text	Comments	Dataset inclusion	Sort order
11	All the children live with the client		SA,SY	1
12	Some of the children live with the client		SA,SY	2
13	None of the children live with the client		SA,SY	3
15	Client declined to answer		SA,SY	4

4.19 Children under 18 living with client – CHILDWTH

Code	Text	Comments	Dataset inclusion	Sort order
0	No children living with client		SA,SY	1
1	1 child living with client		SA,SY	2
2	2 children living with client		SA,SY	3
n^*	n children living with client	n is defined as an integer between 0 and 30	SA,SY	4
98	Client declined to answer		SA,SY	5
99	Undisclosed number		SA,SY	6

4.20 What help are the client's children/children living with the client receiving? – EHCSC

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	SA,SY	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989.	SA,SY	2

Code	Text	Comments	Dataset inclusion	Sort order
3	Has a child protection plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency child protection plan has been formulated to protect the child.	SA,SY	3
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	SA,SY	4
5	None of the children are receiving any help	Children are not receiving early help nor are they in contact with children's services.	SA,SY	5
99	Client declined to answer		SA,SY	6

4.21 What help are the client's children/children living with the client receiving? (2) – EHCSC2

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	SA,SY	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989.	SA,SY	2
3	Has a child protection plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency child protection plan has been formulated to protect the child.	SA,SY	3

Code	Text	Comments	Dataset inclusion	Sort order
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	SA,SY	4
99	Client declined to answer		SA,SY	5

4.22 What help are the client's children/children living with the client receiving? (3) – EHCSC3

Code	Text	Comments	Dataset inclusion	Sort order
1	Early Help	The needs of the child and family have been assessed and they are receiving targeted early help services as defined by Working Together to Safeguard Children 2015 (HM Government)	SA,SY	1
2	Child in need	The needs of the child and family have been assessed by a social worker and services are being provided by the local authority under Section 17 of the Children Act 1989.	SA,SY	2
3	Has a child protection plan	Social worker has led enquiries under Section 47 of the Children Act 1989. A child protection conference has determined that the child remains at continuing risk of 'significant harm' and a multi-agency child protection plan has been formulated to protect the child.	SA,SY	3
4	Looked after child	Arrangements for the child have been determined following statutory intervention and care proceedings under the Children Act 1989. Looked after children may be placed with parents, foster carers (including relatives and friends), in children's homes, in secure accommodation or with prospective adopters	SA,SY	4
99	Client declined to answer		SA,SY	5

4.23 Drug list (problem substance No 1, No 2, No 3) – DRUG1, DRUG2, DRUG3

This is controlled by PHE. Details (groups, names and codes) are given in Appendix A.

Dataset Inclusion: SA,SY

4.24 Injecting status – INJSTAT

Code	Text	Comments	Dataset inclusion	Sort order
P	Previously injected (but not currently)		SA,SY	1
C	Currently injecting		SA,SY	2
N	Never injected		SA,SY	3
Z	Client declined to answer		SA,SY	4

4.25 Alcohol Audit Score – AUDIT

Permissible response	Comments	Dataset Inclusion
Between 0 and 40 or 99	99 = NA. Use NA only if information is not disclosed or not answered	SA,SY

4.26 Hep B intervention status – HEPBSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		SA,SY	1
C	Immunised already		SA,SY	2
D	Not offered		SA,SY	3
F	Assessed as not appropriate to offer		SA,SY	4
G	Offered and accepted – not yet had any vaccinations		SA,SY	5
H	Offered and accepted – started having vaccinations		SA,SY	6
I	Offered and accepted – completed vaccination course		SA,SY	7
J	Offered and accepted but refused at a later date		SA,SY	8
K	Deferred due to clinical reasons		SA,SY	9

4.27 Hep C intervention status – HEPCSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
B	Offered and refused		SA,SY	1
D	Not offered		SA,SY	2
F	Assessed as not appropriate to offer		SA,SY	3
G	Offered and accepted – not yet had a test		SA,SY	4
H	Offered and accepted – had a Hep C test		SA,SY	5
J	Offered and accepted but refused at a later date		SA,SY	6
K	Deferred due to clinical reasons		SA,SY	7

4.28 HIV status – HIVSTAT

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		SA	1
N	No		SA	2
U	Unknown	Unknown should be used when: <ul style="list-style-type: none"> the client hasn't been tested the client has been tested but hasn't had the result yet the client has been tested but cannot recall the result the client has been tested but the result was inconclusive 	SA	3
Z	Client declined to answer		SA	4

4.29 Referral for liver investigation – LIVSCRN

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		SA	1
N	No		SA	2
U	Unknown	Unknown should be used when the service user doesn't remember whether they have had an investigation for liver disease (via GP or specialist) and drops out before the treatment service has been able to establish this or made a referral.	SA	3

4.30 Dual diagnosis – DUALDIAG

Code	Text	Comments	Dataset Inclusion	Sort order
N	No		SA,SY	1
Y	Yes		SA,SY	2

4.31 Mental health interventions outside of substance misuse treatment – MHTINT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No		SA	1
Y	Yes		SA	2
Z	Client declined to answer		SA	3

4.32 Treatment for mental health during current stay – MHTXEXIT

Code	Text	Comments	Dataset Inclusion	Sort order
N	No	Completed on exit from estate	SA	1
Y	Yes	Completed on exit from estate	SA	2

4.33 What was the care status of the YP in the 28 days prior to custody? – YPLCS

Code	Text	Comments	Dataset Inclusion	Sort order
2	Not a looked after child or child in need		SY	1
1	Looked after child		SY	2
3	Child in need		SY	3

4.34 Was the YP being sexually exploited in the 28 days prior to custody? – YPSSEXEX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SY	1
1	Yes		SY	2

Code	Text	Comments	Dataset Inclusion	Sort order
U	Unknown		SY	3
Z	Client declined to answer		SY	4

4.35 Had the YP self-harmed in the 28 days prior to custody? – YPSSLFHM

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SY	1
1	Yes		SY	2
98	Not known		SY	3
Z	Client declined to answer		SY	4

4.36 What was the YP's education/ employment/training status in the 28 days prior to custody? – YPSESTAT

	Text	Comments	Dataset Inclusion	Sort order
1	Mainstream education		SY	1
2	Alternative education		SY	2
3	Temporarily excluded		SY	3
4	Permanently excluded		SY	4
5	Persistent absentee		SY	5
6	Apprenticeship or training		SY	6
10	Economically inactive caring role		SY	7
11	Economically inactive health issue		SY	8
12	Voluntary work		SY	9
13	Regular employment		SY	10
14	Not in employment or education or training (NEET)		SY	11
Z	Client declined to answer		SY	12

4.37 Was the YP registered with GP in the 28 days prior to custody? – YPSGP

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SY	1
1	Yes		SY	2
98	Not known		SY	3
Z	Client declined to answer		SY	4

4.38 Was the YP engaged in unsafe sex in the 28 days prior to custody? – YPSUSS

Code	Text	Comments	Dataset Inclusion	Sort order
1	No		SY	1
2	Yes		SY	2
U	Unknown		SY	3
Z	Client declined to answer		SY	4

4.39 Was the YP subject to a Child Protection Plan (CPP) in the 28 days prior to custody? – YPCPL

Code	Text	Comments	Dataset Inclusion	Sort order
1	Is currently subject to Child Protection Plan (CPP)		SY	3
3	Has never been subject to Child Protection Plan (CPP)		SY	1
4	Has previously been subject to a Child Protection Plan (CPP)		SY	2

4.40 Has the YP been involved in gangs in the 28 days prior to custody? – YPGANGS

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		SY	1
N	No		SY	2
U	Unknown		SY	3

Code	Text	Comments	Dataset Inclusion	Sort order
Z	Client declined to answer		SY	4

4.41 Has the YP been affected by criminal exploitation in the 28 days prior to custody? – YPCRIMEX

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		SY	1
N	No		SY	2
U	Unknown		SY	3
Z	Client declined to answer		SY	4

4.42 Does the young person feel they were affected by substance misuse in their close family/members of their household in the 28 days prior to custody? – YPASMFM

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SY	1
1	Yes		SY	2

4.43 Has the YP ever been affected by domestic abuse prior to custody? – YPEBABDA

Code	Text	Comments	Dataset Inclusion	Sort order
2	No		SY	1
1	Yes		SY	2

4.44 Has the client used new psychoactive substances during treatment episode – NPSUSE

Code	Text	Comments	Dataset Inclusion	Sort order
Y	Yes		SA	1
N	No		SA	2

Code	Text	Comments	Dataset Inclusion	Sort order
Z	Client declined to answer		SA	3

4.45 Discharge Reasons – DISRSN

Code	Text	Comments	Dataset Inclusion	Sort order
80	Treatment completed – drug- free		SA,SY	1
81	Treatment completed – alcohol-free		SA	2
82	Treatment completed – occasional user (not opiates or crack)		SA,SY	3
83	Transferred – not in custody		SA,SY	4
84	Transferred – in custody		SA,SY	5
74	Transferred – recommissioning transfer		SA, SY	6
71	Incomplete - onward referral offered and refused		SA,SY	7
85	Incomplete – dropped out		SA,SY	8
86	Incomplete – treatment withdrawn by provider		SA,SY	9
88	Incomplete – treatment commencement declined by client		SA,SY	10
98	Incomplete - deported		SA,SY	11
99	Incomplete – released from court		SA,SY	12
89	Incomplete – client died		SA,SY	13

4.46 Has the client been sentenced – SENTENCED

Code	Text	Comments	Dataset Inclusion	Sort order
2	No	Completed on exit from estate	SA	1
1	Yes	Completed on exit from estate	SA	2

4.47 Take home Naloxone and training information – THNALOX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No	Completed only for clients released on exit	SA	1
1	Yes	Completed only for clients released on exit	SA	2

4.48 Referred for Hep C treatment – REFHEPCTX

Code	Text	Comments	Dataset Inclusion	Sort order
2	No	Completed on exit from estate	SA	1
1	Yes	Completed on exit from estate	SA	2

4.49 Secure setting exit reason – EXITRSN

Code	Text	Comments	Dataset Inclusion	Sort order
R	Released		SA,SY	1
T	Transferred		SA,SY	2
D	Died		SA,SY	3
A	Absconded		SA,SY	4

4.50 Secure setting exit destination – EXITDEST

Permissible responses: See the NDTMS Geographic Information document for a list of DAT codes:

www.gov.uk/government/publications/geographic-information-for-the-national-drug-treatment-monitoring-system

Please note, the secure setting list will change periodically as secure settings are recommissioned. Please contact your local NDTMS team for an up to date list.

Dataset Inclusion: SA,SY

4.51 Referral on release status – RTOAGNCY

Code	Text	Comments	Dataset Inclusion	Sort order
7	Referred to recovery support services		SA	1
8	Referred to structured treatment provider		SA,SY	2
9	Referred to structured treatment provider and recovery support		SA	3
5	Referred to youth offending team and treatment provider	'Treatment provider' refers to structured treatment providers only.	SY	4

Code	Text	Comments	Dataset Inclusion	Sort order
6	Referred to youth offending team		SY	5
4	No onward referral		SA,SY	6

4.52 Treatment interventions – MODAL

Code	Text	Comments	Dataset Inclusion	Sort order
103	Benzodiazepines detoxification	Structured intervention. Applicable to drug clients only	SA	1
104	Lofexidine	Structured intervention. Applicable to drug clients only	SA	2
105	Naltrexone	Structured intervention. Applicable to drug clients only	SA	3
106	Opioid re-induction	Structured intervention. Applicable to drug clients only	SA	4
107	Opioid reduction – methadone	Structured intervention. Applicable to drug clients only	SA	5
108	Opioid reduction – buprenorphine	Structured intervention. Applicable to drug clients only	SA	6
109	Opioid maintenance – methadone	Structured intervention. Applicable to drug clients only	SA	7
110	Opioid maintenance – buprenorphine	Structured intervention. Applicable to drug clients only	SA	8
84	Psychosocial intervention mental disorder	Structured intervention. Applicable to both drug and alcohol clients	SA	9
85	Other structured psychosocial intervention	Structured intervention. Applicable to both drug and alcohol clients	SA	10
5	Structured day programme	Structured intervention. Applicable to both drug and alcohol clients	SA	11
12	Other structured intervention	Structured intervention. Applicable to both drug and alcohol clients	SA	12
77	Alcohol prescribing	Structured intervention. Applicable to alcohol clients only	SA	13
76	Alcohol brief intervention	Non-structured intervention. Applicable to both drug and alcohol clients	SA	14
52	YP harm reduction (specialist)	Structured intervention.	SY	15
56	YP specialist pharmacological intervention	Structured intervention.	SY	16

NDTMS reference data – CDS P

Code	Text	Comments	Dataset Inclusion	Sort order
63	YP psychosocial – counselling	Structured intervention.	SY	17
64	YP psychosocial – cognitive behavioural therapy	Structured intervention.	SY	18
65	YP psychosocial – motivational interviewing	Structured intervention.	SY	19
66	YP psychosocial – relapse prevention	Structured intervention.	SY	20
67	YP psychosocial – family work	Structured intervention.	SY	21

4. Outcomes Profiles

5.1 Treatment Outcomes Profile (TOP)

The TOP (Treatment Outcomes Profile) was developed as a clinical outcome monitoring tool to measure change and progress in key areas of the lives of people being treated in drug and alcohol services. It contains 20 questions referring to clients substance use, injecting behaviour, crime, health and quality of life to be collected at start, review, exit and post treatment exit.

These items should be completed for all adult clients receiving structured treatment , for community services who only treat alcohol clients the AOR can be completed instead. For young people’s services the YPOR should be completed.

Where TOP is shown for items on the YPOR, this denotes a shared CSV file header with the same question on the TOP form.

5.1.1 TOP treatment stage – TRSTAGE

Code	Text	Comments	Sort Order
A	Treatment Start		1
B	Review		2
C	Treatment Exit		3
D	Post-Treatment Exit		4

5.1.2 TOP section 1: substance use

Substance use questions	Permissible responses	Comments
Alcohol ALCUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Consumption (alcohol) CONSMP	0 to 200 units or 999	999 = Not answered/not disclosed. Note NA value 999 for CDS-L and later.
Opiates/opioids (illicit) OPIUSE	0 to 28 days or 99	99= NA Not answered/not disclosed Includes street heroin and any non-prescribed opioid, such as methadone or buprenorphine.
Crack CRAUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Cocaine	0 to 28 days or 99	99= NA Not answered/not disclosed.

Substance use questions	Permissible responses	Comments
COCAUSE		
Amphetamines AMPHUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Cannabis CANNUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Other Problem Substance? OTDRGUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Tobacco use TOBUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.

5.1.3 TOP section 2: injecting risk behaviour

Injecting risk questions	Permissible responses	Comments
Injected IVDRGUSE	0 to 28 days or 99	99= NA Not answered/not disclosed.
Special Note: The following header SHARING consists of 2 separate field elements, which both contribute to what is captured under the header SHARING. Please ensure that you read the comments below:		
1) Injected with a needle or syringe used by somebody else	SHARING	Y, N or 99
2) Injected using a spoon, water or filter used by somebody else		
		Y=Yes, N=No and 99= Not answered/ not disclosed. 1) If YES is given as a response in any field, SHARING should be Y = YES 2) If NA is the response for all fields, SHARING should be 99 = NA 3) If fields contain a combination of the responses NA and NO, SHARING should be 99 = NA 4) If NO is given as a response in all fields, SHARING should be N = NO

5.1.4 TOP section 3: health and social functioning questions

Health and social functioning questions	Permissible responses	Comments
Clients rating of psychological health PSYHSTAT	0 to 20 or 99	0=Poor up to 20=Good. 99= NA Not answered/not disclosed.
Days in paid work PWORK	0 to 28 days or 99	99= NA Not answered/not disclosed.

Health and social functioning questions	Permissible responses	Comments
Days in volunteering DAYSVOLN	0 to 28 days or 99	99= NA Not answered/not disclosed.
Days in unpaid structured work placement UPDWORK	0 to 28 days or 99	99= NA Not answered/not disclosed.
Days attended college or school EDUCAT	0 to 28 days or 99	99= NA Not answered/not disclosed.
Clients rating of physical health PHSTAT	0 to 20 or 99	0=Poor up to 20=Good. 99= NA Not answered/not disclosed.
Acute housing problem ACUTHPBM	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
Unsuitable housing UNSTHSE	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
At risk of eviction HRISK	Y, N Or 99	Y=Yes, N=No and 99= Not answered/not disclosed.
Clients rating of overall quality of life QUALLIFE	0 to 20 or 99	0=Poor up to 20=Good. 99= NA Not answered/ not disclosed.

5.2 Young People’s Outcomes Record (YPOR)

The YPOR (Young People’s Outcomes Record) was developed to assess changes to drug and alcohol use and wellbeing over the period of engagement with specialist services.

These items should be completed for all young people receiving specialist substance misuse interventions. They should be collected once at the start of treatment and once again at the end. Should localities choose to complete this form at care plan reviews as well to monitor progress, this is acceptable but is not mandatory.

Where (TOP) is shown for items on the YPOR, this denotes a shared CSV file header with the same question on the TOP form.

5.2.1 YPOR treatment stage – TRSTAGE

Code	Text	Comments	Sort Order
A	Treatment Start		1
B	Review	Review optional for young people	2
C	Treatment Exit		3
D	Post-Treatment Exit		4

5.2.2 YPOR section 1: substance use

Days used	Permissible response	Comments
Alcohol use ALCUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Consumption (alcohol) CONSMP (TOP)	0 to 200 units or 999	999= Not answered/not disclosed.
Opiate use (illicit) OPIUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Crack use CRAUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Cocaine use COCAUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Amphetamines use AMPHUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Cannabis use CANNUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Cannabis average use per day CAUSPD	0 to 14 grams or 99	99= Not answered/not disclosed.
Tobacco/nicotine TOANIC	0 to 28 days or 99	99= Not answered/not disclosed.
Ecstasy use ECSTSYP	0 to 28 days or 99	99= Not answered/not disclosed.
Solvents use SOLVYP	0 to 28 days or 99	99= Not answered/not disclosed.
Ketamine use KETAMNYP	0 to 28 days or 99	99= Not answered/not disclosed.
GHB use GBYP	0 to 28 days or 99	99= Not answered/not disclosed.

Days used	Permissible response	Comments
New psychoactive substances (NPS) LEHIGSYP	0 to 28 days or 99	99= Not answered/not disclosed.
Tranquilisers (including benzodiazepines) use TRANYP	0 to 28 days or 99	99= Not answered/not disclosed.
Other substance use OTDRGUSE (TOP)	0 to 28 days or 99	99= Not answered/not disclosed.
Other substance use 2 OTHR2YP	0 to 28 days or 99	99= Not answered/not disclosed.
Other substance use 3 OTHR3YP	0 to 28 days or 99	99= Not answered/not disclosed.

5.2.3 YPOR section 2: substance age of first use (to be recorded at treatment start only)

Age first used	Permissible response	Comments
Cannabis AFUCAN	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Alcohol AFUALC	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Tobacco/nicotine AFUTOBN	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Opiates (illicit) AFUOOL	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Crack AFUCRACK	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Cocaine AFUCOC	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Ecstasy AFUEST	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Amphetamines AFUAMP	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Solvents AFUSLV	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Ketamine AFUKET	Between 0 and 75 years or 99	99= Not answered/not disclosed.

Age first used	Permissible response	Comments
GHB AFUGHB	Between 0 and 75 years or 99	99= Not answered/not disclosed.
New psychoactive substances (NPS) AFULHU	Between 0 and 75 years or 99	99= Not answered/not disclosed.
Tranquilisers (including benzodiazepines) AFUTQL	Between 0 and 75 years or 99	99= Not answered/not disclosed.

5.2.4 YPOR section 3: substance specific risk behaviour

Alcohol use: in the past 28 days/28 days prior to custody has the young person drunk more than 8 units (male) or more than 6 units (female) during a single drinking episode – AAUSFWK

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

Ever injected: in your life have you ever injected a substance – LINSTUS

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

Injecting: if yes to 'Ever injected' LINSTUS, have you injected a substance in the past 28 days/28 days prior to custody – YPIVDRGU

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

5.2.5 YPOR section 4: patterns of use

In the previous 28 days/28 days prior to entry into the secure estate, has the young person consumed alcohol:

On a weekday during the daytime – PTEDAWDD

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekday during the evening – PTEDAWDE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the daytime – PTEDAWED

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the evening – PTEDAWEE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On their own – PTEDOYO

Code	Text	Comments	Sort order
2	No		1
1	Yes		2

NDTMS reference data – CDS P

Code	Text	Comments	Sort order
99	NA	99 = Not answered/not disclosed.	3

In the previous 28 days/28 days prior to entering the secure estate, has the young person used other substances except tobacco:

On a weekday during the daytime – PTEUSWDD

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekday during the evening – PTEUSWDE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the daytime – PTEUSWED

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On a weekend during the evening – PTEUSWEE

Code	Text	Comments	Sort order
2	No		1
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

On their own – PTEUSOYO

Code	Text	Comments	Sort order
2	No		1

Code	Text	Comments	Sort order
1	Yes		2
99	NA	99 = Not answered/not disclosed.	3

5.2.6 YPOR section 5: health and wellbeing

YPOR health and wellbeing	Permissible response	Comments
How satisfied the young person is with life today? LISREDYS	0 to 10 or 99	0=not at all satisfied up to 10=extremely satisfied. 99= NA Not answered/not disclosed.
How anxious did the young person feel yesterday? ANSTS	0 to 10 or 99	0=not at all anxious up to 10= extremely anxious. 99= NA Not answered/not disclosed.
How happy did the young person feel yesterday? HAPSTYS	0 to 10 or 99	0=not at all happy up to 10= extremely happy. 99= NA Not answered/not disclosed.
How well does the young person get on with family? RATEFAM	0 to 10 or 99	0=not at all well up to 10= extremely well. 99= NA Not answered/not disclosed.
How well does the young person get on with friends? RATEFRI	0 to 10 or 99	0=not at all well up to 10= extremely well. 99= NA Not answered/not disclosed.
Unsuitable housing UNSTHSE	Y, N or 99	Y=Yes, N=No and 99= NA Not answered/not disclosed.

Appendix A: drug codes and names

Individuals presenting to adult alcohol and drug treatment services are categorised by the substances they cite as problematic at the start of treatment. The following criteria categorises them as:

- any mention of opiate use in any episode would result in the client being categorised as an OPIATE client (irrespective of what other substances are cited)
- clients who present with non-opiate substances (and not opiates or alcohol) will be classified as NON-OPIATE ONLY
- clients who present with a non-opiate substance *and* alcohol (but not opiates) recorded in any drug in any episode in their treatment journeys will be classified as NON-OPIATE AND ALCOHOL
- clients who present with alcohol and no other substances will be categorised as ALCOHOL ONLY

Group code	Group	Drug code	Drug	Drug group for NDTMS reports
1	Heroin	1101	Heroin illicit	Opiate
		1102	Diamorphine	Opiate
		1120	Diamorphine Hydrochloride elixir	Opiate
		1121	Diamorphine Hydrochloride amps	Opiate
		1125	Diamorphine Hydrochloride reefers	Opiate
2	Methadone	1105	Methadone unspecified	Opiate
		1106	Methadone mixture	Opiate
		1107	Methadone linctus	Opiate
		1108	Methadone tablets	Opiate
		1109	Methadone amps	Opiate
		1110	Methadone suppositories	Opiate
3	Other Opiates	1000	Opiates unspecified	Opiate
		1103	Morphine sulphate	Opiate
		1104	Opium	Opiate
		1111	Dihydrocodeine	Opiate
		1112	Dextromoramide	Opiate
		1113	Dipipanone	Opiate
		1114	Pethidine	Opiate
		1130	Morphine sulphate amps	Opiate
		1151	Hydromorphone	Opiate
		1152	Oxymorphone	Opiate
		1153	Hydrocodone	Opiate
1154	Oxycodone	Opiate		
1155	Levorphanol	Opiate		

NDTMS reference data – CDS P

Group code	Group	Drug code	Drug	Drug group for NDTMS reports
		1156	Phenazocine	Opiate
		1157	Piritramide	Opiate
		1201	Codeine tablets	Opiate
		1202	Dextropropoxyphene	Opiate
		1203	Pentazocine	Opiate
		1204	Buprenorphine	Opiate
		1205	Codeine unspecified	Opiate
		1206	Opiate Compound Analgesics	Opiate
		1251	Nalbuphine	Opiate
		1252	Alphaprodine	Opiate
		1253	Anileridine	Opiate
		1254	Ethoheptazine	Opiate
		1255	Fentanyl	Opiate
		1256	Phenoperidine	Opiate
		1257	Meptazinol	Opiate
		1258	Papaveretum	Opiate
		1259	Tramadol Hydrochloride	Opiate
		1300	Opiate containing mixture	Opiate
		1301	Codeine linctus	Opiate
		1302	Gee's linctus	Opiate
		1303	Collis-brown	Opiate
		1304	Phensedyl	Opiate
		1305	Dextromethorphan (such as Actifed dry coughs)	Opiate
		1310	Kaolin and Morphine	Opiate
		1401	Other Opiates	Opiate
4	Benzodiazepines	2200	Benzodiazepines unspecified	Non-opiate
		2201	Diazepam	Non-opiate
		2202	Chlordiazepoxide	Non-opiate
		2203	Nitrazepam	Non-opiate
		2204	Lorazepam	Non-opiate
		2251	Clobazam	Non-opiate
		2252	Clorazepate	Non-opiate
		2253	Ketazolam	Non-opiate
		2254	Medazepam	Non-opiate
		2255	Oxazepam	Non-opiate
		2256	Flurazepam	Non-opiate
		2257	Temazepam	Non-opiate
		2258	Triazolam	Non-opiate
		2259	Lormetazepam	Non-opiate
		2260	Prazepam	Non-opiate
		2261	Bromazepam	Non-opiate
		2262	Flunitrazepam	Non-opiate
		2263	Chlormezanone	Non-opiate
		2264	Loprazolam	Non-opiate
		2265	Alprazolam	Non-opiate
		2266	Clonazepam	Non-opiate
		2267	Midazolam	Non-opiate

Group code	Group	Drug code	Drug	Drug group for NDTMS reports		
5	Amphetamines (excluding Ecstasy)	3100	Amphetamines unspecified	Non-opiate		
		3100				
			3101	Amphetamine sulphate	Non-opiate	
			3102	Amphetamine (pharmaceutical)	Non-opiate	
			3103	Methamphetamine	Non-opiate	
			3104	Dexamphetamine (Dexadrine)	Non-opiate	
			3110	Dexamphetamine linctus/syrup	Non-opiate	
			3111	Dexamphetamine reefers	Non-opiate	
			3112	Methamphetamine amps	Non-opiate	
			3113	Methylone	Non-opiate	
			3114	Mephedrone	Non-opiate	
	6	Cocaine (excluding Crack)	3200	Cocaine unspecified	Non-opiate	
			3200			
			3202	Cocaine Hydrochloride	Non-opiate	
7	Crack	3201	Cocaine Freebase (crack)	Non-opiate		
8	Hallucinogens	4000	Hallucinogens unspecified	Non-opiate		
			4001	Mescaline	Non-opiate	
			4002	Psilocybin	Non-opiate	
			4003	Lysergide (LSD)	Non-opiate	
			4004	Phencyclidine	Non-opiate	
			4005	Ketamine	Non-opiate	
			4006	Dimethyltryptamine	Non-opiate	
			4007	Bromodimethoxyphenethylamine	Non-opiate	
		9	Ecstasy	3406	MDMA	Non-opiate
					3407	Methylenedioxyamphetamine
10	Cannabis	5000	Cannabis unspecified	Non-opiate		
			5001	Cannabis herbal	Non-opiate	
			5002	Cannabis resin	Non-opiate	
			5003	Cannabis oil	Non-opiate	
			5004	Cannabis herbal (Skunk)	Non-opiate	
11	Solvents	6000	Solvents unspecified	Non-opiate		
			6001	Glue	Non-opiate	
			6002	Gas (butane/propane)	Non-opiate	
			6003	Volatile Nitrate (such as Amyl Nitrate)	Non-opiate	
			6004	Acetone	Non-opiate	
			6005	Hydro-Fluorocarbons	Non-opiate	
			6006	Trichloroethylene	Non-opiate	
			6007	Aerosols	Non-opiate	
			6008	Nitrous oxide	Non-opiate	
			6009	Petrol	Non-opiate	
12	Barbiturates	2100	Barbiturates unspecified	Non-opiate		
			2101	Amylobarbitone	Non-opiate	
			2102	Pentobarbitone	Non-opiate	
			2103	Quinalbarbitone	Non-opiate	
			2104	Phenobarbitone	Non-opiate	
			2151	Butobarbitone	Non-opiate	
			2152	Heptabarbitone	Non-opiate	

Group code	Group	Drug code	Drug	Drug group for NDTMS reports
		2153	Cyclobarbitone	Non-opiate
		2154	Hexobarbitone	Non-opiate
		2155	Barbitone unbranded	Non-opiate
		2156	Methylphenobarbitone	Non-opiate
13	Major Tranquilisers	8200	Major Tranquilisers unspecified	Non-opiate
		8201	Chlorpromazine (Largactyl)	Non-opiate
14	Anti-depressants	8300	Anti-depressants	Non-opiate
		8301	Fluoxetine	Non-opiate
		8302	Amitriptyline	Non-opiate
		8303	Dothiepin Hydrochloride	Non-opiate
		8304	Lofepamine	Non-opiate
		8305	Paroxetine	Non-opiate
15	Alcohol	7000	Alcohol unspecified	Alcohol
		7001	Beer or Cider	Alcohol
		7002	Wines and fortified wines	Alcohol
		7003	Spirits	Alcohol
		7004	Mixture of alcohol	Alcohol
16	Other Drugs	2000	Sedatives unspecified	Non-opiate
		2300	Anti-histamines unspecified	Non-opiate
		2301	Hydroxyzine	Non-opiate
		2302	Cyclizine	Non-opiate
		2303	Promethazine	Non-opiate
		2400	Non-barb/benzo sedatives unspecified	Non-opiate
		2401	Methaqualone	Non-opiate
		2402	Chlormethiazole	Non-opiate
		2403	Meprobamate	Non-opiate
		2404	Zopiclone	Non-opiate
		2405	Zolpidem Tartrate	Non-opiate
		2451	Propranolol	Non-opiate
		2452	Chloral derivatives	Non-opiate
		2453	Glutethimide	Non-opiate
		2454	Mephesisin	Non-opiate
		2455	Methylpentylol	Non-opiate
		2456	Methylprylon	Non-opiate
		2457	Oxyprenolol Hydrochloride	Non-opiate
		2501	Other sedatives	Non-opiate
		3000	Stimulants unspecified	Non-opiate
		3151	Drinamyl	Non-opiate
		3300	Appetite suppressant	Non-opiate
		3301	Diethylpropion	Non-opiate
		3302	Phenmetrazine	Non-opiate
		3303	Fenfluramine	Non-opiate
		3304	Mazindol	Non-opiate
		3305	Phentermine	Non-opiate
		3400	Other stimulants	Non-opiate
		3401	Methylphenidate	Non-opiate
		3402	Pemoline	Non-opiate
		3403	Prolintane	Non-opiate

NDTMS reference data – CDS P

Group code	Group	Drug code	Drug	Drug group for NDTMS reports
		3404	Fencamfamin	Non-opiate
		3405	Caffeine	Misuse free
		3408	Khat	Non-opiate
		3409	Nicotine	Misuse free
		8000	Other psychoactive drugs unspecified	Non-opiate
		8001	Procyldine Hydrochloride	Non-opiate
		8002	GHB/GBL	Non-opiate
		8100	Minor Analgesics	Non-opiate
		8400	Anti-diarrhoea/Anti-emetic	Non-opiate
		8501	Naltrexone	Non-opiate
		8502	Antabuse	Non-opiate
		8503	Clonidine	Non-opiate
		8504	Lofexidine	Non-opiate
		8600	Steroids unspecified	Non-opiate
		8601	Nandrolone	Non-opiate
		8602	Stanozolol	Non-opiate
		8603	Testosterone and Esters	Non-opiate
		8604	Tetracosactrin	Non-opiate
		8700	Antipsychotic unspecified	Non-opiate
		8701	Depixol	Non-opiate
		8702	Thioridazine	Non-opiate
		8703	Trifluoperazine	Non-opiate
		8704	Pregabalin	Non-opiate
		8705	Gabapentin	Non-opiate
		8706	Areca nut (betel, paan)	Non-opiate
		8799	Drug – not otherwise specified	Non-opiate
18	Prescription Drugs	9001	Diamorphine prescription	Opiate
		9002	Methadone prescription	Opiate
		9003	Buprenorphine prescription	Opiate
		9004	Codeine prescription	Opiate
		9005	Other prescribed drugs	Non-opiate
19	NewPsychoactive Substances	8800	NPS – predominantly stimulant	Non-opiate
		8801	NPS – predominantly hallucinogenic	Non-opiate
		8802	NPS – predominantly dissociative	Non-opiate
		8803	NPS – predominantly sedative or opioid	Non-opiate
		8804	NPS – predominantly cannabis	Non-opiate
		8805	NPS Other – effects different to available classifications or not stated	Non-opiate
99	Misuse free	9996	No second drug	Misuse free
		9997	No third drug	Misuse free

Appendix B: list of reference data owners

The majority of reference data items in the NDTMS dataset are owned by NDTMS. A minority come from external sources. Reference data items that are not owned by PHE are listed below along with their owner, all other reference data is PHE owned.

Reference item	Owner	Comments	Owner contact details
Ethnicity	ONS	Office of National Statistics	Customer Contact Centre Room 1.015 Office for National Statistics Cardiff Road Newport NP10 8XG Tel: 0845 601 3034 info@statistics.gov.uk
Local Authority	ONS via ODS	Office of National Statistics/Organisation Data Service	
Postcode	ONS via ODS	Office of National Statistics/Organisation Data Service	
Country of birth	ISO	International Standard http://www.iso.org/iso/country_codes	ISO 3166 Maintenance Agency c/o International Organization for Standardization Chemin de Blandonnet 8 CP 401 1214 Vernier, Geneva Switzerland Tel: +41 22 749 01 11 customerservice@iso.org
DAT of residence	HO	Home Office	
Client stated Sexual orientation	NHS Data Dictionary	http://www.datadictionary.nhs.uk/	information.standards@nhs.net
Religion			
Disability			
Employment status	EMCDDA 5	http://www.emcdda.europa.eu/index.cfm?fuseaction=public.ContentandnNodeID=7680andsLanguageISO=EN	European Monitoring Centre for Drugs and Drug Addition (EMCDDA) Rua da Cruz de Santa Apolónia 23-25 PT-1149-045 Lisbon Tel: (+351) 21 811 3000 info@emcdda.europa.eu
Early help/children in contact with children's social care	Department for Education	https://www.gov.uk/government/publications/working-together-to-safeguard-children--2	www.education.gov.uk/contactus Tel: 0370 000 2288

NDTMS reference data – CDS P

Reference item	Owner	Comments	Owner contact details
AUDIT score SADQ score	WHO	World Health Organisation www.who.int/substance_abuse/activities/sbi/en	World Health Organization Department of Mental Health and Substance Abuse Management of Substance Abuse Team (NMH/MSD/MSB) 20, Avenue Appia CH-1211 Geneva 27 Switzerland Tel: +41 22 791 3494