

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

SUEZ Recycling and Recovery UK Ltd

Cranford Closed Landfill, Cranford Landfill and Cranford Valley Recovery Site

Thrapston Road

Cranford St. John

Nr. Kettering

Northamptonshire

NN14 4HY

Variation application number

EPR/PP3734SE/V008

Consolidated permit number

EPR/PP3734SE

Cranford Closed Landfill, Cranford Landfill and Cranford Valley Recovery Site

Permit number EPR/PP3734SE

Introductory note

This introductory note does not form a part of the notice.

The following notice gives notice of the variation of environmental permits A and B referred to in the status logs below and the replacement of those permits with a consolidated environmental permit which includes a new waste recovery activity.

Cranford Closed Landfill, Cranford Landfill and Cranford Valley Recovery Site are located at Cranford St. John approximately 6km east of the town of Kettering. The centre of the site is located at National Grid Reference (NGR) SP 935 766. The site is now regulated under a single permit which consolidates the preceding two permits of which Permit A will be the lead permit and Permit B will cease:

- Permit A: EPR/PP3734SE – Cranford Landfill Site
- Permit B: EPR/BB3706GH – Cranford Closed Landfill Site

Permit A, EPR/PP3734SE, relates to a Landfill Directive compliant, non-hazardous landfill site, with a total capacity of 2,211,000 tonnes, which ceased accepting waste for disposal in January 2017. Final capping is complete and restoration works are ongoing. This landfill is not yet definitively closed. Permit B, EPR/BB3706GH, relates to a closed landfill site, which was operated under the principle of dilute and attenuate, and ceased accepting waste in the late 1990s. The site accepted a range of municipal, industrial and commercial wastes. As Permit B was not operational on the implementation date for the Landfill Directive that area of the site it is not subject to that Directives requirements, including the closure arrangements. The latter site immediately abuts the former, to the south.

This variation and consolidation adds a Waste Recovery activity, known as Cranford Valley, which will straddle both former permit boundaries in order to achieve the approved restoration landform. This activity allows the infilling of a valley feature between the two landfills, and infilling of the final cell (Cell 8) of the Cranford Landfill Site. The variation also amends the current groundwater and surface water monitoring requirements relating to the Cranford Landfill Site, as informed by the Hydrogeological Risk Assessment (HRA) review.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of permit A: EPR/PP3734SE		
Description	Date	Comments
Application received (EPR/PP3734SE/A001)	Duly made 09/05/05	Application for Landfill permit.
Additional information received	06/01/06	Revised Hydrogeological and Stability Risk Assessments.
Additional information received	13/01/06	Revised Landfill Gas Risk Assessment.
Request for Information (Schedule 4 Notice)	13/04/06	Received 15/05/06.
Request for Information (Schedule 4 Notice)	15/08/06	Received 11/10/06.

Status log of permit A: EPR/PP3734SE		
Description	Date	Comments
Request for Information (Schedule 4 Notice)	21/06/07	Received 18/07/07.
Permit determined EPR/PP3734SE	30/10/07	Permit issued to SITA UK Limited.
Variation Notice EPR/PP3734SE/V002	02/12/08	Environment Agency variation to fully update the permit issued.
Application EPR/PP3734SE/V003	Duly made 02/09/09	Application to vary the permit to include a second gas engine.
Variation determined EPR/PP3734SE/V003	10/12/09	Varied permit issued.
Application EPR/PP3734SE/V004 (variation)	Duly made 16/02/12	Application to vary and update the permit conditions – amendments to selected monitoring requirements and CO ₂ action levels, and an updated site plan.
Variation determined EPR/PP3734SE	20/02/12	Varied permit issued.
Agency variation determined EPR/PP3734SE/V005	29/05/13	Environment Agency variation to implement the changes introduced by IED.
Application EPR/PP3734SE/V006 (variation and consolidation)	Duly made 10/04/15	Application to vary the permit to remove the CO ₂ limits in perimeter boreholes, make changes to the monitoring requirements, update the permit to modern conditions and to undertake the landfill sector permit review.
Additional information received	06/08/15	Response to a Schedule 5 Notice including updated Monitoring Management Plan and monitoring point location plan.
Additional information received	27/11/15	Response to a Schedule 5 Notice including updated review of gas in perimeter boreholes.
Additional information received	01/12/15	Response to a Schedule 5 Notice including updated monitoring management plan.
Environment Agency Landfill Sector Review 2015 / 2016 Permit reviewed Variation determined EPR/PP3734SE/V006 Permit EPR/PP3734SE	19/01/16	Varied and consolidated permit issued in modern condition format.
Notified change of company name	07/04/16	Request from operator to update their company name from SITA UK Limited to SUEZ Recycling and Recovery UK Ltd.
Variation issued EPR/PP3734SE/V007	30/06/16	Varied permit issued to SUEZ Recycling and Recovery UK Ltd.
Application EPR/PP3734SE/V008 (variation and consolidation with EPR/BB3706GH)	Duly made 19/06/18	Application to vary, consolidate and update the permit to modern conditions, add a waste recovery activity and amend the monitoring regime.
Response to Schedule 5 Notice dated 09/11/18	25/01/19	Hydrogeological risk assessment (HRA) Modelling Waste acceptance procedure and criteria

Status log of permit A: EPR/PP3734SE		
Description	Date	Comments
		Stability risk assessment
Response to Schedule 5 Notice dated 29/05/19	18/07/19	Additional information relating to: Hydrogeological risk assessment (HRA) Modelling Stability risk assessment
	13/09/19	Revised HRA assessment limits
	19/09/19	Updated drawing: Location of Cross-Sections for Slope Stability
Additional information received	15/01/20	Permit Boundary drawing
Variation determined EPR/PP3734SE Billing references: • Installation: EP3337JW • Waste: EAWML 70611	05/03/20	Varied and consolidated permit issued in modern condition format.

Status log of permit B: EPR/BB3706GH		
Description	Date	Comments
Waste Disposal Licence ref K/58 (EAWML 70611) issued	04/12/92	Original licence issued to Nene Valley Waste Ltd.
EPR number assigned		EPR/LP3095NP
Application EPR/BB3706GH/T001 (full transfer of permit EPR/LP3095NP)	Duly made 05/06/14	Application to transfer the permit in full to SITA UK Limited.
Transfer determined EPR/BB3706GH	26/06/14	Full transfer of permit complete.
Notified change of company name and address	07/04/16	Request from operator to update the company name from SITA UK Limited to SUEZ Recycling and Recovery UK Ltd and the first line of their registered office address from SITA House to SUEZ House.
Variation issued EPR/BB3706GH/V002	30/06/16	Varied permit issued to SUEZ Recycling and Recovery UK Ltd.
Application EPR/BB3706GH/V003 (variation and consolidation with EPR/PP3734SE)	Duly made 19/06/18	Application to vary, consolidate and update the permit to modern conditions, add a waste recovery activity and amend the monitoring regime.
Variation determined EPR/PP3734SE	05/03/20	Varied and consolidated permit issued in modern condition format. EPR/BB3706GH ceased.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulations 18 and 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies and consolidates environmental permits

Permit numbers

Permit A: **EPR/PP3734SE**

Permit B: **EPR/BB3706GH**

Issued to

SUEZ Recycling and Recovery UK Ltd (“the operator”)

whose registered office is

**SUEZ House
Grenfell Road
Maidenhead
Berkshire
SL6 1ES**

company registration number **02291198**

to operate regulated facilities at

**Cranford Closed Landfill, Cranford Landfill and Cranford Valley Recovery Site
Thrapston Road
Cranford St. John
Nr. Kettering
Northamptonshire
NN14 4HY**

to the extent set out in the schedules.

The notice shall take effect from 05/03/2020

The number of the consolidated permit is EPR/PP3734SE.

Name	Date
David Griffiths	05/03/2020

Authorised on behalf of the Environment Agency

Schedule 1 – changes in the permit

Note: The condition numbers used in this schedule refer to those in the consolidated permit.

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/PP3734SE

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/PP3734SE/V008 authorising,

SUEZ Recycling and Recovery UK Ltd (“the operator”),

whose registered office is

**SUEZ House
Grenfell Road
Maidenhead
Berkshire
SL6 1ES**

company registration number **02291198**

to operate an installation and waste operations at

**Cranford Closed Landfill, Cranford Landfill and Cranford Valley Recovery Site
Thrapston Road
Cranford St. John
Nr. Kettering
Northamptonshire
NN14 4HY**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
David Griffiths	05/03/2020

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints;
 - (b) regularly review the written management system and keep it up to date; and
 - (c) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Finance

- 1.2.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the financial provision for meeting the obligations under this permit set out in the agreement made between the operator and the Environment Agency dated 30/10/2007 as varied most recently on 05/03/2020 shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 1.2.1; and
 - (c) the estimated costs for the closure and aftercare of the landfill.

1.3 Energy efficiency

- 1.3.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) implement any appropriate measures identified by a review.

1.4 Efficient use of raw materials

- 1.4.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall:
- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;

- (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
- (d) take any further appropriate measures identified by a review.

1.5 Avoidance, recovery and disposal of wastes produced by the activities

1.5.1 The operator shall:

- (a) take appropriate measures to ensure that waste produced by the activities is avoided or reduced, or where waste is produced it is recovered wherever practicable or otherwise disposed of in a manner which minimises its impact on the environment;
- (b) review and record at least every four years whether changes to those measures should be made; and
- (c) take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1, table S1.1 (the “activities”).

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in red for activities AR1 to AR7, green for activity AR8 and blue for activity AR9 on the site plan at schedule 7 to this permit.

2.3 Operating techniques

2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, tables S1.2a and S1.2b unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, tables S1.2a and S1.2b or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.4 Improvement programme

2.4.1 The operator shall complete the improvements specified in schedule 1, table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Pre-operational conditions

- 2.5.1 The operations specified in schedule 1, table S1.4 shall not commence until the measures specified in that table have been completed.

2.6 Landfill Engineering

- 2.6.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, no construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.2 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and the Environment Agency has confirmed that it is satisfied with the cell layout drawing.
- 2.6.3 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the construction of a new cell shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.4 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, no disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, no construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.6 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, the construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.7 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, the operator shall submit a CQA Validation Report within four weeks of the completion of the construction of the relevant landfill infrastructure, or other time period agreed in writing with the Environment Agency.
- 2.6.8 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.5 and 2.6.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.6.9 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, for the purposes of conditions 2.6.1, 2.6.2, 2.6.4 and 2.6.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

2.6.10 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, where the Environment Agency has required further information under condition 2.6.9 (b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:

- (a) confirmed whether or not it is satisfied; or
- (b) informed the operator that it requires further information.

2.7 Waste acceptance

2.7.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, wastes shall only be accepted for disposal if:

- (a) they are listed in schedule 2, table S2.1; and
- (b) they are non-hazardous waste; and
- (c) they are not whole used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm); and
- (d) they are not shredded used tyres; and
- (e) they are not liquid waste (including waste waters but excluding sludge; and
- (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown; and
- (g) all the relevant waste acceptance procedures have been completed; and
- (h) they fulfil the relevant waste acceptance criteria; and
- (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria; and
- (j) they are wastes which have been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment; and
- (k) they are wastes with a code beginning with 07 05 and 16 03, they shall exclude waste medicinal products and pharmaceutically active waste materials arising from their manufacture.

2.7.2 For the following activities referenced in schedule 1, table S1.1, AR1 to AR6, wastes shall only be accepted for restoration where:

- (a) they are listed in schedule 2, table S2.2; and
- (b) they are accepted in accordance with a restoration plan approved in writing by the Environment Agency.

2.7.3 For the following activity referenced in schedule 1, table S1.1, AR8, no waste shall be accepted for disposal within the installation.

2.7.4 For the following activity referenced in schedule 1, table S1.1, AR9, waste shall only be accepted if:

- (a) it is of a type and quantity listed in schedule 2, table S2.3;
- (b) it has been identified as a suitable waste in the approved waste recovery plan;
- (c) its chemical, physical and biological characteristics make it suitable for its intended use on the site;
- (d) it fulfils the approved waste acceptance criteria;
- (e) all the approved waste acceptance procedures have been completed;
- (f) it conforms to the description in the documentation supplied by the producer and holder;

- (g) It is not waste consisting solely or mainly of dusts, powders or loose fibres;
 - (h) It is not hazardous wastes; and
 - (i) It is not waste in liquid form.
- 2.7.5 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7 and AR9, the operator shall:
- (a) visually inspect without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill and waste at the point of deposit; and
 - (b) be satisfied that the waste conforms to the requirements of condition 2.7.1 and 2.7.4.
- 2.7.6 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.
- 2.7.7 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator on accepting each delivery of waste shall provide a receipt to the person delivering it.
- 2.7.8 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the total quantity of waste that shall be deposited in the landfill shall be limited by the pre-settlement levels shown on drawing Crf-PPCB-1004-09, dated October 2004.
- 2.7.9 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the quantity of waste that is deposited or recovered in the landfill in any year shall not exceed the limits in schedule 1, table S1.5.
- 2.7.10 For the following activity referenced in schedule 1, table S1.1, AR9, the total quantity of waste that shall be deposited under the permit shall be limited by the final levels shown on the final levels contour plan referenced in schedule 1, table S1.2b.
- 2.7.11 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.

2.8 Leachate levels

- 2.8.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the limits for the level of leachate listed in schedule 3, table S3.1 shall not be exceeded.

2.9 Closure and aftercare

- 2.9.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall maintain a closure and aftercare management plan.

2.10 Landfill gas management

- 2.10.1 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:
- (a) collect landfill gas; and
 - (b) control the migration of landfill gas.

- 2.10.2 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, the operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall use appropriate measures to flare or treat the gas in accordance with an approved landfill gas management plan.
- 2.10.3 For the following activities referenced in schedule 1, table S1.1, AR8, the operator shall manage landfill gas to minimise emissions, including but not limited to the measures specified in table S1.2.
- 2.10.4 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, the operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a revised landfill gas management plan;
 - (b) implement the revised landfill gas management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 The limits in schedule 3 shall not be exceeded.
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3, tables S3.2 and S3.3.
- 3.1.3 The limits given in schedule 3, table S3.2 shall not be exceeded, save that compliance with an emission limit in that table shall include incorporation of the uncertainty allowance stated in Environment Agency guidance LFTGN 05 and LFTGN 08.
- 3.1.4 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.5 The operator shall submit to the Environment Agency a review of any existing Hydrogeological Risk Assessment between nine and six months prior to every six year anniversary of the granting of activity AR1 in schedule 1, table S1.1. The review shall include reference to potential hydrogeological impacts from activity AR8 in schedule 1, table S1.1.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.3.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
- (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:

- (a) Leachate specified in tables S3.1a, S3.1b and S3.10;
- (b) Point source emissions specified in tables S3.2 and S3.3;
- (c) Groundwater specified in tables S3.4a, S3.4b, S3.4c and S3.8;
- (d) Landfill gas specified in tables S3.5, S3.7 and S3.9;
- (e) Particulate matter specified in table S3.6; and
- (f) Surface water specified in table S3.11.

3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.

3.5.3 For the following activities referenced in schedule 1, table S1.1, AR1 to AR7, a topographical survey of the site referenced to ordnance datum shall be carried out and shall be used to produce a plan of a scale adequate to show the surveyed features of the site:

- (a) annually; and
- (b) prior to the disposal of waste in any new cell or new development area of the landfill; and
- (c) following closure of the landfill or part of the landfill.

- 3.5.4 For the following activity referenced in schedule 1, table S1.1, AR8, the operator shall, unless otherwise agreed in writing by the Environment Agency, undertake a topographical survey of the site referenced to ordnance datum that shall be used to produce a plan of a scale adequate to show the surveyed features of the site annually.
- 3.5.5 For the following activities referenced in schedule 1, table S1.1, AR9, a topographical survey of the site referenced to ordnance datum that shall be used to produce a plan of a scale adequate to show the surveyed features of the site:
- (a) prior to commencement of the recovery activity; and
 - (b) on completion of the recovery activity to show final waste levels.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution hazard or annoyance from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) the results of groundwater monitoring;
 - (ii) sub-surface landfill gas monitoring;
 - (iii) leachate levels, quality and quantities;
 - (iv) landfill gas generation and collection;
 - (v) waste types and quantities; and
 - (vi) the specification and as built drawings of the basal, sidewall and capping engineering systems.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 For the following activities referenced in schedule 1, table S1.1, AR1 to AR8, a report or reports on the performance of the activities over the previous year ('the annual report') shall be submitted to the Environment Agency by 31st January each year or such other date as may be agreed in writing by the Agency, with the exception of 4.2.2(c) that must be provided by the end of February each year. The report(s) shall include as a minimum:
- (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto. The review will include written descriptions of the improvements made to operational performance during the year, action plans developed and planned improvements for the coming year;
 - (b) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3;
 - (c) the annual production/treatment set out in schedule 4, table S4.2;
 - (d) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
 - (e) for the following activities referenced in schedule 1, table S1.1, AR1 to AR7 only, the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;
 - (f) an assessment of the settlement behaviour of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;
 - (g) for the following activities referenced in schedule 1, table S1.1, AR1 to AR7 only, a calculation of the remaining capacity (reported in cubic metres) derived from the pre-settlement contours and the most recent topographical survey;
 - (h) a plan(s) ('the monitoring and extraction point plan – MEPP') showing the locations of existing and any new leachate and landfill gas extraction and monitoring points.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4, table S4.1;
 - (b) using the forms specified in schedule 4, table S4.4 or other reporting format as agreed in writing with the Environment Agency; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.5 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.2.6 For the following activities referenced in schedule 1, table S1.1, AR9, the operator shall submit the topographical survey plans required by condition 3.5.4 (a) and (b) to the Environment Agency within one month of the completion of the survey.

4.3 Notifications

4.3.1 In the event:

- (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency;
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident; and
 - (iii) take the measures necessary to prevent further possible incidents or accidents.
- (b) of a breach of any permit condition the operator must immediately—
 - (i) inform the Environment Agency; and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time.
- (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.

4.3.2 Any information provided under condition 4.3.1(a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (c) any change in the operator's name or address; and
- (d) any steps taken with a view to the dissolution of the operator.

In any other case:

- (e) the death of any of the named operators (where the operator consists of more than one named individual);
- (f) any change in the operator's name(s) or address(es); and
- (g) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

- 4.3.4 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
- (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.5 For the following activities referenced in schedule 1, table S1.1, AR9, the operator shall notify the Environment Agency in writing:
- (a) at least 14 days before the commencement of the recovery activity;
 - (b) within 14 days of completion of the recovery activity.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “immediately”, in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
AR1 – Landfill	D5: Specially engineered landfill	Section 5.2 Part A(1)(a), The disposal of waste in a landfill.	Landfill for non-hazardous waste.	Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in conditions 2.6, as an integral part of landfilling. The activity shall not extend beyond the area of land edged in red on the site plan at Schedule 7 to this permit.
Directly Associated Activities				
AR2	R1: use principally as a fuel to generate energy	-	Utilisation of landfill gas for energy recovery in an appliance with a rated thermal input < 50MW.	Treatment and utilisation of landfill gas arising from the landfill.
AR3	N/A	-	Temporary storage of leachate prior to removal and disposal off site and recirculation of leachate.	Leachate arising from the landfill.
AR4	N/A	-	Flaring of landfill gas for disposal in an appliance.	Landfill gas arising from the landfill.
AR5	D6 – release to water body except seas/ oceans	-	Discharges of site drainage from the landfill.	From surface water management system to point of entry to controlled waters.
AR6	N/A	-	Storage of fuel for operation of plant and equipment.	Fuel storage tank.
AR7	R10: Land treatment resulting in benefit to agriculture or ecological improvement	-	Recovery of waste for restoration.	The use of wastes in table S2.2 only to provide restoration material for the permitted landfill.
Waste operations				
AR8 – Closed	D1: Deposit into or on to land	-	Management and monitoring of emissions from the closed	The activity shall not extend beyond the area of land edged in green on the site plan at Schedule 7 to this

Table S1.1 activities				
Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
Landfill			landfill.	permit.
AR9 – Waste Recovery Activity	R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	-	Storage of waste prior to deposit for recovery.	Secure storage of wastes listed in table S2.3 for the purpose of recovery. Storage of wastes listed in table S2.3 shall be limited to three years. The activity shall not extend beyond the area of land edged in blue on the site plan at Schedule 7 to this permit.
	R5: Recycling/reclamation of other inorganic compounds	-	Permanent deposit of waste for recovery.	Use of waste types specified in table S2.3 for the purposes of construction work, engineering and restoration, reclamation or improvement of land. The activity shall not extend beyond the area of land edged in blue on the site plan at Schedule 7 to this permit.

Table S1.2a Operating techniques (Activities AR1 to AR8)		
Description	Parts	Date Received
Application	The response to questions 2.1, 2.2, 2.3, 2.4 and 2.5 given in part B of the Application, but excluding: the Hydrogeological Risk Assessment May 2005 (Ref: CBY/HRA), the Landfill Gas Risk Assessment Report May 2005 (Ref: CRF/GRA) ESID Drawing Crf-PPCB-1004-04 dated October 2004 ESID Drawing Crf-PPCB-1004-05A dated March 2005 ESID Drawing Crf-PPCB-1004-05B dated March 2005 Drawing Crf-PPCB-1004-07 dated October 2004	09/05/2005
Revision to application	Further information received in support of the application Revised Stability Risk Assessment, reference Stability Risk Assessment for Cells 6, 7 and 8 December 2005 (REF: CRF/December 2005/SRA) Revised Landfill Gas Risk Assessment, reference Landfill Gas Risk Assessment Report Version 2.0 January 2006 (REF: CRF/GRA)	06/01/2006 13/01/2006
Response to Schedule 4 Notice dated 13/04/2006	Schedule 4 Response but excluding: Drawing number Crf-PPCB-1004-05A dated May 2006 Drawing number Crf-PPCB-1004-05B dated May 2006 Drawing number Crf-PPCB-1004-07 dated May 2006	15/05/2006
Response to Schedule 4 Notice dated 15/08/2006	Schedule 4 Response, including revised Hydrogeological Risk Assessment dated September 2006	11/10/2006
Response to Schedule 4 Notice dated 21/06/2007	Schedule 4 Response	18/07/2007
Permit Variation EPR/PP3734SE/V006	Application forms C2 and C3 and referenced supporting information	10/04/2015
Permit Variation EPR/PP3734SE/V006	Response to a schedule 5 notice – updated review of gas in perimeter boreholes titled 'Gas Compliance and Requisite Surveillance Review' dated November 2015	27/11/2015
Permit Variation EPR/PP3734SE/V006	Plan showing pre-settlement levels at the site titled 'Pre-Settlement Restoration Contours' drawing reference Crf-PPCB-1004-09 dated October 2004	08/01/2016
Permit Variation EPR/PP3734SE/V008	Waste Acceptance Procedure March 2018 Surface Water Management Plan March 2018 Particulate Matter Management and Monitoring March 2018	28/03/2018
Response to Schedule 5 Notice dated 09/11/2018 EPR/PP3734SE/V008	SUEZ response to Schedule 5 Notice 25.01.19 (letter) Stantec Technical Note ref. 65883TN3 Egniol Cranford Valley Infill Letter 5882	25/01/2019

Table S1.2a Operating techniques (Activities AR1 to AR8)		
Description	Parts	Date Received
Response to Schedule 5 Notice dated 29/05/2019 EPR/PP3734SE/V008	Stantec Technical Note ref. 66338TN1 - Appendix F Leachate Management Plan - Appendix G Monitoring Management Plans - Appendix I Gas Risk Assessment Engiol Cranford SUEZ Letter 18.07.19 - Response to Stability Risk Assessment questions	22/07/2019
	Stantec Response ref. 66338EAL02 - Response on Cell 8 risk to controlled waters - Response to groundwater compliance limits upgradient from WML site	18/09/2019

Table S1.2b Operating techniques (Activity AR9)		
Description	Parts	Date Received
Permit Variation EPR/PP3734SE/V008	Documents provided in response to section 3a – technical standards, Part C3 of the application form.	28/03/18
	Approved waste recovery plan document (reference Cranford Landfill Waste Recovery Plan, 66338R1, dated December 2017)	28/03/18
	Environmental Setting and Installation Design Report (ESID) (version 1, dated March 2018)	28/03/18
	Waste acceptance procedure (version 1, dated March 2018)	28/03/18
	Operational Surface Water Management Plan (version 1, dated March 2018)	28/03/18
	Particulate Matter Management and Monitoring (version 1, dated March 2018)	28/03/18
	Final levels contour plan (reference Crn-P2-1017-01, dated October 2017, contained within HRAR 65883R1, March 2018)	28/03/18
Response to Schedule 5 Notice dated 09/11/18 EPR/PP3734SE/V008	Appendix E, Valley infill project – Isopachyte Contours, (reference Cm-ISO-1118-01, November 2018)	25/01/19
Response to Schedule 5 Notice dated 29/05/2019 EPR/PP3734SE/V008	Leachate Management Plan, July 2019, Monitoring Management Plan, July 2019	18/07/19

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
1	The operator shall submit to the Environment Agency in writing for approval a restoration plan for the site which includes waste quantities, waste types, and waste acceptance criteria for wastes for restoration.	Completed 22/05/17

Table S1.4 Pre-operational measures for future development		
Reference	Operation	Pre-operational Measures
PO1	Waste deposit in Cranford Valley	6 weeks prior to the planned infilling start date, submit a revised leachate management plan to the Environment Agency for technical assessment and approval that contains action levels for the leachate monitoring wells G02-G12.

Table S1.5 Annual waste input limits	
Category	Limit Tonnes/ Year
Non-hazardous waste	0
Inert waste	0
Waste for restoration (AR7)	100,000
Waste for waste recovery (AR8)	120,000

Schedule 2 – List of permitted wastes

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	wastes from physical and chemical processing of metalliferous minerals
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 08	dusty and powdery wastes other than those mentioned in 01 03 07
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 07
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 10	dusty and powdery wastes other than those mentioned in 01 04 07
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
01 05 08	chloride-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 01	sludges from washing and cleaning
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 06	animal faeces, urine and manure (including spoiled straw), effluent, collected separately and treated off-site
02 01 07	wastes from forestry
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 01 10	waste metal
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
02 02 01	sludges from washing and cleaning
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
02 02 04	sludges from on-site effluent treatment
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation
02 03 02	wastes from preserving agents
02 03 03	wastes from solvent extraction
02 03 04	materials unsuitable for consumption or processing
02 03 05	sludges from on-site effluent treatment
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
02 04 03	sludges from on-site effluent treatment
02 05	wastes from the dairy products industry
02 05 01	materials unsuitable for consumption or processing
02 05 02	sludges from on-site effluent treatment
02 06	wastes from the baking and confectionery industry
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 06 03	sludges from on-site effluent treatment
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 03	wastes from chemical treatment
02 07 04	materials unsuitable for consumption or processing
02 07 05	sludges from on-site effluent treatment
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 02	green liquor sludge (from recovery of cooking liquor)
03 03 05	de-inking sludges from paper recycling

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10
04	Wastes from the leather, fur and textile industries
04 01	wastes from the leather and fur industry
04 01 02	liming waste
04 01 06	sludges, in particular from on-site effluent treatment containing chromium
04 01 07	sludges, in particular from on-site effluent treatment free of chromium
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
04 02	wastes from the textile industry
04 02 09	wastes from composite materials (impregnated textile, elastomer, plastomer)
04 02 10	organic matter from natural products (for example grease, wax)
04 02 15	wastes from finishing other than those mentioned in 04 02 14
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
05	Wastes from petroleum refining, natural gas purification and pyrolytic treatment of coal
05 01	wastes from petroleum refining
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 01 17	bitumen
05 06	wastes from the pyrolytic treatment of coal
05 06 04	waste from cooling columns
06	Wastes from inorganic chemical processes
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 05	sludges from on-site effluent treatment
06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02
06 09	wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes
06 09 02	phosphorous slag
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
06 11	wastes from the manufacture of inorganic pigments and opacifiers
06 11 01	calcium-based reaction wastes from titanium dioxide production
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 03	carbon black
07	Wastes from organic chemical processes
07 01	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 12	sludges from on-site effluent treatment other than those mentioned in 07 01 11
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 12	sludges from on-site effluent treatment other than those mentioned in 07 02 11
07 02 13	waste plastic
07 02 15	wastes from additives other than those mentioned in 07 02 14
07 03	wastes from the MFSU of organic dyes and pigments (except 06 11)
07 03 12	sludges from on-site effluent treatment other than those mentioned in 07 03 11
07 04	wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides
07 04 12	sludges from on-site effluent treatment other than those mentioned in 07 04 11
07 05	wastes from the MFSU of pharmaceuticals
07 05 12	sludges from on-site effluent treatment other than those mentioned in 07 05 11
07 05 14	solid wastes other than those mentioned in 07 05 13
07 06	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 12	sludges from on-site effluent treatment other than those mentioned in 07 06 11
07 07	wastes from the MFSU of fine chemicals and chemical products not otherwise specified
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks
08 01	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 01	waste coating powders
08 02 02	aqueous sludges containing ceramic materials
08 03	wastes from MFSU of printing inks
08 03 07	aqueous sludges containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 15	ink sludges other than those mentioned in 08 03 14

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
10	Wastes from thermal processes
10 01	wastes from power stations and other combustion plants (except 19)
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 02	coal fly ash
10 01 03	fly ash from peat and untreated wood
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 17	fly ash from co-incineration other than those mentioned in 10 01 16
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 21	sludges from on-site effluent treatment other than those mentioned in 10 01 20
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 24	sands from fluidised beds
10 01 25	wastes from fuel storage and preparation of coal-fired power plants
10 01 26	wastes from cooling-water treatment
10 02	wastes from the iron and steel industry
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	wastes from aluminium thermal metallurgy
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 20	flue-gas dust other than those mentioned in 10 03 19
10 03 22	other particulates and dust (including ball-mill dust) other than those mentioned in 10 03 21
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	wastes from zinc thermal metallurgy
10 05 01	slags from primary and secondary production
10 05 04	other particulates and dust
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	wastes from copper thermal metallurgy
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 04	other particulates and dust
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 04	other particulates and dust
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	wastes from other non-ferrous thermal metallurgy
10 08 04	particulates and dust
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 16	flue-gas dust other than those mentioned in 10 08 15
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
10 09	wastes from casting of ferrous pieces
10 09 03	furnace slag
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 10	flue-gas dust other than those mentioned in 10 09 09
10 09 12	other particulates other than those mentioned in 10 09 11
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	wastes from casting of non-ferrous pieces
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 10	flue-gas dust other than those mentioned in 10 10 09
10 10 12	other particulates other than those mentioned in 10 10 11
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	wastes from manufacture of glass and glass products
10 11 03	waste glass-based fibrous materials
10 11 05	particulates and dust
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 14	glass-polishing and -grinding sludge other than those mentioned in 10 11 13
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 03	particulates and dust
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 12 13	sludge from on-site effluent treatment

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 06	particulates and dust (except 10 13 12 and 10 13 13)
10 13 07	sludges and filter cakes from gas treatment
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 14	degreasing wastes other than those mentioned in 11 01 13
11 02	wastes from non-ferrous hydrometallurgical processes
11 02 03	wastes from the production of anodes for aqueous electrolytical processes
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
11 05	wastes from hot galvanising processes
11 05 01	hard zinc
11 05 02	zinc ash
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	ferrous metal filings and turnings
12 01 02	ferrous metal dust and particles
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metal dust and particles
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 15	machining sludges other than those mentioned in 12 01 14
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	end-of-life tyres
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 17	ferrous metal
16 01 18	non-ferrous metal
16 01 19	plastic
16 01 20	glass
16 02	wastes from electrical and electronic equipment
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 08	spent catalysts
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)
16 08 03	spent catalysts containing transition metals or transition metal compounds not otherwise specified
16 11	waste linings and refractories
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 06	dredging spoil other than those mentioned in 17 05 05
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
18	Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)
18 01	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, linen, disposable clothing, diapers)
18 02	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 03	wastes whose collection and disposal is not subject to special requirements in order to prevent infection
18 02 06	chemicals other than those mentioned in 18 02 05
19	Wastes from waste management facilities, off-site waste water treatment plants

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
	and the preparation of water intended for human consumption and water for industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 14	fly ash other than those mentioned in 19 01 13
19 01 16	boiler dust other than those mentioned in 19 01 15
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 03	stabilised/solidified wastes¹
19 03 05	stabilised wastes other than those mentioned in 19 03 04
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 05	wastes from aerobic treatment of solid wastes
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 06	wastes from anaerobic treatment of waste
19 06 04	digestate from anaerobic treatment of municipal waste
19 06 06	digestate from anaerobic treatment of animal and vegetable waste
19 08	wastes from waste water treatment plants not otherwise specified
19 08 01	screenings
19 08 02	waste from desanding
19 08 05	sludges from treatment of urban waste water
19 08 12	sludges from biological treatment of industrial waste water other than those mentioned in 19 08 11
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 01	solid waste from primary filtration and screenings

¹ Stabilisation processes change the dangerousness of the constituents in the waste and thus transform hazardous waste into non-hazardous waste. Solidification processes only change the physical state of the waste (e.g. liquid into solid) by using additives without changing the chemical properties of the waste.

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
19 09 02	sludges from water clarification
19 09 03	sludges from decarbonation
19 09 04	spent activated carbon
19 09 05	saturated or spent ion exchange resins
19 09 06	solutions and sludges from regeneration of ion exchangers
19 10	wastes from shredding of metal-containing wastes
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03
19 10 06	other fractions other than those mentioned in 19 10 05
19 11	wastes from oil regeneration
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 25	edible oil and fat
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27

Table S2.1 Permitted waste types for disposal at a landfill for non-hazardous waste (Activity AR1)	
Waste code	Description
20 01 30	detergents other than those mentioned in 20 01 29
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 04	septic tank sludge
20 03 06	waste from sewage cleaning
20 03 07	bulky waste

Table S2.2 Permitted waste types for restoration (Activity AR7)	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 03	wastes from pulp, paper and cardboard production and processing
03 03 05	de-inking sludges from paper recycling
03 03 09	lime mud waste
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03

Table S2.2 Permitted waste types for restoration (Activity AR7)	
Waste code	Description
17 05 06	dredging spoil other than those mentioned in 17 05 05
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 05	wastes from aerobic treatment of solid wastes
19 05 03	off-specification compost
19 08	wastes from waste water treatment plants not otherwise specified
19 08 05	sludges from treatment of urban waste water
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 02	sludges from water clarification
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 09	minerals (for example sand, stones)
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 02	garden and park wastes (including cemetery waste)
20 02 02	soil and stones

Table S2.3 Permitted waste types for waste recovery activity (Activity AR9)	
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
10	Wastes from thermal processes
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)

Table S2.3 Permitted waste types for waste recovery activity (Activity AR9)	
Waste code	Description
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 14	waste concrete and concrete sludge
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 20	glass
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 02	glass
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 05	glass
19 12 09	minerals (for example sand, stones)
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 02	glass
20 02	garden and park wastes (including cemetery waste)
20 02 02	soil and stones

Schedule 3 – Emissions and monitoring

Table S3.1a Leachate level limits and monitoring requirements (AR1-AR7 only)			
Monitoring point reference/Description*	Limit	Monitoring frequency	Monitoring standard and method
Non Operational Cells or Phases (Any cells or phases that have a final engineered cap agreed in accordance with the landfill engineering conditions, 2.5)			
Leachate compliance and monitoring points LM4A(R), LM5A (R2), LM5B(R2), LW9R and LM9AR	2m above cell base	In accordance with PO1 ⁺	As specified in Environment Agency Guidance TGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
Leachate compliance and monitoring points LM3A(R2), LM3B(R), LM4A(R), LM4B(R), LM5A (R2), LM5B(R2), LM6A(R2), LM6B(R2), LM7B(R), LW7(R), LM8A(R), LM8B(R), LW9R and LM9AR	2m above cell base	Quarterly	
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008			
+ for the duration of activity AR9 only and the following 6 month period, unless otherwise agreed in writing with the Environment Agency.			

Table S3.1b Leachate level limits and monitoring requirements (AR8 only)			
Monitoring point reference/Description*	Limit*	Monitoring frequency	Monitoring standard and method
Non Operational Cells or Phases (Any cells or phases that have a final engineered cap agreed in accordance with the landfill engineering conditions, 2.5)			
LC1	77.5m AOD	Every 2 weeks *	As specified in Environment Agency Guidance TGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
G07, G08, G09, G10, G11, G12	TBC on completion of PO1		
LC2	75m AOD	Weekly*	
G02, G03, G04, G05, G06	TBC on completion of PO1		
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008, for the duration of activity AR9 only and the following 6 month period, unless otherwise agreed in writing with the Environment Agency.			

Table S3.2 Point source emissions to air – emission limits and monitoring requirements (AR1-AR7 only)						
Emission point Ref. & Location*	Parameter	Source	Limit (including unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Landfill Gas engines A1 and A3	Oxides of Nitrogen	Gas utilisation plant	500 mg/m ³	Hourly mean	Annually	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency
	CO		1400 mg/m ³			
	Total VOCs		1000 mg/m ³			
Landfill Gas Flare A2	Oxides of Nitrogen	Landfill Gas Flares	150 mg/m ³	Hourly mean	Annually	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency. Monitoring is unnecessary where the flare is active for <10% of the year. Permanent sample points are not required at this location.
	CO		50 mg/m ³			
	Total VOCs		10 mg/m ³			

* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008

Table S3.3 Point source emissions to water (other than sewer) – emission limits and monitoring requirements (AR1-AR7 only)						
Emission point Ref. & Location*	Parameter	Source	Limit (incl unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
CR/CSO, CR/CME2, CR/CSI and CR/AB	Total suspended solids	Surface water run-off	50 mg/l	Spot Sample	Quarterly	As per LFTGN02 issued February 2003 'Guidance on Monitoring of Landfill Leachate, Groundwater and Surface Water'.
	Ammoniacal Nitrogen	Surface water run-off	1.0 mg/l	Spot Sample	Quarterly	As per H1 Technical Annex to Annex J3: v 2.1 Dec 2011 'Hydrogeological Risk Assessments For Landfills and the Derivation of Groundwater Control Levels and Compliance Limits'.

* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008

Table S3.4a Groundwater – emission limits and monitoring requirements (AR1-AR7 only)					
Monitoring point reference*	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
CR/203, CR/101(R) and CR/13	Cadmium	0.0015mg/l	Spot Sample	Quarterly	As specified in Environment Agency Guidance TGN02 ‘Monitoring of Landfill Leachate, Groundwater and Surface Water’ (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Xylene	0.003mg/l			
	Chloride	300mg/l			
	Manganese	9.02mg/l			
	Phenol	0.15mg/l			
	Ammoniacal Nitrogen	9.66mg/l			
	Mecoprop	0.00012mg/l			
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008					

Table S3.4b Groundwater – emission limits and monitoring requirements (AR8 only)					
Monitoring point reference*	Parameter	Limit (incl. unit)*	Reference Period	Monitoring frequency*	Monitoring standard or method
CR/102 and CR/103	Cadmium	0.0014 mg/l	Spot Sample	Monthly for period of AR9 and minimum of 6 months after reducing to quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Xylene	0.0165 mg/l			
	Chloride	1,350 mg/l			
	Manganese	0.9 mg/l			
	Phenol	0.22 mg/l			
	Mecoprop	0.068 mg/l			
	Ammoniacal Nitrogen	650 mg/l			
CR/10	Cadmium	0.0013 mg/l	Spot Sample	Monthly for period of AR9 and minimum of 6 months after reducing to quarterly	
	Xylene	0.0165 mg/l			
	Chloride	123.2 mg/l			
	Manganese	4.9 mg/l			
	Phenol	0.165 mg/l			
	Mecoprop	0.0009 mg/l			
	Ammoniacal Nitrogen	2.7 mg/l			
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008, for the duration of activity AR9 only and the following 6 month period, unless otherwise agreed in writing with the Environment Agency.					

Table S3.4c Groundwater – emission limits and monitoring requirements (AR9 only)					
Monitoring point reference*	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
CR/201	Cadmium	0.0015mg/l	Spot Sample	Quarterly	As specified in Environment Agency Guidance TGN02 ‘Monitoring of Landfill Leachate, Groundwater and Surface Water’ (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Xylene	0.003mg/l			
	Chloride	300mg/l			
	Manganese	9.02mg/l			
	Phenol	0.15mg/l			
	Ammoniacal Nitrogen	9.66mg/l			
	Mecoprop	0.00012mg/l			
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008					

Table S3.5 Landfill gas in external monitoring boreholes – limits and monitoring requirements (AR1-AR7 only)				
Monitoring point Ref. /description*	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
External gas monitoring points CR/P01, CR/P02, CR/P03, CR/11, CR/11A, CR13, CR/14, CR/16(R), CR/17, CR/18, CR/19, CR/20, CR/22 and CR/101R	Methane	1 %v/v	Monthly	As per LFTGN03 (issued September 2004) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Record whether the ground is: waterlogged frozen snow covered
External gas monitoring point CR/11	Carbon dioxide	13.5 %v/v		
External gas monitoring point CR/11A	Carbon dioxide	6.7 %v/v		
External gas monitoring points CR/P01, CR/P02, CR/P03, CR13, CR/14, CR/16(R), CR/17, CR/18, CR/19, CR/20, CR/22 and CR/101R	Carbon dioxide	no limit set		
All external gas monitoring points	Oxygen	no limit		
	Atmospheric pressure	no limit		
	Differential Pressure	no limit		
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008				

Table S3.6 Particulate matter in ambient air - monitoring requirements (AR1-AR7 only)					
Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
D1, D2 and D3 as shown on Monitoring Point Location Plan submitted with EPR/PP3734SE/V008	Deposited dust	200mg/m ³	Daily average	Monthly until infill and restoration is complete	In accordance with technical guidance note M17 Monitoring Particulate Matter in Ambient Air around Waste Facilities version 2 July 2013 or M8 Monitoring Ambient Air Version 2 May 2011

Table S3.7 Landfill gas emissions from capped surfaces for cells that have accepted non-hazardous biodegradable waste – monitoring requirements (AR1-AR7 only)			
Monitoring point Ref. /description	Parameter	Monitoring frequency	Monitoring Standard or method
Permanently capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Temporarily capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Whole site	Total methane emission	As agreed with the Environment Agency	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Uncapped areas	Methane concentration	Every 12 months	As agreed with the Environment Agency based on the wording of revised LFTGN 07 or landfill sector guidance or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Table S3.8 Groundwater – other monitoring requirements				
Monitoring Point Ref./Description	Parameter	Monitoring frequency	Monitoring standard or method	
Up gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011), or such other subsequent guidance as may be agreed in writing with the Environment Agency.	
	Total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese, mecoprop, phenol, xylene	Annually		
	Hazardous substances	Annually for first six years of operation		
Down or cross gradient MEPP	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011), or such other subsequent guidance as may be agreed in writing with the Environment Agency.	
	Total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese, mecoprop, phenol, xylene	Annually		
	Hazardous substances detected in leachate	Annually for first six years of operation then every two years	After the initial 6 year monitoring period for hazardous substances, if the results of quarterly or annual monitoring suggest an increase in contamination, the operator shall also undertake a full leachate hazardous substances screen.	
MEPP	Base of monitoring point (mAoD)	Annually		

Table S3.9 Landfill gas – other monitoring requirements				
Monitoring Point Ref./Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications

Table S3.9 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
In waste gas monitoring boreholes or sealed leachate wells or sacrificial gas extraction system in cells for non-hazardous waste	Methane Carbon Dioxide Oxygen Carbon Monoxide Differential pressure Atmospheric pressure	Monthly until gas extraction commences	Calibrated handheld monitoring instrument	For cells or phases which have no active gas extraction. Gas extraction system shall be installed and extraction commenced once monitoring shows onset of methane production in waste at a rate that can be sustainably extracted. Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring.
	Hydrogen sulphide	Quarterly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (version 3 dated 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	For cells or phases which have no active gas extraction. Once gas extraction has commenced in a particular cell or phase, there is no longer a requirement to carry out this monitoring. Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans
Gas collection system at well control valve, manifolds (if applicable) and strategic points on gas system	Methane Carbon Dioxide Oxygen Carbon Monoxide Atmospheric pressure Gas flow rate or suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Monthly or at such other frequency as may be agreed in writing with the Environment Agency.	Calibrated handheld monitoring instrument	Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken. Where the concentration of carbon monoxide exceeds 100ppm then further investigation shall be undertake Record the ambient air temperature and whether the ground is: waterlogged frozen snow covered

Table S3.9 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Gas collection system at well control valve	Hydrogen sulphide	Six monthly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 (version 3 dated 2010) or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	Concentrations of hydrogen sulphide shall be assessed in accordance with the gas and odour management plans
Input to flare or LFG Utilisation Compound	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 (version 3 dated 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency [or a trace gas characterisation method agreed with the Environment Agency].	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.
Input to flare or LFG Utilisation Compound	Methane Carbon Dioxide Oxygen Gas flow rate Suction % Balance Gas (calculated as the difference between the sum of measured gases and 100%)	Weekly	-	Where the oxygen concentration exceeds 5% or the % balance gas is greater than 20% an assessment of air ingress into the system shall be undertaken.

Table S3.9 Landfill gas – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
A2 Landfill Gas Flare as shown on Monitoring Point Location Plan submitted with EPR/PP3734SE/V008	Temperature	As per LFTGN05 (version 2 dated 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.	As per M2 or such other subsequent guidance as may be agreed in writing with the Environment Agency.	-
A1 and A3 Landfill Gas engines post turbo as shown on Monitoring Point Location Plan submitted with EPR/PP3734SE/V008	NOx and CO	Quarterly	In accordance with Appendix C of LFTGN08, version 2: 2010 or such other subsequent guidance as may be agreed in writing with the Environment Agency.	Where monitoring using hand-held, electrochemical equipment indicates an exceedance of the emissions standards specified in Table S3.2, these shall be used as action levels and the operator shall investigate the cause and take appropriate measures to reduce emissions.

Table S3.10 Leachate – other monitoring requirements				
Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
WML landfill				
LC2	pH, electrical conductivity, ammoniacal nitrogen, chloride, COD, BOD, cadmium, nickel, manganese, mecoprop, phenol, xylene	In line with PO1	As specified in Environment Agency Guidance TGN02 (February 2003) and Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) with one sampling point per cell / phase or such other subsequent guidance as may be agreed in writing with the Environment Agency.	-
LC1	pH, electrical conductivity, ammoniacal nitrogen, chloride, COD, BOD, cadmium, nickel, manganese, mecoprop, phenol, xylene	In line with PO1		
MEPP	Depth to base (mAoD)	Annually		

Table S3.10 Leachate – other monitoring requirements				
Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Non Operational Cells or Phases (Any cell or phases that have a final engineered cap agreed in accordance with landfill engineering conditions, 2.5)				
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese, temperature, TOC, TON, phenol, mecoprop, xylene	Annually	As specified in Environment Agency Guidance TGN02 (February 2003) and Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J3, version 2.1, Dec 2011) with one sampling point per cell / phase or such other subsequent guidance as may be agreed in writing with the Environment Agency.	-
	Hazardous substances	Once every four years		
	Depth to base (mAoD)	Annually		
* as shown on Cranford Infill Project Monitoring Point Locations plan, dated July 2019, ref Crn-MON-0719-01 submitted with EPR/PP3734SE/V008, for the duration of activity AR9 only and the following 6 month period, unless otherwise agreed in writing with the Environment Agency.				

Table S3.11 Surface water – other monitoring requirements				
Monitoring Point Ref. /Description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
MEPP	Ammoniacal nitrogen Chloride Suspended Solids Visual Oil and Grease pH electrical conductivity	Monthly	Spot sample	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003) and Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, (Annex J3, version 2.1, Dec 2011) or such other subsequent guidance as may be agreed in writing with the Environment Agency.

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period	Period ends
Leachate level As specified by schedule 3, tables S3.1a and S3.1b	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to air As specified by schedule 3, table S3.2	Every 12 months	31 December
Point source emission to water (other than sewer) As specified by schedule 3, table S3.3	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission to groundwater As specified by schedule 3, tables S3.4a, S3.4b and S3.4c	Every 3 months	31 March, 30 June, 30 September, 31 December
Landfill gas in external monitoring boreholes As specified by schedule 3, table S3.5	Every 3 months	31 March, 30 June, 30 September, 31 December
Particulate matter in ambient air As required by schedule 3, table S3.6	Every 6 months	30 June, 31 December
Emission of landfill gas from capped surfaces As specified by schedule 3, table S3.7	Every 12 months	31 December
Other groundwater monitoring As specified by schedule 3, table S3.8	Every 3 months	31 March, 30 June, 30 September, 31 December
Other Landfill gas monitoring As specified by schedule 3, table S3.9	Every 3 months	31 March, 30 June, 30 September, 31 December
Trace gas monitoring	Every 12 months	31 December
Other leachate monitoring As specified by schedule 3, table S3.10	Every 12 months	31 December
Other surface water monitoring As specified by schedule 3, table S3.11	Every 12 months	31 December
Meteorological data Landfill Directive, annex III, section 2	Every 12 months	31 December

* - where the reporting period is 12 months, you may submit this information as part of the 'annual report' required by condition 4.2.2.

Table S4.2 Annual production/treatment	
Leachate: <ul style="list-style-type: none"> • Disposed of offsite; • Recirculated into the waste mass. 	Cubic metres/year
Landfill gas: <ul style="list-style-type: none"> • combustion in flares; • combustion in gas engines; • Other methods of gas utilisation. Average methane content entering the landfill gas utilisation or treatment compound (based on the annual average of Table S3.9 monitoring) Methane generation rate (50%ile from a representative model)	Normalised cubic metres/year % methane v/v m ³ /hr

Table S4.3 Performance Parameters			
Parameter	Frequency of assessment	Annual total	Unit
Energy used (including for leachate treatment)	Annually	-	MWh of electricity or natural gas

Table S4.4 Reporting Forms		
Media/parameter	Reporting Format	Date of Form
Leachate	Form Leachate1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Air	Form Air1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Energy	Form Energy1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Controlled water	Form Water1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Groundwater	Form Groundwater1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Landfill gas	Form LFG1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Particulate matter	Form Particulate1 or other reporting format to be agreed in writing with the Environment Agency	05/03/2020
Waste Return	Waste Return Form RATS2E	-
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	-

Schedule 5 – Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment	
To be notified within 24 hours of detection	
Date and Time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“annually” means once every year.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“backfilling” means the use of uncontaminated excavated material to fill in hollows or depressions that have resulted from uneven settlement of the waste mass.

“background concentration” means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

“cell layout drawing” means:

(a) A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:

- (i) the location of the new cell on the site;
- (ii) the proposed level (Above Ordnance Datum) of the base of the excavation;
- (iii) the proposed finished levels of all containment and leachate drainage layers;
- (iv) the positions of leachate management infrastructure; and
- (v) the positions of landfill gas infrastructure (if appropriate).

(b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:

- (i) changes to slope length and gradient within the cell;
- (ii) new leachate or landfill gas infrastructure construction design;
- (iii) slope stability issues such as new basal excavation level; and/or
- (iv) depth of waste.

“construction proposals” means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

“convenient access” means that the operator or other appropriate person can obtain and review the content of a document at short notice.

“CQA Validation Report” means the final “as built” construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;

- Plans showing the location of all tests;
- “As-built” plans and sections of the works;
- Copies of the site engineer’s daily records;
- Records of any problems or non-compliances and the solution applied;
- Any other site specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154 and words and expressions used in this permit which are also used in those Regulations have the same meanings as in those Regulations.

“exceeded” means that a value is above a permitted limit, or where a range of values or a minimum value is set as a permitted limit it means a value outside that range or below the minimum value, whichever is applicable.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous substances” as defined by the Environmental Permitting (England and Wales) Regulations 2016, SI 2016 No.1154, schedule 22 and listed in our Hydrogeological risk assessment guidance.

“inert waste” means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

“landfill Infrastructure” means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation.

within the site.

“LFTGN 05” means Environment Agency Guidance for monitoring enclosed landfill gas flares.

“LFTGN 07” means Environment Agency Guidance on monitoring landfill gas surface emissions.

“LFTGN 08” means Environment Agency Guidance for monitoring landfill gas engines.

“liquids” means any liquid other than leachate within the engineered landfill containment system.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“M2” means Environment Agency Guidance Monitoring of stack emissions to air.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“medicinal product” means any medicine licensed by the Medicines and Healthcare products Regulatory Agency (MHRA) or their predecessors under the Medicines Act 1968, section 130.

“MEPP” Monitoring and extraction point plan, required by condition 4.2.2(h) to specify extraction points and routine monitoring locations.

“new cell” means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

“no impact” means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

“operating technique” means any written document, technique or plan that describes how the operator will manage the permitted activities to prevent or minimise pollution and report to the regulator.

“pests” means birds, vermin and insects.

“previous year” means the 12 month period preceding the month the annual report is submitted in.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“relevant waste acceptance procedures” means the procedure for the acceptance of waste at landfills and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

“relevant waste acceptance criteria” means the waste acceptance criteria and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

“review of the Hydrogeological Risk Assessment” (HRA) means a written review of the hydrogeological risk assessment included in the Application, together with any other parts of the Application that addressed the requirements of the EP Regulations, schedule 22 or previous equivalent requirements (e.g. Waste

Management Licensing Regulations 1994, Regulation 15). An HRA may have been previously referred to as a Reg 15 assessment, or a groundwater assessment or investigation.

“sustainably extracted” means where suction can be applied to the extraction wells such that a flow rate of landfill gas, with a methane content capable of either being combusted, or treated by bio-oxidation, can be extracted without increasing the risk of air ingress to the waste or inducing aerobic degradation within the waste.

“waste code” - See ‘List of Wastes’.

“WFD” means Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste [and repealing certain Directives] – the Waste Framework Directive.

“Written Management System” means a written document or documents that identify and minimise the risk of pollution;

- arising from the operation (in aftercare)
- arising from an accident or incident
- arising from failure to comply with this permit
- identified following a complaint

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.

Where the following terms appear in the waste code list in schedule 2, tables S2.1, S2.2 or S2.3 they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“polychlorinated biphenyls and polychlorinated terphenyls” (‘PCBs’) means PCBs as defined in Article 2(a) of Council Directive 96/59/EC’.

Article 2(a) says that ‘PCBs’ means:

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromodiphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 % by weight.


“transition metals” means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“stabilisation” means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

“solidification” means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

“partly stabilised wastes” means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan



© Crown Copyright. All rights reserved. Environment Agency, 100026380, 2020.

END OF PERMIT

Permit number
EPR/PP3734SE

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Leachate1 / 05/03/2020

Reporting of leachate monitoring for the period from DD/MM/YYYY to DD/MM/YYYY

Monitoring Point	Substance / Parameter	Compliance limit	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Air1 / 05/03/2020

Reporting of emissions to air for the period from DD/MM/YYYY to DD/MM/YYYY

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Energy1 / 05/03/2020

Reporting of Energy Usage for the year YYYY

Energy Source	Energy Usage		Specific Usage (MWh/unit output)
	Quantity	Primary Energy (MWh)	
Electricity *	MWh		
Natural Gas	MWh		
Gas Oil	tonnes		
Recovered Fuel Oil	tonnes		
TOTAL	-		

* Conversion factor for delivered electricity to primary energy = 2.4

Operator's comments:

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Water1 / 05/03/2020

Reporting of emissions to water (other than to sewer) and land for the period from DD/MM/YYYY to DD/MM/YYYY

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Groundwater1 / 05/03/2020

Reporting of groundwater monitoring for the period from DD/MM/YYYY to DD/MM/YYYY

Monitoring Point	Substance / Parameter	Trigger level	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: LFG1 / 05/03/2020

Reporting of landfill gas monitoring for the period from DD/MM/YYYY to DD/MM/YYYY

Monitoring Point	Substance / Parameter	Compliance limit	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: EPR/PP3734SE

Operator: SUEZ

Facility: Cranford Landfill

Form Number: Particulate1 / 05/03/2020

Reporting of particulates for the period from DD/MM/YYYY to DD/MM/YYYY

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]

1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed

Date.....

(Authorised to sign as representative of Operator)