## **Publication withdrawn**

This form was withdrawn in April 2024.

For up-to-date information about the National Drug Treatment Monitoring System (NDTMS), see core data set documentation on the NDTMS website.

ADULT COMBINED REVIEW FORM - TREATMENT OUTCOMES PROFILE (TO								OFILE (TOP)
Public Health CLIENT REF		KEYWOI	RKER			DOB		
⊨ng	land sex M	F	START	REVIEW	EXIT	POST EXIT	DATE	
	To be completed at treatr	nent sta		_ (		_		he client
Use 'N/A	A' only if the client does not disclose information or does no	ot answer						
	Record the number of using days in each of the past 4 w and the average amount used on a using day	eeks	Week 4	Week 3	Week 2	Week 1	Average / day	Total
	A. Alcohol		0-7	0-7	0-7	0-7	UNITS	0-28
SE	B. Opiates/Opioids (Illicit) Includes street heroin and non-prescribed opioids	0-7	0-7	0-7	0-7	G	0-28	
SUBSTANCE USE	C. Crack	0-7	0-7	0-7	0-7	G	0-28	
ANC	D. Cocaine		0-7	0-7	0-7	0-7	G	0-28
3ST,	E. Amphetamines	0-7	0-7	0-7	0-7	G	0-28	
SUE	F. Cannabis		0-7	0-7	0-7	0-7	SPLIFFS	0-28
	G. Other substance. Specify:		0-7	0-7	0-7	0-7	G	0-28
	H. Tobacco In any form and when combined with other substances		0-7	0-7	0-7	0-7		0-28
	in any form and when combined with other substances							
<u>6</u>	Record number of days client injected non-prescribed d	rugs during th	ne past 4 weeks.					
NIL	A. Injected		0-7	0-7	0-7	0-7		0-28
NJECTING	B. Injected with a needle or syringe u	-	•	•	es	No	If either answer is 'Yes', record 'Y'.	Y/N
=	C. Injected using a spoon, water or fi	ilei useu	by somebou	y eise Y	es	No	Otherwise record	I'N'
	A. Client's rating psychological health	0 1	2 3 4 5	6 7 8	9 10 11 12	13 14 15 16	6 17 18 19 20	
	(Anxiety, depression, problem emotions and feelings)	Poor					Good	0-20
ပ	Record days worked or at college or school in the past	4 weeks	Week 4	Week 3	Week 2	Week 1		
OCIAL FUNCTIONING	B. Days in paid work		0-7	0-7	0-7	0-7		0-28
TIO	C. Days in volunteering		0-7	0-7	0-7	0-7		0-28
JNC	D. Days in unpaid structured work pla	cement	0-7	0-7	0-7	0-7		0-28
LFI	E. Days attended college or school		0-7	0-7	0-7	0-7		0-28
CIA	F. Client's rating Physical Health (Extent of physical symptoms and bothered by illness)	0 1	2 3 4 5		9 10 11 12	13 14 15 16	3 17 18 19 20	
Ś	Record accommodation status for the past 4 weeks	Poor					Good	0-20
ж Н	G. Acute housing problem			Y	es	No		Y/N
нЕАLТН	H. Unsuitable housing  Housing situation that is likely to have a negative impac	t an baaltb		Y	es	No		Y/N
Ή	and wellbeing and / or on the likelihood of achieving rec							
	I. At risk of eviction				es	No		Y/N
	J. Client's rating overall quality of life (For example, able to enjoy life, gets on with family and partner)	0 1 L L Poor	2 3 4 5	6 7 8	9 10 11 12 	13 14 15 16 	6 17 18 19 20 	0-20
	W THINGS TO REMEMBER							

- the red shaded boxes are the only information that gets sent to PHE
- week 4 is the most recent week; week 1 is the least recent
- the Treatment Start TOP should always capture pre-treatment drug use, so it is important that the recall period is the 28 days before the treatment start date. Not doing this will skew outcomes as there is likely to be a lower baseline.

## Alcohol units converter

Drink	%ABV	Units
Pint ordinary strength lager, beer or cider	3.5	2
Pint strong lager, beer or cider	5	3
440ml can ordinary strength lager	3.5	1.5
440ml can strong lager, beer or cider	5	2
440ml can super strength lager or cider	9	4
1 litre bottle ordinary strength cider	5	5
1 litre bottle strong cider	9	9

Drink	%ABV	Units
Glass of wine (175ml)	12	2
Large glass of wine (250ml)	12	3
Bottle of wine (750ml)	12	10
Single measure of spirits (25ml)	40	1
Bottle of spirits (750ml)	40	30
275ml bottle alcopops	5	1.5

		ADULT	COMBINE	ED RE	VIEW	FORM - C	CLIE	NT INFORM	ATIO	N REVIEW (C	IR)	
>u	bl	ic Health CLIENT R	EF	CIR	DATE			STAGE: PARTIA	AL	FULL (6 monthly)		
Ξn	gl	and Can be c	ompleted wh	nen any	of the a	inswers cha	inge (	(partial), and at	least	every 6 months (f	full)	
		Hep B intervention status						Started vaccinations		Completed course		
			Offered & refu	sed								
			Immunised alr	eady								
			Not offered									
			Not appropriat	te to offer								
		Deferred- clinical reason										
		Hep C intervention status^Offered & accepted:			Not yet h	nad a test		Had a hep C test				
	ממ	Offered & refused										
Ì	ď	Not offered										
		Not appropriate to offer										
			Deferred- clini	cal reason								
		Latest hep C test date										
		Hep C test result antibod	y status Hep	Positive		Negative		Unknown				
		C test result for PCR (RN	A) status	Positive		Never infected		Cleared by treatmer	ıt	Unknown		
		Client referred for hep C	treatment^	Yes		No						
		HIV positive^		Yes		No		Unknown		Declined to answer		
			То	be com	pleted a	nt least ever	y 6 m	onths				
	E	Referred for investigation	n for alcohol-r	elated liv	or	Van		NI-				
ı	Į	disease in the last 6 mon		ciated iiv	O.	Yes	$\Box$	No		Unknown	$\cup$	
	HEALIH	Latest health care assess	sment date									
		Handbardhardhardhard	-l!4ll	Yes:	Nasal r	naloxone		Injectable naloxone		Nasal and injectable		
ļ	Щ.	Has the client been issue in the last 6 months?	a with naioxo	ne No:	-	in possession	$\equiv$	Assessed as not	$\exists$	Service does not		
	HOXO OXO				of adec	uate naloxone	$\cup$	appropriate		provide naloxone		
		Has the client been admir		Vaa		Nie		Links arm		Dealined to answer		
E	₹ Z	naloxone to reverse the e overdose in the last 6 mo		Yes		No	$\cup$	Unknown		Declined to answer	$\cup$	
							_					
		Pregnant?				Yes		No				
		Parental responsibility fo	r a child aged	under 18	3 years?	^ Yes		No		Declined to answer		
١,	n	Do any of these children	live with clien	t? All		Some		None		Declined to answer		
	SAFEGUARDING	How many children unde	r 18 in total liv	e in the s	same		0.30	Undisclosed numbe	, C	Declined to answer		
	Y A	house as the client?^					0-30	Ondisclosed numbe		Beomined to unlower	$\cup$	
	ב פ	What help are the	Early help									
E	Ĭ Ļ	client's children/ children living with the	Child in need									
	2	client receiving?	CPP									
			Looked after o	hild								
		(record up to 3 options)	None receiving	g any help								
			Declined to an	nswer								
		Does client have a menta	ıl health treatn	nent need	d?^	Yes		No		Declined to answer		
ı	E											
	HEALIA	Is client receiving	•	Community mental health team  Improved Access to Psychological Therapy (IAPT)								
		treatment for their		•	_		)		$\vdash$			
	A	mental health need?	_	Receiving mental health treatment from GP								
	MENIAL	(If yes, tick most	_	eceiving NICE recommended intervention as space in health based place of safety for crises								
	Ž	significant Intervention)		Treatment need identified but no treatment being received								
			Client declined			g			$\equiv$			

<sup>^</sup> indicates that field completion is required if completing a 'full' CIR.



## ADULT COMBINED REVIEW FORM - SUB INTERVENTION REVIEW (SIR)

Public Health CLIENT REF England

To be completed at 6 monthly review and exit by the keyworker (client doesn't need to be present)

Tick all sub interventions delivered and record current daily dose if applicable

		ered and record current da	ny dose ii uppiie	, and the same of			
	Drug	Purpose		Drug	Purpose		
	Methadone (oral solution)*	Opioid assessment & stabilisation			Benzodiazepine maintenance		
		Opioid withdrawal		Benzodiazepine	Stimulant withdrawal		
		Opioid maintenance			GHB/GBL withdrawal		
	Current daily dose of lice medication (ml)*	quid oral methadone	ml	Stimulant (such as dexamphetamine)	Stimulant withdrawal		
	D 1:	Opioid assessment & stabilisation		Pregabalin	Gabapentinoid withdrawal		
	Buprenorphine (tablet / wafer) <sup>#</sup>	Opioid withdrawal Opioid maintenance		Gabapentin	Gabapentinoid withdrawal		
٩٢		Opioid assessment &		N 16 ( )	Opioid relapse prevention		
PHARMACOLOGICAL	Buprenorphine (tablet / wafer) with naloxone <sup>#</sup>	stabilisation Opioid withdrawal Opioid maintenance		Naltrexone (oral)	Alcohol relapse prevention/consumption reduction		
MAC	O	<u>'</u>		Chlordiazepoxide	Alcohol withdrawal		
HARI	Current daily dose of or medication (mg)#	rai buprenorpnine	mg	Diazepam	Alcohol withdrawal		
а.	Is consumption of OST	medication currently		Carbamazepine	Alcohol withdrawal		
	supervised? Should be completed fo has been selected (indi			Other prescribed medication for alcohol withdrawal	Alcohol withdrawal		
	Buprenorphine depot injection (rods or fluid)	Opioid withdrawal Opioid maintenance		Acamprosate	Alcohol relapse prevention		
				Disulfiram	Alcohol relapse prevention		
	Diamorphine injection	Opioid assessment & stabilisation/withdrawal/maintenance		Vitamin B and C supplement	Prevent/treat Wernicke's encephalopathy/Wernicke- Korsakoffs		
	Methadone injection	Opioid assessment and stabilisation/withdrawal/maintenance		Other medication	Any other medication for the treatment of drug or alcohol misuse / dependence / withdrawal / associated symptoms		
۲	Motivational interventio	ns		Psychodynamic therap	ov		
PSYCHOSOCIAL	Contingency managem			12-step work	-,		
SOHO	Family and social netwo	ork		Counselling (BACP ac	credited)		
PSY	Psychosocial for co-exi	sting mental health		Cognitive and behavio			
	Peer support involvement	ent		Recovery check-ups			
)RT	Facilitated access to m	utual aid		Behavioural based rel			
RECOVERY SUPPORT	Family support			Complementary thera			
	Parenting support			Mental health focusse			
	Housing support			Smoking cessation			
	Employment support			Domestic abuse/violer	Domestic abuse/violence support		
	Education and training	support		Client provided with prescribing for relapse			
	Supported work project	'S		prevention (post structured treatment only)			