

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

EPC United Kingdom PLC

Great Oakley Works Great Oakley Harwich Essex CO12 5JW

Variation application number

EPR/BR7607IP/V005

Permit number

EPR/BR7607IP

Great Oakley Works Permit number EPR/BR7607IP

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Changes introduced by this variation notice/statutory review

This variation has been issued to update some of the conditions following a statutory review of the permits in the industry sector for the production of large volume organic chemicals. The opportunity has also been taken to consolidate the original permit and subsequent variations.

The Industrial Emissions Directive (IED) requirement to implement all relevant Best Available Techniques (BAT) conclusions as described in the Commission Implementing Decision came into force on 7th January 2014. The BAT conclusions for production of large volume organic chemicals were published on 07 December 2017 in the Official Journal of the European Union (L323) following a European Union wide review of BAT, implementing decision 2017/2117/EU of 21 November 2017.

Where appropriate, we also considered other relevant BAT Conclusions published prior to this date but not previously included in a permit review for the Installation:-

Common waste water and waste gas treatment/management systems in the chemical sector. Published 09 June 2016

The BAT Conclusions for this installation which apply from 7th December 2021 are: Production of Large Volume Organic Chemicals (LVOC): BATc 2, 8, 10-12, 14, 15, 17-19 Common waste water and waste gas treatment/management systems in the chemical sector (CWW): BATc 1-4, 7-10, 12, 13, 15, 16, 19, 23

The schedules specify the changes made to the permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. Only the variations specified in schedule 1 are subject to a right of appeal.

Brief Description of the process

The primary manufacturing activity is the Fuel Additives Plant (FAP) that manufactures 2-ethylhexyl nitrate (2-EHN) from the related alcohol by a simple high yield nitrification process using nitric and sulphuric acid under Scheduled Activity S4.1 A1(a)(iv). The product is used as a fuel additive to reduce emissions and improve fuel efficiency in diesel engines. The FAP has a manufacturing capacity of 30,000 tonnes per annum (tpa).

Nickel and Vanadium compounds are recovered in a separate manufacturing plant, the Metal Recovery Plant (MRP) under scheduled activity S4.2 A1(a)(iv). This is a dedicated batch plant that utilises waste materials such as spent catalysts or fly ashes as well as the waste acid from the FAP, to make re-usable saleable metal salt products. The plant has a point source emission to air and an aqueous discharge to Bramble Creek. The MRP has a production capacity of 2,000 tpa but has been mothballed for a number of years (so there are currently no emissions to air or water from metals recovery operations).

A sulphuric acid recovery plant using coalescer technology allows the recovery of 77% sulphuric acid from FAP process spent acid as a Directly Associated Activity. The recovered acid is degassed of carbon dioxide

(point source emission to air abated by water scrubber) and other than a small process reuse the bulk is exported off site by tanker as a feedstock for third party use. This by-product is not considered a waste stream. Residual acid is discharged to Bramble Creek tidal estuary via release point W2 along with a dilute acid stream from 2-EHN product washing.

The installation is located on Bramble Island (TM2135326512) approximately 5km SW of Harwich, Essex. The installation is within a Special Protection Area, Ramsar site, Site of Special Scientific Interest and National Nature Reserve (all Hamford Water) and adjacent to Hamford Water Special Area of Conservation. There are no residential receptors within 1km of the installation.

The site EMS is certified to ISO14001:2015.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit				
Description	Date	Comments		
Application BR7607IP	Duly made 23/09/03	Under PPC Regulations 2000		
Request to revise the Multi Product Protocol	Request made 09/12/03	Response dated 26/02/04		
Request to provide a statement of Site Condition	Report dated 12/03/04	Response dated 31/03/04		
Proposal for rebuild of the Fine Chemicals Plant	Received 23/03/04			
Request for further revision of the Multi-Product Protocol	Request dated 18/05/04	Response dated 18/05/04		
Permit BR7607IP determined	Issued 28/05/04			
Variation Application EPR/BR7607IP/V002	Duly made 15/04/10	Under EPR Regulations 2010		
Variation EPR/BR7607IP/V002	Issued 19/01/11	Removal of Fine Chemicals and Semi- Technical plants, Kilo Laboratory and site central boiler from permit. Addition of a Sulphuric Acid Recovery plant.		
Environment Agency initiated variation EPR/BR7607IP/V003	Issued 28/05/13	Environment Agency variation to implement the changes introduced by IED		
Regulation 61 Notice dated 04/05/18 (Notice requiring information for statutory review of permit)	Response received 09/08/18	Response included: Assessment of compliance with LVOC BATc General Section and CWW BATc, Risk assessment considering the possibility of soil and groundwater contamination, and Summary report of the current hazardous pollutant releases to allow an assessment of whether the emissions of hazardous pollutants are significant.		
Further Regulation 61 response	24/01/19	Operator review of existing permit Introductory note, Scheduled Activities, Emission Points, Improvement Conditions and Minor Operational Changes received.		
Variation Application EPR/BR7607IP/V004	Duly Made 20/06/19	Variation to permit temporary increase in W2 discharge volume and content. Received during permit review determination		
Schedule 5 Notice for EPR/BR7607IP/V004	Issued 19/07/19	Response received 07/08/19		

Status log of the permit				
Description	Date	Comments		
Variation EPR/BR7607IP/V004	Issued 10/09/19			
Request for further information	16/09/19	Request for further information relating to Regulation 61 Notice response		
Further information response	18/10/19 20/01/20 13/02/20	Responses received.		
EPR/BR7607IP/V005 (Variation and consolidation)	Environment Agency Initiated Variation	Statutory review of permit occasioned by LVOC BAT Conclusions published 07 December 2017. Includes removal of Production of nitrobenzylacetate.		
Variation determined EPR/BR7607IP/V005 (Billing ref: FP3838QZ)	20/05/20	Varied and consolidated permit issued		

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/BR7607IP

Issued to

EPC United Kingdom PLC ("the operator")

whose registered office is

Venture Crescent Nix's Hill Industrial Estate Alfreton Derbyshire DE55 7RA

company registration number 00084170

to operate an installation at

Great Oakley Works Great Oakley Harwich Essex CO12 5JW

to the extent set out in the schedules.

The notice shall take effect from 20/05/2020

Name	Date
Philip Lamb	20/05/2020

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/BR7607IP

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/BR7607IP/V005 authorising,

EPC United Kingdom PLC ("the operator"),

whose registered office is

Venture Crescent Nix's Hill Industrial Estate Alfreton Derbyshire DE55 7RA

company registration number 00084170

to operate an installation at

Great Oakley Works Great Oakley Harwich Essex CO12 5JW

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Philip Lamb	20/05/2020

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
 - (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.2 Energy efficiency

- 1.2.1 The operator shall:
 - (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) take any further appropriate measures identified by a review.

1.3 Efficient use of raw materials

- 1.3.1 The operator shall:
 - (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
 - (b) maintain records of raw materials and water used in the activities;
 - (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
 - (d) take any further appropriate measures identified by a review.

1.4 Avoidance, recovery and disposal of wastes produced by the activities

- 1.4.1 The operator shall take appropriate measures to ensure that:
 - (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 **Operations**

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.3 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.
- 2.3.4 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
 - (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Pre-operational conditions

2.5.1 The operations specified in schedule 1 table S1.4 shall not commence until the measures specified in that table have been completed]

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1 and S3.2.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.
- 3.1.3 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
 - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
 - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
 - (a) point source emissions specified in tables S3.1 and S3.2;
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.5.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 and S3.2 unless otherwise agreed in writing by the Environment Agency.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
 - (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.
- 4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data;
- (b) the annual production /treatment data set out in schedule 4 table S4.2; and
- (c) the performance parameters set out in schedule 4 table S4.3 using the forms specified in table S4.4 of that schedule.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
 - (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.3 Notifications

- 4.3.1 In the event:
 - (a) that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
 - (i) inform the Environment Agency,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
 - (b) of a breach of any permit condition the operator must immediately-
 - (i) inform the Environment Agency, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
 - (c) of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
 - (a) the Environment Agency shall be notified at least 14 days before making the change; and
 - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.6 The Environment Agency shall be given at least 14 days notice before implementation of any part of the site closure plan.
- 4.3.7 Where the operator has entered into a climate change agreement with the Government, the Environment Agency shall be notified within one month of:
 - (a) a decision by the Secretary of State not to re-certify the agreement;
 - (b) a decision by either the operator or the Secretary of State to terminate the agreement; and
 - (c) any subsequent decision by the Secretary of State to re-certify such an agreement.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1		l	
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
AR1	S4.1 A1(a)(iv)	Continuous process producing 2- Ethyl Hexyl Nitrate	Receipt and storage of raw materials, processing operations to storage and despatch of finished products and disposal of waste, control and abatement systems, also including all reaction and treatment stages in between.
AR2	S4.2 A1(a)(iv)	Producing inorganic chemicals such as vanadium pentoxide, ammonium polyvanadate and nickel hydroxide from power station ash, spent catalysts and other sources.	Receipt and storage of raw materials, processing operations to storage and despatch of finished products and disposal of waste, control and abatement systems, also including all reaction and treatment stages in between.
	Directly Associate	d Activity	
AR3	Recovery of sulphuric acid	Recovery of sulphuric acid from spent acid produced by the Fuel Additives Plant	Receipt of spent acid from the FAF processing operations to storage and despatch of finished products and disposal of waste, control and abatement systems also including all reaction and treatment stages in between.
AR4	Operation of systems for the supply of utilities and services	Operations of systems for the supply of services such as cooling water and refrigeration services, compressed air, inert gases (nitrogen) and electricity.	Site utility and service systems as far as the installation boundary.
AR5	Storage and disposal of aqueous liquid waste.	Storage and disposal of aqueous liquid waste from the Fuels Additive Plant and Metals Recovery Plant to controlled waters of Bramble Creek.	Spent acid and wash water holding tanks, effluent interceptor and effluent holding tank, associated pipework at the discharge outfall.
AR6	Stabilisation of Spent Acid	Direct dilution of spent acid from Fuel Additives Plant	Dilution with water of spent acid including water scrubber abatemer of acid vapours.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Variation Application EPR/BR7607IP/V002	Sections 5.1, 5.2, 5.3, 5.4 and 5.5 of the application document 'Operating Techniques' in response to Section 2a – technical standards, Part C of the application form.	01/04/10
Variation Application EPR/BR7607IP/V002	Sections 6.4, 6.7 and 6.8 of the application document 'Emissions to Air', Water and Land' in response to section 2B, Table 5 – General Requirements, Part C of the application form	01/04/10
Variation Application	Sections 6.4, 6.7 and 6.8 of the application document	01/04/10

Table S1.2 Operating techniques			
Description	Parts	Date Received	
EPR/BR7607IP/V002	'Emissions to Air', Water and Land' detailing abatement equipment		
Variation Application EPR/BR7607IP/V002	Section 10 of the application document 'Environmental Management Systems'	01/04/10	
E-mail titled 'Progress Towards EPR Variation'	Attachment 'Updated Bund Specifications'	22/10/10	
Variation Application EPR/BR7607IP/V004	Application Document - Permit Variation TERP-60595031- 2019-002 dated 3 May 2019	07/05/19	
Schedule 5 notice EPR/BR7607IP/V004	Response to questions: 2, 3, 4, 6, 7, 9, 10, 11, 13, 14	07/08/19	
Response to Regulation 61 notice	BAT Assessment. AECOM Report 60580927-001 Dated 8 August 2018. Section 2 BAT Conclusions Assessment and Section 3 BAT Conclusion Action Plan.	09/08/18	
Response to Regulation 61 notice	Environmental Impact Screening Assessment to Water. AECOM report 60580927-002 Dated 8 August 2018. Section 5 Summary and Recommendations.	09/08/18	
Response to Regulation 61 notice	Environmental Risk Assessment (ERA). Report 60580927- 003 Dated 8 August 2018. Section 6 ERA Conclusions and Section 7 Recommendations.	09/08/18	
Response to Regulation 61 notice	EPC Permit Review AECOM Report TESRP-60595031 Dated 24 January 2019. All Sections.	24/01/19	
Request for further information	Response to questions 1-3 and scrubber design parameters in request for further information e-mail sent 16/09/19	18/10/19	

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date

	Improvement programme requirements	
Reference	Requirement	Date
IC6	The Operator shall submit a report to the Agency detailing the measures to be taken to implement Best Available Techniques for controlling the discharges to water. A H1 BAT assessment of the options shall be undertaken. The report shall include timescales for the implementation of individual measures.	Superseded by IC39
IC7	Following the completion of IC6, the Operator shall implement the changes agreed in writing with the Agency. The work shall be completed within 1 year of the submission of the report presented in accordance with IC6.	Superseded by IC39
IC30	The operator shall submit a report to the Environment Agency detailing the results of sampling and analysis of the vent from the acid vapour scrubber on the Direct Dilution Plant. The report shall include, but not be limited to:	Complete
	 Evidence to show that the Direct Dilution Plant was running at design capacity under typical operating condition at the time of sampling. Measurement of flow. 	
	 Measurement and analysis of total oxides of sulphur as sulphuric acid Measurement and analysis of total oxides of nitrogen as nitric acid 	
	On receipt of the report the Environment Agency shall confirm in writing any change to the sulphuric acid sampling frequency and limit in table S3.1.	
IC31	The operator shall submit a post re-commissioning report to the Environment Agency for the acid recovery plant which shall include, but not be limited to:	07/12/21 or otherwise as agreed in writing with the Environment Agency
	a review of effect of performance of the facility against any relevant conditions of this permit.	
	 details of procedures developed during commissioning for achieving and demonstrating satisfactory process control. 	
	An energy use baseline of the optimised process.	
	On receipt of the report the Environment Agency shall confirm in writing any change to the W2 emission to water flow volume and discharge rate and suspended solids content in table S3.2.	
IC32	The operator shall submit a report to the Environment Agency of plans for re-commissioning of the acid recovery plant which shall include, but not be limited to:	31/12/20 or otherwise as agreed in writing with the
	A summary of the hazard assessment studies.	Environment
	 Controls required to address potential significant safety and environmental impacts. 	Agency
	 Identification of, and dates for, critical points in the project implementation. 	
	An assessment of the expected performance of the re-commissioned plant.	
	On written approval from the Environment Agency the re-commissioning shall be implemented in accordance with the plans.	
IC33	The operator shall submit a report to the Environment Agency detailing the results of sampling and analysis of the outlet to air of the 2-EHN reactor to support the conclusion that running with the reactor naturally breathing directly to atmosphere is equivalent to the BAT of using the original design with abatement equipment. (LVOC BATc 2 and 10)	31/12/20
IC34	The operator shall submit a baseline report compliant with Article 22 of	07/12/21

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	the IED to the Environment Agency, containing information necessary to determine the current state of soil and groundwater contamination. This shall enable a quantified comparison to be made with the state of soil and groundwater contamination upon definitive cessation of activity. In accordance with the submitted Environmental Risk Assessment 60580927-003 Dated 8 August 2018 Section 7 Recommendations (first bullet section) the report should include, but not be limited to:	
	• A review of historic and current potential sources of contamination.	
	• Definition of a Sampling and Monitoring plan for soil and groundwater.	
	 Implementation of the Sampling and Monitoring plan so as to generate a baseline. 	

	able S1.3 Improvement programme requirements		
Reference	Requirement	Date	
IC35	The operator shall submit a report to the Environment Agency detailing progress towards implementation of the recommendations in Section 7 of the submitted Environmental Risk Assessment 60580927-003 Dated 8 August 2018 (other than the first bullet section). (LVOC BATc 18)	30/09/20	
IC36	 The operator shall submit a report to the Environment Agency for approval reviewing the suitability of analytical methods in the permit tables S3.1 and S3.2 (as active after 07/12/21) against (where relevant) a) The standards in BAT 4 of Best Available Techniques Conclusions For Common Waste Water/Waste Gas Treatment/Management Systems In The Chemical Sector b) The monitoring standards and methods in our guidance TGN M18 Monitoring of Discharges to Water and Sewer c) The monitoring standards and methods in our guidance M2 Monitoring Of Stack Emissions To Air Where an alternative method has been previously agreed in writing with the Environment Agency justification must be provided for why this equivalent or more appropriate choice is still valid. (CWW BATc 4) 	31/12/20	
IC37	 Following the re-commissioning of the acid recovery plant (or otherwise as agreed with the Environment Agency) the operator shall carry out relevant investigations and analyses and submit to the Environment Agency a report (or reports) of results addressing: a) the composition of the effluent discharged from release point W2. This should include, but not be limited to, Phosphorus, Chromium, Copper, Nickel, Zinc and Lead concentrations. b) a Direct Toxicity Assessment of the materials present in the residual effluent discharged from Release Point W2. c) a benthic survey at and around the discharge point W2. The report should include an explanation of how the effect of the acidity of the effluent has been addressed. If the assessment concludes that any component is other than not significantly toxic, the report should include recommendations and timescales for improvements. On receipt of the report the Environment Agency shall confirm in writing any monitoring requirement based on the assessed risk. 	6 months after the completion of IC31 (or otherwise as agreed in writing with the Environment Agency)	
IC38	Following the re-commissioning of the acid recovery plant (or otherwise as agreed with the Environment Agency) the operator shall submit to the Environment Agency for approval a report on options for minimisation and/or recovery of the dilute acid stream from 2-EHN product washing. If feasible options are identified, the report shall include recommendations and timescales for improvements. On receipt of approval in writing from the Environment Agency the operator shall implement the improvements. (CWW BATc10)	6 months after the completion of IC31 (or otherwise as agreed in writing with the Environment Agency)	
IC39	 The operator shall submit to the Environment Agency for approval a report on options for preliminary and final treatment and control of effluent discharges addressing the relevant techniques in BAT12 of Best Available Techniques Conclusions For Common Waste Water/Waste Gas Treatment/Management Systems In The Chemical Sector (CWW) The report should include, but not be limited to: Measures to minimise the discharge of acids Measures to achieve the CWW Table 1 limit for Chemical Oxygen Demand included in Permit Table S3.2 from 07/12/21 Measures to achieve the CWW Table 3 limits for Cr and Ni included in Permit Table S3.2 from 07/12/21 	31/12/20 (or otherwise as agreed in writing with the Environment Agency)	

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	and timescales for improvements. On receipt of approval in writing from the Environment Agency the operator shall implement the improvements in accordance with the agreed timescales	

Table S1.4 I	Table S1.4 Pre-operational measures for future development				
Reference	Operation	Pre-operational measures			
PO1 Metals Recovery Plant (MRP)		Prior to restarting the MRP, the Operator shall improve the dust abatement serving Emission Point A1 so as to meet the current benchmark of 5mg/m3 for bag filters. A H1 assessment shall be undertaken in order to determine the Best Available Technique for abating the emission to air.			
		At least 4 weeks before the restart, the Operator shall submit to the Environment Agency, a protocol for undertaking analysis and assessment of the emissions from A1. Once agreed with the Agency, the protocol shall be implemented, and the findings of the assessment should be used to revise, if necessary, the calculation methods for determining the concentrations of Nickel and Vanadium. The calculation methods shall be submitted in writing to the Agency.			
PO2	Metals Recovery Plant (MRP)	Prior to restarting the MRP, the Operator shall submit to the Environment Agency an assessment for the restarted process against the Best Available Techniques current at the time. This assessment should include, but not be limited to:			
		 an estimate of the annual discharge of Nickel from discharge point W1. 			
		 assessment against all the CWW BAT-AEL concentrations in Tables 1-3 			
		• A review of the applicability of the techniques for reducing channelled dust emissions to air described in the LVOC BATc11 or equivalent BATc current at the time.			

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Raw materials and fuels				
Raw materials and fuel description	Specification			
-	-			

Schedule 3 – Emissions and monitoring

Table S3.1 Poin	nt source emi	ssions to air -	- emission li	mits and mo	nitoring requ	irements
Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
A1 [Point A1 on site plan in Schedule 7]	Combined dust extraction and drier	Total Particulates	5 mg/m3	Daily	Continuous	PCME/DT770 continuous monitor. ^{Note 1}
	stack in the Metals Recovery			Spot Sample	Annually	BS EN 13284-1
	Plant	Nickel (as soluble compounds)	2 mg/m3	Calculated result	Quarterly	Calculated from Total Particulates results as agreed in writing with the Environment Agency
		Nickel (as insoluble compounds)	5 mg/m3	Calculated result	Quarterly	Calculated from Total Particulates results as agreed in writing with the Environment Agency
		Vanadium (as soluble compounds)	2 mg/m3	Calculated result	Quarterly	Calculated from Total Particulates results as agreed in writing with the Environment Agency
		Vanadium (as insoluble compounds)	5 mg/m3	Calculated result	Quarterly	Calculated from Total Particulates results as agreed in writing with the Environment Agency
A30 (point A30 on plan in	Acid recycle pilot plant/	Oxides of Nitrogen	200mg/m ³	Spot Sample	Quarterly	BS EN 14792 Note 2
Schedule 7)	Direct Dilution tank Scrubber	Sulphuric Acid	75mg/m3	Spot Sample	Quarterly	USA EPA Method 8 or otherwise as agreed in writing with the Environment Agency
A32	RSA Plant Scrubber	No parameter set	-	-	-	-
A33	RSA Plant Scrubber	No Parameter set	-	-	-	-

Note 1: Monitor to be calibrated using extractive sampling and analysis in accordance with BS6069 on an annual basis.

Note 2 Ce	ertification to the MCERTS performance	standards indicates compliance with	BS EN 14792.
-----------	--	-------------------------------------	--------------

	Table S3.2 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location Note 4	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method	
W1 on site plan in schedule 7 emission to	Process effluent from	Maximum flow rate	3.5l/s	daily	continuous	MCERTS self- monitoring of effluent flow	
Bramble Creek within Hamford Water TM 2200 2610	Metals Recovery Plant	Maximum flow rate	8m ³ /hr	monthly average	continuous	MCERTS self- monitoring of effluent flow	
		Maximum temperature	30°C	daily	continuous	Continuous temperature and pH probe EXA pH 202 Yokogowa	
		рН	7.0 – 8.5	daily	continuous	Continuous temperature and pH probe EXA Ph 202 Yokogowa BS ISO 10623	
			Vanadium	2.0mg/l	Per batch, prior to discharge	Spot sample	Operator Method QCP408
	N	Nickel	2.0mg/l until 06/12/21	Per batch, prior to discharge	Spot sample	Operator Method QCP408	
			5.0 μg/l from 07/12/21 Note 5				
W2 on site plan in schedule 7 emission to Bramble Creek within Hamford Water TM 2200	Process effluent from Fuel Additives Plant	Maximum volume discharged in any period of 24 hours ^{Note 1}	200m ^{3 Note} 2	24 hours	Continuous	MCERTS self- monitoring of effluent flow	
2610		Maximum rate of discharge	6.0I/s Note 3	daily	Continuous	MCERTS self- monitoring of effluent flow	
			Chemical Oxygen Demand (COD)	10,000 mg/l until 06/12/21	Composite samples based on daily aliquots	Monthly until 06/12/21	Operator method LP053 BS ISO 6060 or 15705
			100 mg/l from 07/12/21	from the flow proportional sampler	Weekly from 07/12/21		
		Suspended solids	100 mg/l	Composite samples based on daily aliquots	Monthly until 06/12/21	Operator Method QCP408	

Table S3.2 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location ^{Note 4}	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
				from the flow proportional sampler	Weekly from 07/12/21	EN 872
		Cadmium	0.01 mg/l	Composite samples based on daily aliquots from the flow proportional sampler	Monthly	Operator Method QCP408 BS EN ISO 5961
		Mercury	0.008 mg/l	Composite samples based on daily aliquots from the flow proportional sampler	Monthly	Operator Method QCP408 BS EN 12846
		Total Acidity – as sulphuric acid	16.6 w/w%	Composite samples based on daily aliquots from the flow proportional sampler	Monthly	Operator Method QCP408
	Total 2,20 Nitrogen – as N	2,200 mg/l	Composite samples based on daily aliquots	Monthly until 06/12/21	Operator Method QCP408	
			from the flow proportional sampler	Weekly from 06/12/21	EN 12260	

Table S3.2 Point Source emissions to water (other than sewer) and land – emission limits and monitoring requirements						
Emission point ref. & location Note 4	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring frequency	Monitoring standard or method
		Chromium from 07/12/21	5.0 µg/l from 07/12/21	Composite samples based on daily aliquots from the flow proportional sampler	Monthly	Operator Method QCP408 BS EN 11885 (or as agreed in writing with the Environment Agency)
		Nickel from 07/12/21	5.0 μg/l from 07/12/21	Composite samples based on daily aliquots from the flow proportional sampler	Monthly	Operator Method QCP408 BS EN ISO 11885 (or as agreed in writing with the Environment Agency)
W3 via a number of site drainage ditches, where it mixes with surface water prior to discharge into Bramble Creek within Hamford Water grid reference TM2200 2610	Indirect cooling water from the Fuel Additives Plant	No parameters set	No limit set	-	-	-

Note 1: The discharge shall only be made during the period starting two hours before local high water and finishing three hours after local high water.

- Note 2: A maximum daily discharge volume of 280m³ shall apply until the date for completion of Improvement Condition 31.
- Note 3: A maximum discharge flow rate of 8 litres/second shall apply until the date for completion of Improvement Condition 31.
- Note 4: For emission point W1, spot samples shall be taken from the surge tank in the Metals Recycling Plant. The Operator shall ensure that the sample is taken in such a manner that it is representative of the effluent that is passing into Bramble Creek from the installation.

For emission point W2, samples shall be taken from the sampling point located at Grid Reference TM2144 2643. The Operator shall ensure that any sample taken is representative of the effluent that is passing into Bramble Creek from the installation.

Note 5: If the assessment submitted under Pre-operational Condition PO2, as approved by the Environment Agency, concludes that emission Point W1 will emit less than the threshold of 5.0 kg Nickel per year then the Emission Limit will continue at 2 mg/l from 07/12/21.

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data					
Parameter	Emission or monitoring point/reference	Reporting period	Period begins		
Emissions to air Parameters as required by condition 3.5.1.	A1, A30	Every 3 months	1 January		
Emissions to water Parameters as required by condition 3.5.1	W1, W2	Every 3 months	1 January		
Emissions to water annual total (kgs) for Nickel, Vanadium	W1	Annually	1 January		
Emissions to water annual total (kgs) for Cadmium, Mercury, Total Nitrogen as N, Suspended Solids, Chemical Oxygen Demand and Sulphuric Acid	W2	Annually	1 January		

Table S4.2: Annual production/treatment				
Parameter	Units			
Production of 2-ethyl hexyl nitrate (Fuel Additives Plant)	tonnes			
Production of nickel and vanadium compounds (Metal Recovery Plant)	tonnes			

Table S4.3 Performance parameters				
Parameter	Frequency of assessment	Units		
Total water used per tonne of product	Annually	m ³ /tonne		
Total energy used per tonne of product	Annually	MW/tonne		
Waste disposal and/or recovery per tonne of product	Annually	Tonne/tonne		
Chemical Oxygen Demand/tonne of product (FAP)	Annually	COD/tonne		
Acid Used/tonne of product (FAP)	Annually	Tonne/tonne		
Nitric Acid released to water/tonne product (FAP)	Annually	Tonne/tonne		
Sulphuric Acid released to water/tonne product (FAP)	Annually	Tonne/tonne		

Table S4.4 Reporting forms				
Media/parameter	Reporting format	Date of form		

Table S4.4 Reporting forms					
Media/parameter	Reporting format	Date of form			
Air	Form Air 1 or other form as agreed in writing by the Environment Agency	01/04/20			
Water and Land	Form Water 1 or other form as agreed in writing by the Environment Agency	01/04/20			
Other performance indicators	Form Performance 1 or other form as agreed in writing by the Environment Agency	01/04/20			

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	BR7607IP
Name of operator	EPC United Kingdom PLC
Location of Facility	Great Oakley Works
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution				
To be notified within 24 hours of	detection			
Date and time of the event				
Reference or description of the location of the event				
Description of where any release into the environment took place				
Substances(s) potentially released				
Best estimate of the quantity or rate of release of substances				
Measures taken, or intended to be taken, to stop any emission				
Description of the failure or accident.				

(b) Notification requirements for the breach of a limit				
To be notified within 24 hours of detection unless otherwise specified below				
Emission point reference/ source				
Parameter(s)				
Limit				
Measured value and uncertainty				
Date and time of monitoring				
Measures taken, or intended to be				

(b) Notification requirements for the breach of a limit		
To be notified within 24 hours of detection unless otherwise specified below		
taken, to stop the emission		

Time periods for notification following detection of a breach of a limit						
Parameter Notification period						

(c) Notification requirements for the detection of any significant adverse environmental effect					
To be notified within 24 hours of detection					
Description of where the effect on the environment was detected					
Substances(s) detected					
Concentrations of substances detected					
Date of monitoring/sampling					

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

"accident" means an accident that may result in pollution.

"annually" means once every year.

"application" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"authorised officer" means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"BAT-AELs" means BAT-associated emission levels, i.e. the emission levels associated with the best available techniques for emissions to air and/or water, as set out in

"Common waste water and waste gas treatment/management systems in the chemical sector BAT Conclusions or CWW" means Commission Implementing Decision (EU) 2016/902 of 30 May 2016 establishing Best Available Techniques (BAT) conclusions, under Directive 2010/75/EU of the European Parliament and of the Council, for Common Waste Water And Waste Gas Treatment/ Management Systems in the Chemical Sector

"diffuse emissions" means non-channelled emissions which can result from 'area' sources (e.g. tanks) or 'point' sources (e.g. pipe flanges).

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"fugitive emissions" means diffuse VOC emissions from 'point' sources.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Hazardous property" has the meaning in Annex III of the Waste Framework Directive.

"Industrial Emissions Directive" means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions

"Large Volume Organic Chemicals BAT Conclusions or LVOC" means The Commission Implementing Decision (EU) 2017/2117 of 21 November 2017 establishing Best Available Techniques (BAT) conclusions, under Directive 2010/75/EU of the European Parliament and of the Council, for the Production of Large Volume Organic Chemicals.

"MCERTS" means the Environment Agency's Monitoring Certification Scheme.

"quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.


"Waste Framework Directive" or "WFD" means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste

"year" means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.



Schedule 7 Site plan

END OF PERMIT

Permit Number: BR7607IP Operator: EPC UK Ltd

Facility:Great Oakley WorksForm Number: Air1 01/04/20

Reporting of emissions to air for the period from DD/MM/YYYY to DD/MM/YYYY

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty [4]
A1	Total Particulates	5 mg/m ³	Daily		PCME/DT770 Continuous Monitor		
A1	Total Particulates	5 mg/m ³	Annual Spot Sample		BS EN 13284-1		
A1	Nickel (as soluble compounds)	2 mg/m ³	Calculated result		Calculated from Total Particulates		
A1	Nickel (as insoluble compounds)	5 mg/m ³	Calculated result		results as agreed in writing with the Environment Agency		
A1	Vanadium (as soluble compounds)	2 mg/m ³	Calculated result				
A1	Vanadium (as insoluble compounds)	5 mg/m ³	Calculated result				
A30	Oxides of Nitrogen	200 mg/m ³	Spot Sample		BS EN 14792		
A30	Sulphuric Acid	75 mg/m ³ [5]	Spot Sample		USA EPA Method 8 or otherwise as agreed in writing with the Environment Agency		

Operator's comments:

- 1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum maximum' measured values.
- 2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
- 3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
- 4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.
- 5. The monthly sampling frequency and 75mg/m3 limit apply until deletion or change on completion of Improvement Condition 30.

Signed

Date.....

(Authorised to sign as representative of Operator)

Permit Number: BR7607IP

Operator: EPC UK Ltd

Facility:

Great Oakley Works

Form Number: Water1 01/04/20

Reporting of emissions to water (other than to sewer) and land for the period from DD/MM/YYYY to DD/MM/YYYY

Emission	Substance /	Emission	Reference	Result ^[1]	Test	Sample	Uncertainty
Point	Parameter	Limit Value	Period		Method ^{[2] [9]}	Date and Times	[4]
W1	Maximum Flowrate	3.5 litres/s	Daily		MCERTS		
W1	Average Monthly Flowrate	8 m³/hr	Based on monthly average		MCERTS		
W1	Maximum Temperature	30 degC	Daily		EXA pH 202 Yokogowa		
W1	рН	7 – 8.5	Daily		EXA pH 202 Yokogowa		
W1	Nickel	2.0 mg/l	Spot sample per batch		Operator Method QP408		
W1	Vanadium	2.0 mg/l	Spot sample per batch		Operator Method QP408		
W2	Maximum volume discharged in any period of 24 hours	200 m ³ [5]	24 hours		MCERTS		
W2	Maximum rate of discharge	6.0 litres/s [6]	Daily		MCERTS		
W2	Chemical Oxygen Demand	100 mg/l [7]	Composite samples		Operator method LP053		
W2	Suspended solids	100 mg/l	based on daily aliquots from the flow		Operator Method QCP408/ EN782		
W2	Cadmium	0.01 mg/l	proportional sampler		Operator Method QCP408		

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^{[2] [9]}	Sample Date and Times	Uncertainty [4]
W2	Mercury	0.008 mg/l			Operator Method QCP408		
W2	Total Acidity – as sulphuric acid	16.6 %w/w			Operator Method QCP408		
W2	Total Nitrogen – as N	2,200 mg/l			Operator Method QCP408/ EN12260		
W2	Chromium	5.0 µg/l [8]			Operator Method QCP408		
W2	Nickel	5.0 µg/l [8]			Operator Method QCP408		

Operator's comments:

- 1. The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum maximum' measured values.
- 2. Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.
- 3. For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
- 4. The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.
- 5. A maximum daily discharge volume of 280m3 shall apply until the date for completion of Improvement Condition 31.
- 6. A maximum discharge flow rate of 8 litres/second shall apply until the date for completion of Improvement Condition 31.
- 7. COD Limit 10,000 mg/l until 06/12/21.

- 8. Monitoring and Emission Limit Value apply from 07/12/21.
- 9. Or as agreed in writing with the Environment Agency.

Signed

Date.....

(Authorised to sign as representative of Operator)



Permit Number: BR7607IP

Operator: EPC UK Ltd

Facility:

Great Oakley Works

Form Number: Performance1 01/04/20

Reporting of Performance Indicators for YYYY

Parameter	Result	Units
Production of 2-ethyl hexyl nitrate (Fuel Additives Plant)		tonnes
Production of nickel and vanadium compounds (Metal Recovery Plant)		tonnes
Total water used per tonne of product		m ³ /tonne
Total energy used per tonne of product		MW/tonne
Waste disposal and/or recovery per tonne of product		Tonne/tonne
Chemical Oxygen Demand/tonne of product (FAP)		COD/tonne
Acid Used/tonne of product (FAP)		Tonne/tonne
Nitric Acid released to water/tonne product (FAP)		Tonne/tonne
Sulphuric Acid released to water/tonne product (FAP)		Tonne/tonne

Operator's comments:		

Signed

Date..... (authorised to sign as representative of Operator)