



Public Health
England

Protecting and improving the nation's health

National Drug Treatment Monitoring System (NDTMS)

Technical definitions

Core dataset P

V15.02

About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, research, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy. We provide government, local government, the NHS, Parliament, industry and the public with evidence-based professional, scientific and delivery expertise and support.

Public Health England
Wellington House
133-155 Waterloo Road
London SE1 8UG
Tel: 020 7654 8000
www.gov.uk/phe
Twitter: [@PHE_uk](https://twitter.com/PHE_uk)
Facebook: www.facebook.com/PublicHealthEngland



© Crown copyright 2020

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](https://www.ogil.io). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

Published June 2020

PHE publications
gateway number: GW-712

PHE supports the UN
Sustainable Development Goals



Revision history

Version	Author	Purpose/reason
15.02	HSmith	<p>Amendments since V15.01</p> <p>CIRPRTST – verification rule 75 ‘Must be populated if CIRPARENT is ‘Y’ added</p> <p>CIRCRTMHN – verification rule 76 ‘Must be populated if CIRMHTN is ‘1’ (Yes)’ added</p>
15.01	LHughes	<p>Amendments since V15.00</p> <p>HIVSTAT & CIRHIVSTAT field description changed to ‘Is client HIV positive?’</p> <p>PHDOSBUP – typo ‘buprenorphinee’ corrected to ‘buprenorphine’</p> <p>PHCARBALC – typo ‘carbamazepine’ corrected to ‘carbamazepine’</p> <p>PHDOSBUP – layout changed from N2 to N(2,1) and verification rule 57 ‘Decimals permitted to one decimal place’ added</p> <p>CIRDT – verification rule 65 ‘Must be populated if CIRSTAGE is 2’ added</p> <p>CIRHCVAS - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIRHCVPCR - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIRNALOXISS - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIRPREGNANT - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIRPRTST - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIREHCSC - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p> <p>CIRCRTMHN - verification rule 65 ‘Must be populated if CIRSTAGE is 2’ removed</p>
15.00	HSmith	<p>Amendments since V14.03</p> <p>Verification rules refreshed</p> <p>Community and secure setting date matrix refreshed</p> <p>Remove all reference to adult alcohol dataset (AA) including the Alcohol outcome record (AOR)</p> <p>Add EPISODEID into required fields for extraction on no consent records</p> <p>Column numbers reordered</p> <p>Remove fields (dataset being removed from):</p>

		<ul style="list-style-type: none"> • ALCUNITS – Units of alcohol (AD,SA,SY) • ALCDDAYS – Drinking days (AD,SA,SY) • CPLANDT – Care plan started date • MODEXIT – Intervention exit status (AD, YP,SA,SY) • TITREAT – Time in treatment (AD) • TITID – Time in treatment ID (AD) • TITDATE – Time in treatment date (AD) • PRERREVD – Pre-release review date (SA,SY) • ROUTE – Route of administration of problem substance 1 (AD,YP) • HEPBVAC - Hep B vaccination count (AD,SA) • CIRHEPBVAC – CIR Hep B vaccination count (AD) • HEPCTD – Hep C tested (AD,SA) • CIRHEPCTD – CIR Hep C tested (AD) • RECHEPC – Referred to hep C treatment (recovery support sub-intervention) (AD) • LWWAS – Life worthwhile (YPOR) (YP,SY) • FMCRCOH – How well do they get on with family/friends (YPOR) (YP,SY) • RECTHNAL – Client provided with take home Naloxone and training information (recovery support sub-intervention) (AD) • SHOTHEFT – Shoplifting (TOP) (AD,SA) • DRGSELL – Selling drugs (TOP) (AD,SA) • OTHTHEFT – Other theft (TOP) (AD,SA) • ASSAULT – Assault/violence (TOP) (AD,SA) • PHSTBL – Prescribing intention is assessment and stabilization (pharmacological sub-intervention) (AD) • PHWTH – Prescribing intention is withdrawal (pharmacological sub-intervention) (AD) • PHMAIN – Prescribing intention is maintenance (pharmacological sub-intervention) (AD) • PHRELPR – Prescribing intention is relapse prevention (pharmacological sub-intervention) (AD) • APHWITH – Alcohol prescribing intention is withdrawal (pharmacological sub-intervention) (AD) • APHREPR – Alcohol prescribing intention is relapse prevention (pharmacological sub-intervention) (AD) • PHUSMET – Prescribed unsupervised methadone (pharmacological sub-intervention) (AD) • PHSUPMET – Prescribed supervised methadone (pharmacological sub-intervention) (AD) • PHUSBUP – Prescribed unsupervised buprenorphine (pharmacological sub-intervention) (AD) • PHSUPBUP – Prescribed supervised buprenorphine (pharmacological sub-intervention) (AD) • PHUSBUNAL – Prescribed unsupervised buprenorphine/Naloxone, for example Suboxone (pharmacological sub-intervention) (AD) • PHSUPBUNAL - Prescribed supervised buprenorphine/Naloxone, for example Suboxone (pharmacological sub-intervention) (AD) • PHDIAM - Prescribed diamorphine (pharmacological sub-intervention) (AD) • PHNALT – Prescribed naltrexone (pharmacological sub-intervention) (AD)
--	--	--

		<ul style="list-style-type: none"> • PHCHLOR – Prescribed chlordiazepoxide (pharmacological sub-intervention) (AD) • PHACAMP – Prescribed acamprosate (pharmacological sub-intervention) (AD) • PHNALME – Prescribed nalmefene (pharmacological sub-intervention) (AD) • PHDISULF – Prescribed disulfiram (pharmacological sub-intervention) (AD) • PHOTHER – Prescribed other medication (pharmacological sub-intervention) (AD) <p>Add new fields (dataset being added to):</p> <ul style="list-style-type: none"> • UTLA – Upper tier Local Authority (AD, SA, YP, SY) • LTLA – Lower tier Local Authority (AD, SA, YP, SY) • REFLDSERV – Referred to service date (AD) • HIVSTAT – HIV status (AD, SA) • CIRHIVSTAT – CIR HIV status (AD) • EHCSC2 – Early help 2 (AD, SA, YP, SY) • EHCSC3 – Early help 3 (AD, SA, YP, SY) • CIREHCSC2 – CIR early help 2 (AD, YP) • CIREHCSC3 – CIR early help 3 (AD, YP) • CIRREFHEPCTX – CIR Referred for hep c treatment (AD) • CIRHEPCTSTD – CIR Hep C test date (AD) • CIRHLCASSDT – CIR Healthcare assessment date (AD, YP) • VETERAN – British Armed Forces veteran (AD, SA) • CIRYPCPL – CIR YP subject to Child protection plan (CPP) (YP) • CIRYPESTI – CIR YP screening for sexually transmitted infections (YP) • CIRYPCCH – CIR YP offered screen for chlamydia (YP) • YPGANGS - YP affected by gangs (YP, SY) • YPCRIMEX – YP affected by criminal exploitation (YP, SY) • RATEFAM – YP rate relationships with family members (YPOR) (YP, SY) • RATEFRI – YP rate relationships with friends (YPOR) (YP, SY) • RECMEDRLP – Provided with prescribed medication for relapse prevention (recovery support sub-intervention) (AD) • NALOXISS – Client issued with Naloxone at episode start (AD) • NALOXAD – Client ever been administered with Naloxone to reverse overdose (AD) • CIRNALOXISS – CIR Client issued with Naloxone in last 6 months (AD) • CIRNALOXAD – CIR Client been administered with Naloxone to reverse overdose in last 6 months (AD) • NPSUSE – Use of psychoactive substances during treatment (SA) • MHTINT – Mental health interventions prior to custody (SA) • MHTXEXIT – Mental health treatment during stay (SA) • LIVSCRN – Referral for liver investigation (AD,SA) • CIRLIVSCRN – CIR Referral for liver investigation (AD) • PARENT – Parental responsibility (AD,YP,SA,SY) • CIRPARENT – CIR Parental responsibility (AD,YP)
--	--	--

		<ul style="list-style-type: none"> • PHMETSTBL - Methadone (oral solution) * – Opioid assessment and stabilisation (AD) • PHMETWTH – Methadone (oral solution) * – Opioid withdrawal (AD) • PHMETMAIN – Methadone (oral solution) * – Opioid maintenance (AD) • PHBUPSTBL – Buprenorphine (tablet/wafer) # – Opioid assessment and stabilisation (AD) • PHBUPWTH – Buprenorphine (tablet/wafer) # – Opioid withdrawal (AD) • PHBUPMAIN – Buprenorphine (tablet/wafer) # – Opioid maintenance (AD) • PHBUNASTBL – Buprenorphine (tablet/wafer) with naloxone # – Opioid assessment and stabilisation (AD) • PHBUNAWTH – Buprenorphine (tablet/wafer) with naloxone # – Opioid withdrawal (AD) • PHBUNAMAIN – Buprenorphine (tablet/wafer) with naloxone # – Opioid maintenance (AD) • PHDOSMET – Current daily dose of liquid oral methadone medication (ml)* (AD) • PHDOSBUP – Current daily dose of oral buprenorphine medication (mg) # (AD) • PHOSTSPVD – Is consumption of OST medication currently supervised? * # (AD) • PHBUDIWTH - Buprenorphine depot injection (rods or fluid) – Opioid withdrawal (AD) • PHBUDIMAIN - Buprenorphine depot injection (rods or fluid) - Opioid maintenance (AD) • PHDIAINJ – Diamorphine injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance (AD) • PHMETHINJ – Methadone injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance (AD) • PHBENMAIN – Benzodiazepine – Benzodiazepine maintenance (AD) • PHBENSWTH – Benzodiazepine – Stimulant withdrawal (AD) • PHBENGWTH – Benzodiazepine – GHB/GBL withdrawal (AD) • PHSTIMWTH – Stimulant (for example, dexamfetamine) – Stimulant withdrawal (AD) • PHPREGWTH – Pregabalin – Gabapentinoid withdrawal (AD) • PHGABAWTH – Gabapentin – Gabapentinoid withdrawal (AD) • PHNALTRLPR – Naltrexone (oral) – Opioid relapse prevention (AD) • PHNALTALC – Naltrexone (oral) – Alcohol relapse prevention/consumption reduction (AD) • PHCHLORALC – Chlordiazepoxide – Alcohol withdrawal (AD) • PHDIAALC – Diazepam – Alcohol withdrawal (AD) • PHCARBALC – Carbamazepine – Alcohol withdrawal (AD) • PHOTHALCW – Other prescribed medication for alcohol withdrawal – Alcohol withdrawal (AD) • PHACAMALC – Acamprosate – Alcohol relapse prevention (AD) • PHDISUALC – Disulfiram – Alcohol relapse prevention (AD) • PHVITBC – Vitamin B and C supplement to prevent/treat Wernicke’s encephalopathy/Wernicke-Korsakoffs (AD)
--	--	---

		<ul style="list-style-type: none"> • PHOTHMED – Any other medication for the treatment of drug misuse/dependence/withdrawal/associated symptoms (AD) • CIRSTAGE – CIR stage (AD,YP) <p>Existing fields and associated reference data being applied to new dataset type</p> <ul style="list-style-type: none"> • REFHEPCTX – applied to SA now applies to AD and SA • YPEBABDA – applied to YP now applies to YP and SY • YPLCS – applied to YP now applies to YP and SY • YPCPL – applied to YP now applies to YP and SY • YPSSLFHM – applied to YP now applies to YP and SY • YPSSEXEX – applied to YP now applies to YP and SY • YPASMFM – applied to YP now applies to YP and SY • YPSGP – applied to YP now applies to YP and SY • YPSESTAT – applied to YP now applies to YP and SY • YPSUSS – applied to YP now applies to YP and SY • ACCMNEED – applied to AD, YP now applies to SY <p>Re-wording fields/reference items:</p> <ul style="list-style-type: none"> • NATION – Country of birth • Field description ‘Nationality’ reworded to ‘Country of birth’ • EHCSC and CIREHCSC – Early help and CIR early help • Field description updated from ‘Are any of the client’s children (biological, step, foster, adoptive, guardian) or any of the children living with the client receiving early help or are they in contact with children’s social care?’ to ‘What help are the client’s children/children living with the client receiving?’ • SEXUALO – Person stated sexual orientation • Field description updated from ‘Sexual orientation’ to ‘Person stated sexual orientation’ • YPSSLFHM – Has the YP self-harmed prior to treatment start (YP)/in the 28 days prior to custody (SY) • Field description ‘YP involved in self harm at treatment start’ reworded to ‘Has the YP self-harmed prior to treatment start’ (YP)/in the 28 days prior to custody (SY) • YPSSEXEX – Has the client been sexually exploited prior to treatment start • Field description ‘YP involved in sexual exploitation prior to treatment start’ reworded to ‘Has the client been sexually exploited prior to treatment start’ • CHILDWTH and CIRCLDWT – Children under 18 living with client • Field description ‘Children living with client’ reworded to ‘Children under 18 living with client’ • PRNTSTAT and CIRPRTST – Parental status • Field description ‘Parental status’ reworded to ‘Do any of these children live with the client?’ • HEPCTSTD – Hep C test date • Field description ‘Latest hep C test date’ reworded to ‘Hep C test date’ • HLCASSDT – Health care assessment date • Field description ‘Drug treatment health care assessment date’ reworded to ‘Health care assessment date’
--	--	---

		<p>Rule changes:</p> <ul style="list-style-type: none"> • AGNCY and EPISODEID – Rule 7 added • PRNTSTAT – Rule 74 added • YPLCS, YPSSEXEX, YPSSLFHM, YPABACF, YPSESTAT, YPSGP, YPSUSS, YPESTI, YPSCCH, YPCPL, YPASMFM, and YPEBABDA – Rules 6 and 21 removed • CIRPREGNANT, CIRPRTST, CIRCLDWT, CIREHCSC, CIRMTHTN, CIRCRTMHN, CIRHEPBSTAT, CIRHEPCSTAT, CIRHCVAS, and CIRHCVPCR – Rule 65 added • TSLPE – Rule 66 added • Rule 49 updated to 'Field should only be populated where SEX value is '2' female' <p>Field layout changes:</p> <ul style="list-style-type: none"> • YPSSEXEX – Layout changed from N(1) to C(1) • YPSSLFHM – Layout changed from N(2) to C(2) • YPSGP – Layout changed from N(2) to C(2) • YPSUSS - Layout changed from N(2) to C(2)
--	--	---

Contents

Introduction.....	10
NDTMS datasets	12
Data entities.....	13
Extraction criteria for no consent records	14
NDTMS dataset fields.....	15
Verification rules	34
NDTMS data set – date sequences.....	37
NDTMS community date verification rules matrix	37
NDTMS secure setting date verification rules matrix	38
Implementation of core data set changes.....	39
AD dataset.....	39
YP dataset.....	40
SA dataset.....	41
SY dataset.....	42

Introduction

The National Drug Treatment Monitoring System (NDTMS) data helps drug treatment demonstrate the outcomes it achieves for the people it treats and in doing so aids accountability for the money invested in it. NDTMS is a national standard and is applicable to young people and adults within community and secure setting-based treatment providers.

This document establishes the technical definition (data schema) for the NDTMS data set – this is the set of data items to be collected and loaded into the National Drug Treatment Monitoring System (NDTMS).

It establishes for each item:

1. Section:
 - client
 - episode
 - intervention
 - sub-intervention review (SIR)
 - outcomes profiles - TOP/YPOR
 - client information review (CIR)
2. Field description
3. CSV file header
4. Layout
5. Dataset inclusion/outcome form inclusion
6. Verification rules
7. CDS introduced

The dataset inclusion and verification rules columns provide information regarding which items are relevant to each dataset.

This document is intended to be a definitive and accessible source for use. It is not intended to be read from end to end, rather as a reference document, which is utilised by a variety of readers including:

- interpreters of data provided from PHE systems
- suppliers of systems to PHE
- suppliers of systems which interface to PHE systems
- PHE/National Drug Treatment Monitoring System (NDTMS) personnel

This document should not be used in isolation, it is part of a package of documents supporting the NDTMS data set and reporting requirements.

Please read this document in conjunction with the following documents, all of which are available on <https://www.gov.uk/government/collections/alcohol-and-drug-misuse-treatment-core-dataset-collection-guidance>:

- NDTMS CSV file format specification: defines the format of the CSV file used as the primary means of inputting the core data set into NDTMS including the naming standard and layout to be used
- NDTMS reference data: provides permissible values for each data item
- NDTMS geographic information – provides the locality information, for example DAT of residence, Local Authority
- NDTMS business definitions – provides the explicit definition of each of the fields we collect to ensure data is consistent. There is a separate definitions document for each of the datasets: community adult, community young persons, secure setting adult and secure setting young persons.

To assist with the operational handling of CSV input files, each significant change to the NDTMS data set is allocated a letter.

The latest version (commonly referred to as the NDTMS data set P) for national data collection will come into effect 1 April 2020.

NDTMS datasets

There are 5 data sets that are submitted to NDTMS, these are:

- Community Adult (AD)
- Community Young People (YP)
- Secure Adult (SA)
- Secure Young People (SY)
- CJIT (see separate CJIT documents for guidance)

Each agency that reports to NDTMS selects 1 of the above datasets to provide based on the clients they treat at their agency. This dataset must then be submitted for all clients at that agency. The appropriate outcome record for that dataset must also be completed for all clients; for the community adult and secure adult datasets the TOP should be completed, for the community young people and secure young people datasets the YPOR should be completed.

All current field headers for all datasets must be present in the CSV file provided to NDTMS, any additional headers or any missing and the file will be rejected. It is expected that only the columns and values in the CSV relevant to the dataset you are submitting should be populated. Any data supplied in the CSV file that is not part of the current dataset letter or part of the relevant agency dataset type (listed above) being submitted will be nulled and not accepted into the NDTMS database.

Data entities

The data items listed in this document may be considered as belonging to 1 of 6 different sections which are used throughout this document. These are:

1. Client details
2. Episode details
3. Treatment intervention details
4. Sub intervention review details (SIR)
5. Outcomes Profile – either the Treatment Outcome Profile (TOP) or Young People's Outcomes Profile (YPOR)
6. Client Information Review (CIR)

In general, all data is required. Fields with verification rule 2 must be provided on all records, all other fields should be provided as and when the client progresses through their treatment.

Note, that if the client has not given consent for the data to be shared with NDTMS, then only AGENCY, CONSENT, CLIENTID and EPISODEID need to be provided – for further clarification please refer to Section 4 below.

CLIENTID, EPISODID, MODID, SUBMID, TOPID and CIRID are included in this document for technical support purposes. It is expected that the nature of their population will depend upon the clinical software used by the treatment provider or secure setting which produces the NDTMS CSV extract. These ID fields must be unique, static and associated with a single entity within a given system so each record can be identified.

All data should be provided in code only.

Extraction criteria for no consent records

All extraction criteria are covered in the NDTMS CSV file format specification.

Where the client has **not given consent** for their data to be shared with NDTMS, then the CONSENT field should be populated with 'N' and the CLIENTID field populated with an identifier which uniquely identifies the client in the source system, since a client can have more than one episode of treatment the EPISODEID for each episode where consent has been withdrawn should also be provided – apart from AGNCY no other fields for this record should be populated.

Within a secure setting, where the service wishes to hold back records from the extraction process on a case by case basis for protecting the identity of any high profile prisoners or those on witness protection, then CONSENT should be populated with 'N' and CLIENTID populated with an identifier which uniquely identifies the client in the source system since a client can have more than one episode of treatment the EPISODEID for each episode where consent has been withdrawn should be provided – apart from AGNCY no other fields for this record should be populated.

Note, CLIENT, CLIENTID and EPISODEID must not contain any attributable information; a possible source for this field could be the row number of the client in the source system.

Note: Consent is at the episode level, so it is possible that a client could consent to one episode and then not consent to another (in which case, there would be 2 records).

Software suppliers should produce one record for each no consent episode. If a client had 3 episodes (2 of which are no consent) then the software supplier should produce 2 no consent records, for example one record per no consent episode and the full consented to episode.

Software suppliers should only extract no consent rows for those episodes in the date parameter of the file they are producing. Example: If the software provider is producing the recommended reporting year extract which currently includes clients still open or discharged on or after 01/01/2018, then only no consent clients who also fit this criteria should be provided in the CSV file.

NDTMS dataset fields

1. Client details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ¹	Verification rules	Introduced in CDS
1	Client ID	CLIENTID	C	All	1; 2; 6; 7; 24	CDS-C/Apr 06
2	Initial of client's first name	FINITIAL	A(1)	All	1; 2	CDS-A/Apr 04
3	Initial of client's surname	SINITIAL	A(1)	All	1; 2	CDS-A/Apr 04
4	Client birth date	DOB	YYYYMMDD ²	All	1; 2; 3; 5	CDS-A/Apr 04
5	Client sex at registration of birth	SEX	N(1)	All	1; 2; 4	CDS-A/Apr 04
6	Ethnicity	ETHNIC	C(2)	All	1; 4	CDS-A/Apr 04
7	Country of birth	NATION	C(3)	All	1; 4; 29	CDS-D/Apr 07
8	Agency code	AGNCY	C(5)	All	1; 2; 7	CDS-A/Apr 04
9	Client reference number	CLIENT	C(max36)	All	1; 2; 24; 52	CDS-A/Apr 04

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
10	Episode ID	EPISODID	C(36)	All	1; 2; 6; 7; 24	CDS-C/Apr 06
11	Software system and version used	CMSID	C(50)	All	1; 2	CDS-M/Apr 16
12	Consent for NDTMS	CONSENT	A(1)	All	1; 2; 4; 7	CDS-C/Apr 06
13	Postcode	PC	C(8)	All	1; 4; 17	CDS-A/Apr 04
14	DAT of residence	DAT	C(4)	All	1; 2; 4	CDS-L/Nov 13
15	Local authority	LA	C(4)	AD, YP	1; 2; 4	CDS-A/Apr 04

¹ See key at the end of section 4

² This shows how all dates should be formatted, programming languages and the implementation of how the `YYYYMMDD` string is generated is left entirely to the 3rd party software supplier

³ See key at the end of section 4

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
16	Upper tier local authority	UTLA	C(9)	All	1; 4	CDS-P/Apr 20
17	Lower tier local authority	LTLA	C(9)	AD, YP	1; 4	CDS-P/Apr 20
18	Initial reception date	INTRCPTD	YYYYMMDD	SA, SY	1; 2; 3; 5	CDS-F/Apr 09
19	Reception date	RECPDT	YYYYMMDD	SA, SY	1; 2; 3; 5	CDS-I/Apr 12
20	Transferred from	PRISON	C(5)	SA, SY	1; 4	CDS-I/Apr 12
21	Referred to service date	REFLDSERV	YYYYMMDD	AD	1, 3; 5	CDS-P/Apr 20
22	Referral date	REFLD	YYYYMMDD	AD, YP	1; 2; 3; 5	CDS-A/Apr 04
23	Referral source	RFLS	N(2)	AD, YP	1; 4	CDS-B/Apr 05
24	Triage date	TRIAGED	YYYYMMDD	All	1; 2; 3; 5	CDS-A/Apr 04
25	Previously treated	PREVTR	A(1)	AD, YP	1; 4	CDS-A/Apr 04
26	TOP care coordination	TOPCC	N(1)	AD	1; 4	CDS-C/Apr 06
27	Client stated sexual orientation	SEXUALO	C(1)	AD, SA	1; 4	CDS-M/Apr 16
28	Pregnant	PREGNANT	A(1)	All	1; 4; 49	CDS-D/Apr 07
29	Religion	RELIGION	A(1)	AD, SA	1; 4	CDS-M/Apr 16
30	Disability 1	DISABLE1	C(2)	AD, SA	1; 4	CDS-M/Apr 16
31	Disability 2	DISABLE2	C(2)	AD, SA	1; 4; 42	CDS-M/Apr 16
32	Disability 3	DISABLE3	C(2)	AD, SA	1; 4; 43	CDS-M/Apr 16
33	Accommodation need	ACCMNEED	N(2)	AD, YP, SY	1; 4	CDS-D/Apr 07
34	Employment status	EMPSTAT	N(2)	AD	1; 4	CDS-C/Apr 06
35	Time since last paid employment	TSLPE	N(2)	AD, SA	1; 4; 66	CDS-N/Apr 17
36	British Armed Forces veteran	VETERAN	A(1)	AD, SA	1; 4	CDS-P/Apr 20
37	Parental responsibility for children under 18	PARENT	A(1)	All	1; 4	CDS-P/Apr 20
38	Parental status - Do any of these children live with the client	PRNTSTAT	N(2)	All	1; 4; 74	CDS-C/Apr 06
39	Children under 18 living with client	CHILDWTH	N(2)	All	1; 4; 11	CDS-A/Apr 04

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
40	What help are the client's children/children living with the client receiving?	EHCSC	N(2)	All	1; 4; 45	CDS-N/Apr 17
41	What help are the client's children/children living with the client receiving? (2)	EHCSC2	N(2)	All	1; 4; 61; 64	CDS-P/Apr 20
42	What help are the client's children/children living with the client receiving? (3)	EHCSC3	N(2)	All	1; 4; 61; 63	CDS-P/Apr 20
43	Problem substance No 1	DRUG1	N(4)	All	1; 2; 4	CDS-A/Apr 04
44	Age first use of problem substance No 1	DRUG1AGE	N(3)	AD	1; 10	CDS-A/Apr 04
45	Problem substance No 2	DRUG2	N(4)	All	1; 4	CDS-A/Apr 04
46	Problem substance No 3	DRUG3	N(4)	All	1; 4	CDS-A/Apr 04
47	Injecting status	INJSTAT	A(1)	AD, SA, SY	1; 4	CDS-B/Apr 05
48	Alcohol AUDIT score	AUDIT	N(2)	SA,SY	1; 4; 46	CDS-M/Apr 16
49	What is the client's SADQ score?	SADQ	N(2)	AD	1; 4; 44	CDS-N/Apr 17
50	Health care assessment date	HLCASSDT	YYYYMMDD	AD,YP	1; 3; 5	CDS-B/Apr 05
51	Hep B intervention status	HEPBSTAT	A(1)	All	1; 4	CDS-B/Apr 05
52	Hep C intervention status	HEPCSTAT	A(1)	All	1; 4	CDS-D/Apr 07
53	Hep C test date	HEPCTSTD	YYYYMMDD	AD, SA	1; 3; 5	CDS-D/Apr 07
54	Hep C test result antibody status	HCVAS	N(1)	AD	1; 4	CDS-N/Apr 17
55	Hep C test result PCR (RNA) status	HCVPCR	N(1)	AD	1; 4	CDS-N/Apr 17
56	Is client HIV positive?	HIVSTAT	A(1)	AD, SA	1; 4	CDS-P/Apr 20
57	Referral for liver investigation	LIVSCRN	A(1)	AD,SA	1;4	CDS-P/Apr 20
58	Has the client been issued with naloxone at episode start	NALOXISS	N(1)	AD	1; 4	CDS-P/Apr 20
59	Naloxone administered to reverse the effects of an overdose	NALOXAD	A(1)	AD	1; 4	CDS-P/Apr 20

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
60	Does the client have a mental health treatment need?	MHTHN	N(2)	AD, YP	1; 4	CDS-N/Apr 17
61	Is the client receiving treatment for their mental health need(s)?	CRTMHN	N(2)	AD, YP	1; 4; 50	CDS-N/Apr 17
62	Dual diagnosis	DUALDIAG	A(1)	SA, SY	1; 4	CDS-D/Apr 07
63	Mental health interventions outside of substance misuse treatment	MHTINT	A(1)	SA	1; 4	CDS-P/Apr 20
64	Treatment for mental health during current stay	MHTXEXIT	A(1)	SA	1; 4; 25	CDS-P/Apr 20
65	What was the care status of the YP at treatment start (YP) or in the 28 days prior to custody (SY)	YPLCS	N(1)	YP,SY	1; 4	CDS-L/Nov 13
66	Has the YP been sexually exploited prior to treatment start (YP) or in the 28 days prior to custody (SY)	YPSSEXEX	C(1)	YP,SY	1; 4	CDS-F/Apr 09
67	Has the YP self-harmed prior to treatment start (YP)/in the 28 days prior to custody (SY)	YPSSELFHM	C(2)	YP,SY	1; 4	CDS-F/Apr 09
68	Has the YP been involved in antisocial behaviour or committed a criminal act on more than one occasion in the past 6 months?	YPABACF	N(1)	YP	1; 4	CDS-L/Nov 13
69	What was the YP's education/employment/training status at treatment start (YP) or in the 28 days prior to custody (SY)	YPSESTAT	C(2)	YP,SY	1; 4	CDS-F/Apr 09
70	Was the YP registered with GP at treatment start (YP) or in the 28 days prior to custody (SY)	YPSGP	C(2)	YP,SY	1; 4	CDS-G/Apr 10
71	Has the YP engaged in unsafe sex prior to treatment start (YP) or in the 28 days prior to custody (SY)	YPSUSS	C(1)	YP,SY	1; 4	CDS-H/Apr 11

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
72	Has the YP been offered a screen for sexually transmitted infections	YPESTI	A(1)	YP	1; 4	CDS-L/Nov 13
73	Has the YP been offered a screen specifically for chlamydia	YPSCCH	A(1)	YP	1; 4	CDS-L/Nov 13
74	Was the YP subject to a Child Protection Plan (CPP) at treatment start (YP) or in the 28 days prior to custody (SY)	YPCPL	N(1)	YP,SY	1; 4	CDS-L/Nov 13
75	Has the YP been involved in gangs at treatment start (YP) or in the 28 days prior to custody (SY)	YPGANGS	A(1)	YP, SY	1; 4	CDS-P/Apr 20
76	Has the YP been affected by child criminal exploitation at treatment start (YP) or in the 28 days prior to custody (SY)	YPCRIMEX	A(1)	YP,SY	1;4	CDS-P/Apr 20
77	YP affected by substance misuse in their close family/members of their household at treatment start (YP) or in the 28 days prior to custody (SY)	YPASMFM	N(1)	YP,SY	1; 4	CDS-L/Nov 13
78	YP been ever been affected by domestic abuse	YPEBABDA	N(1)	YP,SY	1; 4	CDS-L/Nov 13
79	YP met goals agreed on care plan at discharge	YPECAREP	N(1)	YP	1; 4; 22	CDS-F/Apr 09
80	YP offered continuing support from non-substance misuse services at discharge	YPCSNSM	N(1)	YP	1; 4; 22	CDS-L/Nov 13
81	Use of new psychoactive substances during treatment episode	NPSUSE	A(1)	SA	1; 4; 22	CDS-P/Apr 20
82	Discharge date	DISD	YYYYMMDD	All	1; 3; 5; 8	CDS-F/Apr 09
83	Discharge reason	DISRSN	N(2)	All	1; 4; 8	CDS-A/Apr 04

2. Episode details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion ³	Verification rules	Introduced in CDS
84	Has the client been sentenced	SENTENCED	N(1)	SA	1; 4; 25	CDS-N/Apr17
85	Take home Naloxone and training information	THNALOX	N(1)	SA	1; 4; 28	CDS-N/Apr 17
86	Referred for hep C treatment	REFHEPCTX	N(1)	AD, SA	1; 4; 25	CDS-N/Apr 17
87	Secure setting exit date	EXITD	YYYYMMDD	SA, SY	1; 3; 5	CDS-I/Apr 12
88	Secure setting exit reason	EXITRSN	A(1)	SA, SY	1; 4; 25; 27	CDS-I/Apr 12
89	Secure setting exit destination	EXITDEST	C(5)	SA, SY	1; 4; 25; 26; 53	CDS-I/Apr 12
90	Referral on release status	RTOAGNCY	N(1)	SA, SY	1; 4; 28	CDS-I/Apr 12

3. Treatment intervention details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
91	Intervention ID	MODID	C(36)	All	1; 6; 24	CDS-C/Apr 06
92	Date referred to intervention	REFMODDT	YYYYMMDD	AD, YP	1; 3; 5; 9	CDS-C/Apr 06
93	Date of first appointment offered for intervention	FAOMODDT	YYYYMMDD	AD, YP	1; 3; 5	CDS-C/Apr 06
94	Treatment intervention	MODAL	N(3)	All	1; 4; 9	CDS-A/Apr 04
95	Intervention setting	MODSET	N(2)	AD, YP	1; 4; 34	CDS-J/Oct 12
96	Intervention start date	MODST	YYYYMMDD	All	1; 3; 5; 14; 38	CDS-A/Apr 04
97	Intervention end date	MODEND	YYYYMMDD	All	1; 3; 5; 39	CDS-A/Apr 04

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
98	Sub intervention ID	SUBMID	C(36)	AD, YP	1; 6; 24	CDS-J/Oct 12
99	Sub intervention assessment date	SUBMODDT	YYYYMMDD	AD, YP	1; 3; 5; 6	CDS-J/Oct 12
100	Methadone (oral solution) * – Opioid assessment and stabilisation	PHMETSTBL	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20
101	Methadone (oral solution) * – Opioid withdrawal	PHMETWTH	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20
102	Methadone (oral solution) * – Opioid maintenance	PHMETMAIN	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20
103	Current daily dose of liquid oral methadone medication	PHDOSMET	N(3)	AD	1; 4; 35; 70	CDS-P/Apr 20
104	Buprenorphine (tablet/wafer) # – Opioid assessment and stabilisation	PHBUPSTBL	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
105	Buprenorphine (tablet/wafer) # – Opioid withdrawal	PHBUPWTH	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
106	Buprenorphine (tablet/wafer) # – Opioid maintenance	PHBUPMAIN	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
107	Buprenorphine (tablet/wafer) with naloxone # – Opioid assessment and stabilisation	PHBUNASTBL	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
108	Buprenorphine (tablet/wafer) with naloxone # – Opioid withdrawal	PHBUNAWTH	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
109	Buprenorphine (tablet/wafer) with naloxone # – Opioid maintenance	PHBUNAMAIN	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
110	Current daily dose of oral buprenorphine medication	PHDOSBUP	N(2,1)	AD	1; 4; 35; 57, 68	CDS-P/Apr 20
111	Is consumption of OST medication currently supervised?	PHOSTSPVD	N(2)	AD	1; 4; 35; 67	CDS-P/Apr 20

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
112	Buprenorphine depot injection (rods or fluid) – Opioid withdrawal	PHBUDIWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
113	Buprenorphine depot injection (rods or fluid) – Opioid maintenance	PHBUDIMAIN	A(1)	AD	1; 4; 35	CDS-P/Apr 20
114	Diamorphine injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance	PHDIAINJ	A(1)	AD	1; 4; 35	CDS-P/Apr 20
115	Methadone injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance	PHMETHINJ	A(1)	AD	1; 4; 35	CDS-P/Apr 20
116	Benzodiazepine – Benzodiazepine maintenance	PHBENMAIN	A(1)	AD	1; 4; 35	CDS-P/Apr 20
117	Benzodiazepine – Stimulant withdrawal	PHBENSWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
118	Benzodiazepine – GHB/GBL withdrawal	PHBENGWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
119	Stimulant (eg dexamfetamine) – Stimulant withdrawal	PHSTIMWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
120	Pregabalin – Gabapentinoid withdrawal	PHPREGWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
121	Gabapentin – Gabapentinoid withdrawal	PHGABAWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
122	Naltrexone (oral) – Opioid relapse prevention	PHNALTRLPR	A(1)	AD	1; 4; 35	CDS-P/Apr 20
123	Naltrexone (oral) – Alcohol relapse prevention/consumption reduction	PHNALTALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
124	Chlordiazepoxide – Alcohol withdrawal	PHCHLORALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
125	Diazepam – Alcohol withdrawal	PHDIAALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
126	Carbamazepine – Alcohol withdrawal	PHCARBALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
127	Other prescribed medication for alcohol withdrawal – Alcohol withdrawal	PHOTHALCW	A(1)	AD	1; 4; 35	CDS-P/Apr 20
128	Acamprosate - Alcohol relapse prevention	PHACAMALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
129	Disulfiram - Alcohol relapse prevention	PHDISUALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
130	Vitamin B and C supplement to prevent/treat Wernicke's encephalopathy/Wernicke-Korsakoffs	PHVITBC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
131	Other medication for the treatment of drug misuse/ dependence/ withdrawal/associated symptoms	PHOTHMED	A(1)	AD	1; 4; 35	CDS-P/Apr 20
132	Client involved with motivational interventions	PSYMOTI	A(1)	AD	1; 4; 36	CDS-J/Oct 12
133	Client involved with contingency management (drug focused)	PSYCNMG	A(1)	AD	1; 4; 36	CDS-J/Oct 12
134	Client involved with family and social network interventions	PSYFSNI	A(1)	AD	1; 4; 36	CDS-J/Oct 12

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
135	Evidence-based psychological intervention for co-existing mental health disorders	PSYMNTH	A(1)	AD	1; 4; 36	CDS-J/Oct 12
136	Client involved with psychodynamic therapy	PSYDNMC	A(1)	AD	1; 4; 36	CDS-J/Oct 12
137	Client involved with 12-step work	PSYSTP	A(1)	AD	1; 4; 36	CDS-J/Oct 12
138	Client involved in counselling – BACP accredited	PSYCOUN	A(1)	AD	1; 4; 36	CDS-J/Oct 12
139	Client involved with cognitive and behavioural based relapse prevention interventions (substance misuse specific)	PSYCGBH	A(1)	AD	1; 4; 36	CDS-J/Oct 12
140	Client provided with peer support involvement	RECPEER	A(1)	AD	1; 4; 37	CDS-J/Oct 12
141	Client provided with facilitated access to mutual aid	RECMAID	A(1)	AD	1; 4; 37	CDS-J/Oct 12
142	Client provided with family support	RECFMSP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
143	Client provided with parenting support	RECPRNT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
144	Client provided with housing support	RECHSE	A(1)	AD	1; 4; 37	CDS-J/Oct 12
145	Client provided with employment support	RECEMP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
146	Client provided with education and training support	RECEDUT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
147	Client provided with supported work projects	RECWPRJ	A(1)	AD	1; 4; 37	CDS-J/Oct 12

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
148	Client provided with recovery check-ups	RECCHKP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
149	Client provided with evidence-based psychosocial interventions to support relapse prevention	RECRLPP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
150	Client provided with complementary therapies	RECCMPT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
151	Client provided with mental health interventions	RECGNH	A(1)	AD	1; 4; 37	CDS-J/Oct 12
152	Client provided with smoking cessation interventions	RECSMOC	A(1)	AD	1; 4; 37	CDS-M/Apr 16
153	Has there been facilitation to domestic abuse/violence support?	RECDOMV	A(1)	AD	1; 4; 37	CDS-N/Apr 17
154	Has the client been provided prescribing for relapse prevention (post structured treatment only)	RECMEDRLP	A(1)	AD	1; 4; 37; 60	CDS-P/Apr 20
155	Client provided with cognitive and behavioural interventions	CBIYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
156	Client provided with motivational interventions	MIYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
157	Client provided with structured family interventions (including family therapy)	SFIFTYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
158	Client provided with multi component programmes	MCPYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
159	Client provided with contingency management	CMYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13

4. Sub intervention review (SIR) details						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
160	Client provided with counselling	CYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
161	Education/training	YPEDTR	A(1)	YP	1; 4; 40	CDS-L/Nov 13
162	Employment/volunteering	YPEVOL	A(1)	YP	1; 4; 40	CDS-L/Nov 13
163	Housing	YPINHOU	A(1)	YP	1; 4; 40	CDS-L/Nov 13
164	Generic family support	YPRGFS	A(1)	YP	1; 4; 40	CDS-L/Nov 13
165	Generic parenting support	YPGPS	A(1)	YP	1; 4; 40	CDS-L/Nov 13
166	Peer support involvement/mentoring	YPPSIM	A(1)	YP	1; 4; 40	CDS-L/Nov 13
167	Mental health	YPMHLTH	A(1)	YP	1; 4; 40	CDS-L/Nov 13
168	Offending	YPOFFND	A(1)	YP	1; 4; 40	CDS-L/Nov 13
169	Health	YPHEALTH	A(1)	YP	1; 4; 40	CDS-L/Nov 13
170	Sexual health/pregnancy	YPSHP	A(1)	YP	1; 4; 40	CDS-L/Nov 13
171	Meaningful activity	YPMATY	A(1)	YP	1; 4; 40	CDS-L/Nov 13
172	Disability services	YPDISSER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
173	Behavioural services	YPBESER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
174	Young carers	YPYCAR	A(1)	YP	1; 4; 40	CDS-L/Nov 13
175	Smoking cessation	YPSCES	A(1)	YP	1; 4; 40	CDS-M/Apr 16
176	Youth services (including targeted youth support)	YPSER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
177	Children's social care	YPCSC	A(1)	YP	1; 4; 40	CDS-L/Nov 13

5. Outcomes profile – TOP/YPOR						
Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
178	TOP ID	TOPID	C(36)	All	1; 6; 24	CDS-E/Oct 07
179	Outcomes profile (TOP/YPOR) date	TOPDATE	YYYYMMDD	All	1; 3; 5; 6	CDS-E/Oct 07
180	Treatment stage	TRSTAGE	A(1)	All	1; 4; 6; 23; 54	CDS-E/Oct 07
181	Alcohol use (days)	ALCUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
182	Consumption (alcohol units)	CONSMP	N(3,1)	All	1; 4; 6; 13; 57	CDS-L/Nov 13
183	Opiate use (illicit) (days)	OPIUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
184	Crack use (days)	CRAUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
185	Cocaine use (days)	COCAUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
186	Amphetamine use (days)	AMPHUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
187	Cannabis use (days)	CANNUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
188	Cannabis average use per day (grams)	CAUSPD	N(2,1)	YPOR	1; 4; 6; 32; 57	CDS-L/Nov 13
189	Other substance use (days)	OTDRGUSE	C(2)	All	1; 4; 6; 18	CDS-E/Oct 07
190	Other substance use 2 (days)	OTHR2YP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
191	Other substance use 3 (days)	OTHR3YP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
192	Tobacco/nicotine use (days)	TOBUSE	C(2)	TOP	1; 4; 6; 18	CDS-M/Apr 16
193	Injected (days)	IVDRGUSE	C(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07
194	Sharing	SHARING	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
195	Psychological health status	PSYHSTAT	C(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
196	Days in paid work	PWORK	C(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07
197	Days in volunteering	DAYSVOLN	C(2)	TOP	1; 4; 6; 18	CDS-N/Apr 17

5. Outcomes profile – TOP/YPOR						
Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
198	Days in unpaid structured work placement	UPDWORK	C(2)	TOP	1; 4; 6; 18	CDS-N/Apr 17
199	Days attended college or school	EDUCAT	C(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07
200	Physical health status	PHSTAT	C(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
201	Acute housing problem	ACUTHPBM	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
202	Unsuitable housing	UNSTHSE	C(2)	All	1; 4; 6; 20	CDS-N/Apr 17
203	At risk of eviction	HRISK	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
204	Overall quality of life	QUALLIFE	C(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
205	Tobacco/nicotine	TOANIC	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
206	Ecstasy use (days)	ECSTSYYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
207	Solvent use (days)	SOLVYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
208	Ketamine use (days)	KETAMNYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
209	GHB use (days)	GHBYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
210	New psychoactive substances use (NPS)	LEHIGSYYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
211	Tranquilisers use (including benzodiazepines)	TRANYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
212	Age substance first used: cannabis	AFUCAN	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
213	Age substance first used: alcohol	AFUALC	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
214	Age substance first used: tobacco/nicotine	AFUTOBN	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
215	Age substance first used: opiates (illicit)	AFUOOL	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13

5. Outcomes profile – TOP/YPOR						
Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
216	Age substance first used: crack	AFUCRACK	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
217	Age substance first used: cocaine	AFUCOC	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
218	Age substance first used: ecstasy	AFUEST	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
219	Age substance first used: amphetamines	AFUAMP	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
220	Age substance first used: solvents	AFUSLV	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
221	Age substance first used: ketamine	AFUKET	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
222	Age substance first used: GHB	AFUGHB	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
223	Age substance first used: New psychoactive substances (NPS)	AFULHU	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
224	Age substance first used: tranquilisers (including	AFUTQL	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
225	Alcohol use over past 28 days/28 days prior to custody: male over 8 units/female over 6 units	AAUSFWK	N(2)	YPOR	1; 4; 6	CDS-L/Nov 13
226	Ever injected	LINSTUS	N(2)	YPOR	1; 4; 6	CDS-L/Nov 13
227	Injecting drug use (last 28 days/28 days prior to custody)	YPIVDRGU	N(2)	YPOR	1; 4; 6; 55	CDS-N/Apr 17
228	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekday during the daytime	PTEDAWDD	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
229	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekday during the evening	PTEDAWDE	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13

5. Outcomes profile – TOP/YPOR						
Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
230	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekend during the daytime	PTEDAWED	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
231	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekend during the evening	PTEDAWEE	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
232	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on their own	PTEDOYO	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
233	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekday during the daytime	PTEUSWDD	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
234	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekday during the evening	PTEUSWDE	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
235	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekend during the daytime	PTEUSWED	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
236	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekend during the evening	PTEUSWEE	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13

5. Outcomes profile – TOP/YPOR						
Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
237	In the previous 28 days/28 days prior to custody, has the YP used any substances (excluding tobacco) on their own	PTEUSOYO	N(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
238	How satisfied YP is with life today?	LISREDYS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
239	How anxious did YP feel yesterday?	ANSTS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
240	How happy did YP feel yesterday?	HAPSTYS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
241	How well does YP get on with family?	RATEFAM	N(2)	YPOR	1; 4; 6; 33	CDS-P/Apr 20
242	How well does YP get on with friends?	RATEFRI	N(2)	YPOR	1; 4; 6; 33	CDS-P/Apr 20

6. Client information review (CIR)						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
243	CIR ID	CIRID	C(36)	AD, YP	1; 6; 24	CDS – N/Apr17
244	Client information review date	CIRDT	YYYYMMDD	AD, YP	1; 3; 5; 6; 65	CDS – N/Apr17
245	CIR stage – Full or partial CIR completed?	CIRSTAGE	N(1)	AD, YP	1; 4; 59	CDS-P/Apr 20
246	CIR Hep B intervention status	CIRHEPBSTAT	A(1)	AD, YP	1; 4; 65	CDS – N/Apr17
247	CIR Hep C intervention status	CIRHEPCSTAT	A(1)	AD, YP	1; 4; 65	CDS – N/Apr17
248	CIR Hep C test date	CIRHEPCTSTD	YYYYMMDD	AD	1; 3; 5	CDS - P/Apr 20
249	CIR Hep C test result antibody status	CIRHCVAS	N(1)	AD	1; 4	CDS – N/Apr17

6. Client information review (CIR)						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
250	CIR Hep C test result (PCR) RNA status	CIRHCVPCR	N(1)	AD	1; 4	CDS – N/Apr17
251	CIR Referred for HEP C treatment?	CIRREFHEPCTX	N(1)	AD	1; 4; 65	CDS – P/Apr20
252	CIR Is client HIV positive?	CIRHIVSTAT	C(1)	AD	1; 4; 65	CDS – P/Apr 20
253	CIR Referral for liver investigation	CIRLIVSCRN	A(1)	AD	1; 4; 65	CDS – P/Apr 20
254	CIR Health care assessment date	CIRHLCASSDT	YYYYMMDD	AD, YP	1; 3; 5	CDS – P/Apr 20
255	CIR Has the client been issued with naloxone in the last 6 months?	CIRNALOXISS	N(1)	AD	1; 4	CDS – P/Apr20
256	CIR Client administered naloxone to reverse the effects of an overdose in the last 6 months	CIRNALOXAD	A(1)	AD	1; 4; 65	CDS – P/Apr20
257	CIR Pregnant	CIRPREGNANT	A(1)	AD YP	1; 4; 49	CDS – N/Apr17
258	CIR Parental responsibility for children under 18	CIRPARENT	A(1)	AD, YP	1; 4; 65	CDS – P/Apr20
259	CIR Parental status - Do any of these children live with the client?'	CIRPRTST	N(2)	AD YP	1; 4; 75	CDS – N/Apr17
260	CIR How many children under 18 living with client?	CIRCLDWT	N(2)	AD,YP	1; 4; 65	CDS – N/Apr17
261	CIR What help are the client's children/children living with the client receiving?	CIREHCSC	N(2)	AD,YP	1; 4	CDS – N/Apr17
262	CIR What help are the client's children/children living with the client receiving? (2)	CIREHCSC2	N(2)	AD,YP	1; 4; 61; 64	CDS – P/Apr20
263	CIR What help are the client's children/children living with the client receiving? (3)	CIREHCSC3	N(2)	AD,YP	1; 4; 61; 63	CDS – P/Apr20
264	CIR Does the client have a mental health treatment need?	CIRMTHTN	N(2)	AD,YP	1; 4; 65	CDS – N/Apr17

6. Client information review (CIR)						
Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
265	CIR Is the client currently receiving treatment for their mental health need(s)?	CIRCRTMHN	N(2)	AD,YP	1; 4; 76	CDS – N/Apr17
266	CIR Is the YP subject to a child protection plan?	CIRYPCPL	N(1)	YP	1; 4; 65	CDS – P/Apr 20
267	CIR YP has been offered a screen for sexually transmitted infections	CIRYPESTI	A(1)	YP	1; 4; 65	CDS – P/Apr 20
268	CIR YP been offered a screen specifically for chlamydia	CIRYPSCCH	A(1)	YP	1; 4; 65	CDS-P/Apr 20

Key

All	Multiple dataset field applicable to all dataset classifications.
AD	Adult (community)
YP	Young Person (community)
SY	Young Person Secure Settings
SA	Adult Secure Settings
N	Numeric
A	Alphabetic (upper case)
C	Alphanumeric
DD	Numeric day (including a leading zero, if relevant)
MM	Numeric month (including a leading zero, if relevant)
YYYY	Numeric year

Verification rules

When the data is received by NDTMS, it is subjected to a validation process. Each data item will be subjected to none, one or more verification rules. Note this list refers to the most significant validations performed only.

Rule no.	Description
1	There must be no leading or trailing spaces in any field
2	Field is mandatory if CONSENT for NDTMS is Yes
3	Must be a valid date, down to the day (for example in the form YYYYMMDD)
4	Must be as specified in the appropriate section (3,4,5) of the reference data document – must be provided as code value
5	For date rules refer to Section 7 of NDTMS Technical Definition – NDTMS Date Verification Rules Matrix
6	Field is mandatory if any items in this section are not null
7	Field should also be populated if consent for NDTMS is 'N'/'No'
8	Discharge reason must be provided if discharge date is present (and vice versa)
9	Mandatory if any of following fields are not null – treatment intervention; date referred to intervention; intervention ID, date of first appointment offered for intervention; intervention start date; intervention end date.
10	Age of first use must be less than or equal to the client's age at referral
11	Number of children must be a value between 0 and 30 (inclusive)
13	Units of alcohol must be a value between 0 and 200 (inclusive) or 999 if not answered
14	Intervention start date (MODST) must be provided if intervention end date (MODEND) is present
17	Only partial postcodes should be submitted and must be separated by a space (for example, NW7 3). For NFA the postcode should be ZZ99 3.
18	Value must be between 0 and 28 (inclusive) or not answered/not disclosed = 99
19	Value must be between 0 and 20 (inclusive) or not answered/not disclosed = 99
20	Value must be Y or N or 99 (not answered)
22	Field should contain a value if the episode has been closed (discharge date (DISD) is present)

Technical definitions V15.02

Rule no.	Description
23	Start TOP should be submitted at start of treatment journey. Only one start TOP should be submitted per treatment journey.
24	Must not hold or be composed of attributers which might identify the individual and must be unique and static.
25	(Secure settings only) Field should be populated with a value if secure setting exit date (EXITD) is not null
26	Secure setting exit destination (EXITDEST) should be populated with a NDTMS secure setting code if secure setting exit reason (EXITRSN) is 'transferred'.
27	Secure setting exit destination (EXITDEST) should not be populated with a value if secure setting exit reason (EXITRSN) is null
28	Field should be populated with a value if secure setting exit reason (EXITRSN) is 'released'
29	Should be provided as Alpha 3 code. See www.iso.org/iso/country_codes
31	Value must be between 0 and 75 or 99 (not answered or not disclosed)
32	Value must be between 0 and 14 or 99 (not answered or not disclosed)
33	Value must be between 0 and 10 or 99 (not answered or not disclosed)
34	Field must contain a value if intervention is delivered outside of the parent treatment provider setting
35	At SIR completion, field should contain a value if treatment intervention is/was pharmacological
36	At SIR completion, field should contain a value if treatment intervention is/was psychosocial
37	At SIR completion, field should contain a value if treatment intervention is/was recovery support
38	Intervention start date can occur after discharge date if intervention type is recovery support
39	Intervention end date can occur after discharge date if intervention type is recovery support
40	At SIR completion, field should contain a value if treatment intervention is YP multi agency working
41	At SIR completion, field should contain a value if treatment intervention is YP psychosocial
42	If populated, field should not contain the same value as Disability 1 AND Disability 1 must not be null
43	If populated, field should not contain the same value as Disability 1 or Disability 2 AND Disability 1 and Disability 2 must not be null
44	SADQ score must be between 0-60 (inclusive) or 98 (information not available) or 99 (client declined to answer)
45	Must be completed if PARENT, PRNTSTAT or CHILDWTH show the client is a parent or has children living with them
46	AUDIT score must be a value between 0 and 40 (inclusive) or 99 (not answered or not disclosed)
47	Value must be between 0 to 28 or 99 (not answered or not disclosed)
49	Field should only be populated where SEX field value is '2' female.

Technical definitions V15.02

Rule no.	Description
50	Field should be populated where MTHTN value is '1' (Yes)
52	CLIENT field must be populated with a NOMS ID or other unique prisoner identifier number – applicable to secure setting treatment services only
53	Secure setting exit destination should be populated with a DAT code if secure setting exit reason is released
54	For secure settings treatment stage is expected to be 'A' = treatment start
55	Field should be completed if LINSTUS is 'yes'
56	Value must be 1 or 2 or 99 (not answered)
57	Decimals permitted to one decimal place
59	Mandatory where CIRID is not null
60	If populated value is Y SIRDATE must be >= DISD
61	If populated, should not contain the same value as EHCSC1/CIREHCSC1 and EHCSC1/CIREHCSC1 must not be null
63	If populated should not contain the same value as EHCSC2/CIREHCSC2 and EHCSC2/CIREHCSC2 should not be null
64	If populated should not contain the same value as EHCSC3/CIREHCSC3
65	Must be populated if CIRSTAGE is 2
66	Field should be populated if EMPSTAT is not 'regular employment' (community adult only)
67	If either PHMETSTBL, PHMETWTH, PHMETMAIN, PHBUPSTBL, PHBUPWTH, PHBUPMAIN, PHBUNASTBL, PHBUNAWTH or PHBUNAMAIN are populated with 'Yes', PHOSTSPVD should be populated
68	If either PHBUPSTBL, PHBUPWTH, PHBUPMAIN, PHBUNASTBL, PHBUNAWTH or PHBUNAMAIN are populated with 'Yes' then this field should be populated
70	If either PHMETSTBL, PHMETWTH or PHMETMAIN are populated with 'Yes' then this field should be populated
72	If populated with 'Yes' PHDOSMET must be populated
73	If populated with 'Yes' PHDOSBUP must be populated
74	If PARENT is 'Yes' this field should be populated
75	Must be populated if CIRPARENT is 'Y'
76	Must be populated if CIRMTHTN is '1' (Yes)

NDTMS data set – date sequences

NDTMS community date verification rules matrix

Read along the row then up the column

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Data Item	1902	Today	DOB ²	REFLDSERV	REFLD	TRIAGED	HEPCTSTD	HLCASSDT	DISD	REFMODDT	FAOMODDT	MODST	MODEND	SUBMODDT	TOPDATE	CIRDT	CIRHEPCTSTD	CIRHLCASSDT
1 1902	X	<	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=
2 Today	>	X	>=	>=	>=	>=	>=	>=	>=	>=	X	>=	>=	>=	>=	>=	>=	>=
3 DOB - Date of birth of client ²	>=	<	X	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
4 REFLDSERV - Referred to service date	>	>=	>	X	>=	>=	X	>=	>=	>=	>=	>=	>=	>=	>=	>=	X	>=
5 REFLD - Referral date	>	>=	>	>=	X	>=	X	>=	>=	X	>=	>=	>=	>=	>=	>=	X	>=
6 TRIAGED - Triage date	>	>=	>	>=	>=	X	X	>=	>=	X	>=	>=	>=	>=	X	>=	X	>=
7 HEPCTSTD - Hep C test date	>	>=	>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
8 HLCASSDT - Healthcare assessment date	>	>=	>	>=	>=	>=	X	X	>=	X	X	X	X	X	X	X	X	X
9 DISD - Discharge date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	>=	>=	>=	X	>=
10 REFMODDT - Date referred to intervention	>	>=	>	>=	X	X	X	X	>=	>=	>=	>=	>=	>=	X	X	X	X
11 FAOMODDT - Date of first appointment offered for intervention	>	X	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
12 MODST - Intervention start date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
13 MODEND - Intervention end date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
14 SUBMODDT - sub intervention review date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
15 TOPDATE - TOP/YPOR date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
16 CIRDT - Client information review date	>	>=	>	>=	>=	>=	X	X	>=	>=	>=	>=	>=	X	X	X	X	X
17 CIRHEPCTSTD - CIR Hep C tested date	>	>=	>	X	X	X	X	X	>=	X	X	X	X	X	X	X	X	X
18 CIRHLCASSDT - CIR Healthcare assessment date	>	>=	>	>=	>=	>=	X	X	>=	X	X	X	X	X	X	X	X	X

¹ The exception to this rule can be when intervention type is recovery support

² Date of birth must be at least one year and one day prior to today

Key	
<	Prior to
>	After
<=	Prior to or on
>=	After or on
X	No verification rule

NDTMS secure setting date verification rules matrix

Read along the row then up the column

		A	B	C	D	E	F	G	H	I	J	K	L	M	N
	Data Item	1902	Today	DOB ²	REFLD ³	TRIAGED ³	HEPCTSTD	DISD	REFMODDT ⁴	MODST ⁴	MODEND	TOPDATE	INTRCPTD	RECPDT	EXITD
1	1902	X	<	<=	<	<	<	<	<	<	<	<	<	<	<
2	Today	>	X	>	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=	>=
3	DOB - Date of birth of client ²	>=	<	X	<	<	<	<	<	<	<	<	<	<	<
4	REFLD - Referral date ³	>	<=	>	X	=	X	<=	X	<=	<=	<=	>=	>=	<=
5	TRIAGED - Triage date ³	>	<=	>	=	X	X	<=	X	<=	<=	X	>=	>=	<=
6	HEPCTSTD - Hep C test date	>	<=	>	X	X	X	<=	X	<=	<=	X	X	X	X
7	DISD - Discharge date	>	<=	>	>=	>=	X	<=	>=	>=	>=	>=	>=	>=	<=
8	REFMODDT - Date referred to intervention ⁴	>	<=	>	X	X	X	<=	=	<=	X	X	>=	>=	<=
9	MODST - Intervention start date ⁴	>	<=	>	>=	>=	X	<=	=	<=	X	X	>=	>=	<=
10	MODEND - Intervention end date	>	<=	>	>=	>=	X	<=	>=	>=	X	X	>=	>=	<=
11	TOPDATE - TOP/ YPOR date	>	<=	>	>=	X	X	<=	X	X	X	X	>=	X	<=
12	INTRCPTD - Initial reception date	>	<=	>	<=	<=	X	<=	<=	<=	<=	X	X	<=	<=
13	RECPDT - Reception date	>	<=	>	<=	<=	X	<=	<=	<=	<=	X	X	<=	<=
14	EXITD - Exit date	>	<=	>	>=	>=	X	<=	<=	<=	<=	>=	>=	>=	X

² Date of birth must be at least one year and one day prior to today

³ For secure setting treatment services REFLD, if populated, must be the same as the 'triage date' (TRIAGED)

⁴ For secure setting treatment services REFMODDT, if populated, must be the same as the intervention start date' (MODST)

Key	
<	Prior to
>	After
<=	Prior to or on
=	Equal to
>=	After or on
X	No verification rule

Implementation of core data set changes

Core data set changes are specified as changes to the schema, and as changes to the reference data, which are the code sets used within the schema.

Data set changes should only be applied to client records that are active at the time of the dataset change. These changes should not be applied retrospectively to client records that do not meet these criteria. This applies to both schema and reference data code sets.

For those data items that may change throughout the treatment episode (as defined in the business definitions as “may change”), the reference data values in operation at the time of the change should be used.

Below outlines each item within the reference data and, for each item, displays the ‘trigger’ date for implementation of new reference data sets. Any changes to the reference data should be ‘triggered’ where the associated date is on or after the implementation date of the current core data set (for CDS P 1 April 2020). For example, within core data set ‘N’, any changes to the ‘Hepatitis C status’ should be applied to any record where the discharge date is greater than or equal to 01/04/2017.

AD dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved – updateable
LA	Episode	Validated at date record saved – updateable
UTLA	Episode	Validated at date record saved - updateable
LTLA	Episode	Validated at date record saved – updateable
PC	Episode	Validated at date record saved – updateable
DISD	Episode	DISD
DISRSN	Episode	DISD

All intervention fields use the MODST as the validation trigger date, with the following exception:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Sub-intervention (SIR) fields use the SUBMODDT as the validation trigger date.

All Outcome (TOP/) fields use the TOPDATE as the validation trigger date.

All Client Information Review (CIR) fields use the CIRDT as the validation trigger date.

YP dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
LA	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
LTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable
YPESTI	Episode	Validated at date record saved - updateable
YPSCCH	Episode	Validated at date record saved - updateable
DISD	Episode	DISD
DISRSN	Episode	DISD
YPECAREP	Episode	DISD
YPCSNSM	Episode	DISD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Sub-intervention (SIR) fields use the SUBMODDT as the validation trigger date.

All Outcome (YPOR) fields use the TOPDATE as the validation trigger date.

All Client Information Review (CIR) fields use the CIRDT as the validation trigger date.

SA dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable
HEPBSTAT	Episode	Validated at date record saved - updateable
HEPCSTAT	Episode	Validated at date record saved - updateable
HEPCTSTD	Episode	Validated at date record saved - updateable
NPSUSE	Episode	DISD
DISD	Episode	DISD
DISRSN	Episode	DISD
MHTXEXIT	Episode	EXITD
SENTENCED	Episode	EXITD
THNALOX	Episode	EXITD
REFHEPCTX	Episode	EXITD
EXITD	Episode	EXITD
EXITRSN	Episode	EXITD
EXITDEST	Episode	EXITD
RTOAGNCY	Episode	EXITD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Outcome (TOP) fields use the TOPDATE as the validation trigger date.

Technical definitions

SY dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable
HEPBSTAT	Episode	Validated at date record saved - updateable
HEPCSTAT	Episode	Validated at date record saved - updateable
DISD	Episode	DISD
DISRSN	Episode	DISD
EXITD	Episode	EXITD
EXITRSN	Episode	EXITD
EXITDEST	Episode	EXITD
RTOAGNCY	Episode	EXITD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Outcome (YPOR) fields use the TOPDATE as the validation trigger date.