

Note added for release (1)

Short-term forecasts from SPI-M-O. This was considered at SAGE 46 on 9 July 2020.

It should be viewed in context: these short-term forecasts represent SPI-M-O's best predictions based on the data and evidence available at the time of writing. Therefore, some of the information in this paper may have been superseded and the author's opinion or conclusion may since have developed.

Separate forecasts are produced using different models and approaches by the modelling groups represented at SPI-M-O. These individual forecasts are then combined to form a consensus forecast which is subsequently shared with the Scientific Advisory Group for Emergencies (SAGE).

The short-term forecasts are produced by transmission models of the epidemic process. These models are fit to trends in the past data, and therefore do not predict the impact changes to social distancing measures will have on the number of COVID-19 deaths or hospitalisations - unless the impact of any changes have already started to be reflected in the data by the time the forecasts were produced.

It isn't possible to produce accurate forecasts when case numbers fall to very low levels. Furthermore, where data series are inconsistent, for example if ICU bed occupancy is decreasing much faster than general bed occupancy, the models may not always fit well to the data. If case numbers drop to very low levels in a region or the forecasts do not fit well to the data, then these forecasts are excluded from the slides circulated to SAGE.

Data limitations mean some of the forecasts aren't informed by past data. Where this is the case these forecasts need to be treated with caution and represent SPI-M-O's best assessment using the available data from other parts of the UK.

These documents are released as pre-print publications that have provided the government with rapid evidence during an emergency. These documents have not been peer-reviewed and there is no restriction on authors submitting and publishing this evidence in peer-reviewed journals.

Note added for release (2)

The metrics used in these slides cover:

1. ICU bed occupancy
2. Hospital bed occupancy
3. Hospital and community deaths by date of death

Forecasts are produced for England, Scotland, Wales, Northern Ireland and NHSE regions. However, some forecasts were excluded from the slides circulated to SAGE due to low numbers and/or poor fit to past data.

Not all of the models produce forecasts each week or for every metric.

A description of the metrics used in the short-term forecasts between SAGE 22 and 46 are listed overleaf, together with caveats for each measure and source. These are additional to the existing caveats on the individual forecast slides, and should be taken into account. Please note that the coverage and definitions of these data streams have changed over time, reflecting improved understanding of the disease and epidemic.

Note added for release (3)

Metric	Nation	Definition and additional caveats
ICU bed occupancy (discontinued after SAGE 46)	England (SAGE 22-46)	<p>NHS England Sitrep, field "Number of HDU/ITU beds, as at 08:00 (occupied with confirmed COVID patients)". Please note that this relates to HDU/ITU, and not mechanical ventilation (MV).</p> <p>This is management information, collected on a daily basis with a tight turnaround time. No revisions are made to the dataset; where known errors have come to light trusts have made the appropriate correction in the following day's data. As of the 24 April, the forecast metric used covers all NHS trusts other than mental health and community trusts.</p>
	Scotland (SAGE 27-46)	<p>Scottish Government Sitrep, field "Total Number of Confirmed COVID-19 Inpatients in ICU at Midnight". Please note that this relates to HDU/ITU, and not mechanical ventilation (MV).</p> <p>The forecast metric used included both confirmed and suspected COVID-19 patients prior to 5 May 2020. Only confirmed COVID-19 patients are included after this date.</p>
	Wales (SAGE 29-46)	<p>NHS Wales/Welsh Government Sitrep (all hospitals), field "Total number of confirmed COVID-19 patients in invasive ventilated beds". Please note that this relates to invasive ventilated beds, both in and outside a critical care setting.</p>
	Northern Ireland (SAGE 27-46)	<p>NI Department of Health Sitrep, field "ICU Occupancy". Please note that the forecast metric used included both confirmed and suspected COVID-19 patients prior to 24 June 2020. Only confirmed COVID-19 patients are included after this date.</p>
Hospital bed occupancy (including ICU beds) (discontinued after SAGE 46)	England (SAGE 22-46)	<p>NHS England Sitrep (all NHS trusts), field "Total number of beds occupied with confirmed COVID patients at 08:00 (Total)".</p> <p>Please note that this is management information, collected on a daily basis with a tight turnaround time. No revisions are made to the dataset; where known errors have come to light trusts have made the appropriate correction in the following day's data. As of the 24 April, the forecast metric used covers all NHS trusts other than mental health and community trusts.</p>
	Scotland (SAGE 27-46)	<p>Scottish Government trends in daily COVID-19 data, field "COVID-19 patients in Hospital (including those in ICU) – confirmed". The forecast metric used included both confirmed and suspected COVID-19 patients prior to 5 May 2020. Only confirmed COVID-19 patients are included after this date.</p>
	Wales (SAGE 27-46)	<p>NHS Wales/Welsh Government Sitrep (all hospitals), field "Total number of confirmed COVID-19 patients in hospital beds". Please note that the forecast metric used included both active and recovering COVID-19 patients prior to 22 May 2020. Only active COVID-19 patients are included after this date. The forecast metric used relates to all hospitals (acute, community, mental health, field and private hospitals)</p>
	Northern Ireland (SAGE 39-46)	<p>Provided by HSCNI: "Number of inpatients on any day who were likely admitted with COVID - test positive within 28 days before admission or in first 7 days of admission"</p> <p>Please note that this includes community- and indeterminate-onset cases, and excludes hospital-onset cases.</p>

Note added for release (4)

Metric	Nation	Definition and additional caveats
Hospital deaths by date of death (discontinued after SAGE 25)	England (SAGE 22-25)	Deaths of people in hospitals with laboratory-confirmed COVID-19 . This corresponds to the daily COVID-19 deaths in England reported as part of the daily 10 Downing Street press conferences before 29 April 2020 (SAGE 29 and earlier). It is important to note that these figures are subject to reporting practices and working patterns.
	Scotland	N/A
	Wales	N/A
	Northern Ireland	N/A
Hospital and community deaths by date of death	England (SAGE 23-51)	PHE line list of deaths, by date of death Deaths of people with laboratory-confirmed COVID-19. This does not include deaths of people where COVID-19 is suspected, but not laboratory confirmed - but is a more timely measure. Please note that this data was prior to the change in definition on 12 August, and this measure relates to deaths of people with laboratory-confirmed COVID-19 with no time restriction imposed. Recent data points at the time of forecast will be more uncertain due to reporting delays. More information on this change can be found in the PHE data series on deaths in people with COVID-19: technical summary: https://www.gov.uk/government/publications/phe-data-series-on-deaths-in-people-with-covid-19-technical-summary
	Scotland (SAGE 27-51)	Public Health Scotland deaths line list Daily number of COVID-19 deaths, defined as individuals who die within 28 days of their first laboratory confirmed report of COVID-19 infection, and are registered with National Records of Scotland
	Wales (SAGE 27-51)	Public Health Wales deaths line list, field "Suspected COVID-19 deaths in lab confirmed cases" This relates to deaths of hospitalised patients in Welsh Hospitals or care home residents where COVID-19 has been confirmed with a positive laboratory test and the clinician suspects this was a causative factor in the death
	Northern Ireland (SAGE 44-51)	NI Department of Health Sitrep, field "deaths by date of death (historic figures updated retrospectively as at the date the overall spreadsheet is updated)" Deaths reported to the PHA where the deceased has had a positive test for COVID-19 and died within 28 days, whether or not COVID-19 was the cause of death

Note added for release (5)

Metric	Nation	Definition and additional caveats
New and newly confirmed cases in hospital (discontinued after SAGE 41)	England (SAGE 22-41)	NHS England Sitrep, sum of fields "Number of inpatients diagnosed with COVID-19 in last 24 hours (Total)" and "Number of patients admitted with COVID-19 in last 24 hours (Total)". Please note that this is management information, collected on a daily basis with a tight turnaround time. No revisions are made to the dataset; where known errors have come to light trusts have made the appropriate correction in the following day's data. As of the 24 April, the forecast metric used covers all NHS trusts other than mental health and community trusts.
	Scotland (SAGE 33-41)	"Scotland Tested Positive in Hospitals" file. New and newly confirmed COVID-19 patients in hospital, sum of fields "N.Positive.In.Hospital" and "N.Positive.On.Admission".
	Wales (SAGE 29-41)	"SPI-M_PHW_ICNet_HospitalData" file, "All admissions" sheet.
	Northern Ireland (SAGE 39-41)	Provided by HSCNI: patients admitted with COVID (positive test), and patients testing positive with COVID-19 in hospital

SPI-M Short term forecasts

As of the 7th of July, 2020

Models

- *Faculty/NHSX/NHSEI*: statistical Bayesian hierarchical model fitted individually to ICU and hospital admissions data to produce forecasts at the trust level
- *Imperial Stochastic Compartmental*: fitted to multiple data streams
- *LSHTM EpiSoon*: renewal-equation based model fitted to multiple data streams; combined with a time series model to forecast trends in transmission
- *LSHTM Transmission*: age-specific regional stochastic SEIR model fitted to multiple data streams
- *Manch/Oxf/Lanc*: deterministic SEIR model fitted to new cases in hospital, fitted via MCMC/MLE.
- *PHE/Cambridge*: deterministic transmission model combined with a disease reporting model, fitted to deaths by date; two variants
- *Warwick*: age-structured SEIR model fitted to multiple data streams

None of the models separate out transmission routes in the community, hospitals or other settings. Presented numbers are of overall cases.

Forecasts

- *ICU beds occupied*: number of patients with COVID-19 in HDU/ITU at any time.
- *Total beds occupied*: number of patients with COVID-19 in any bed (including HDU/ITU) at any time.
- *Hospital and community deaths*: number of deaths with confirmed COVID-19, by date of death.

Note added for release:


The description for the Manch/Oxf/Lanc model should read "deterministic SEIR model fitted via MLE/MCMC to daily hospital admissions, hospital prevalence, ICU prevalence, and daily hospital deaths"

General notes

- Forecasts are produced by individual models and combined. Models are combined by fitting a normal distribution to each individual predictive distribution and aggregating them in a normal mixture distribution with equal weights.
- Several modelling groups produce forecasts for England, Scotland, Wales and Northern Ireland. As a result it has been possible to extend the coverage of the forecasts to all four nations for most metrics. However, it is not always possible to produce forecasts for every metric for all four nations.
- Each group fits their model to trends in the historical data. If the alterations to social distancing measures announced by the Government and devolved administrations have not had an impact on hospital or death data by the time the forecasts are made, then the forecasts will not include the possible impact of these changes on each of the metrics.

ICU beds occupied


Combined forecasts



Note: Number of ICU beds occupied. The forecast for Northern Ireland has been excluded. The models aren't able to produce accurate forecasts when ICU occupancy falls to very low levels. SPI-M's central forecast is for ICU occupancy in Northern Ireland to remain low. NHSE data excludes community and mental health trusts. Northern Ireland data includes suspected cases. This forecast depends on the distribution of lengths of stay, which is estimated separately for the different models from different data sources. Shaded areas represent 50% and 90% confidence.

Total beds occupied


Combined forecasts



Note: Total number of beds occupied (including ICU). The forecasts for Wales and Scotland don't match the data and have been excluded. The data for Wales includes confirmed and recovering COVID-19 patients. Data for NI doesn't include hospital acquired COVID-19 infections. NHSE data excludes community and mental health trusts. This forecast depends on the distribution of lengths of stay, which is estimated separately for the different models from different data sources. Shaded areas represent 50% and 90% confidence.

Hospital and community deaths (by date of death)

Combined forecasts




Note: The four most recent data points are coloured in grey to reflect uncertainty due to reporting delays. This is based on line lists of deaths and only covers deaths with a positive test. The forecasts for Northern Ireland and Scotland have been excluded. The models aren't able to produce accurate forecasts when the number of deaths falls to very low levels. SPI-M's central forecast is for the number of deaths in Northern Ireland and Scotland to remain low. Shaded area: 50% and 90% confidence.

Annex: England regional forecasts

ICU beds occupied


Combined forecasts



Note: Number of ICU beds occupied. The forecast for the South West doesn't match the data and has been excluded. NHSE data excludes community and mental health trusts. This forecast depends on the distribution of lengths of stay, which is estimated separately for the different models from different data sources. Shaded areas represent 50% and 90% confidence.

Total beds occupied


Combined forecasts



Note: Total number of beds occupied (including ICU). NHSE data excludes community and mental health trusts. This depends on the distribution of lengths of stay, which is estimated separately for the different models from different data sources. Shaded areas represent 50% and 90% confidence.

Hospital and community deaths (by date of death)

Combined forecasts



Note: The four most recent data points are coloured in grey to reflect uncertainty due to reporting delays. This is based on the PHE line list of deaths and only covers deaths with a positive test. The forecast for the South West has been excluded. The models aren't able to produce accurate forecasts when the number of deaths falls to very low levels. SPI-M's central forecast is for the number of deaths in the South West to remain low. Shaded areas represent 50% and 90% confidence.