From:
 Exactive

 Te:
 (REDACTED)

 Cc:
 Exactive

 Subject:
 RE Prevalement of Information request - Software systems RPI 027

 Detex:
 24 September 2019 09:52-23
 Dear [REDACTED] Thank you for your freedom of information request received on 30 August 2019 and allocated reference RFI 027. We have provided answers to your questions below as follows: When you control provided? Autorect OFGEM
When you control provided? Autorect OFGEM
When you do control copies, and do you have extension of a set of the set o Procurement system: • Who is your current provider? Answer: Procurement is done internally. • When does he contrast expire, and do you have extension options? Answer: NA • What it the value of the contrast? Answer: NA • When did the contract start? Answer: NA Intensing Dyna have an electronic invoking system in place? Answer: No. 11 Kas, white it the current service provider of this system? Answer: No. 21 Section 22 Se Instrumentary invoces are processes animative '', Antere Tar 1' 16 Ville SAMA (processed SA contain invoces : The SAMA that Table and you invoces.
If you are of socialized with the handling of your regists', Namer Tar 1' 16 Ville SAMA (processed SA contain invoces : The SAMA that Table and you invoces.
If you are of socialized with the handling of your regists', you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review, you have the right to a globy directly to the laternal review. State SAMA the social review of the register of the response to your original register and should be addressed to work of the register of the receive of the response to your original register and should be addressed to work of the register of the receive of the receive of the receive of the response to your original register and should be addressed to work of the register of the receive of the Single Source Regulations Office T: 0203 771 4771 | M: 07885 266 835 | E: [REDACTED] Address: Finlaison House] 15-17 Fumival Street | London | EC4A 1AB ----Original Message----From: [REDACTED] Sent: 30 August 2019 10:11 To: Enquiries enquirise@ssaro.gov.uk> Subject: Freedom of Information request - Software systems CAUTION: External Email Dear Single Source Regulations Office, Please may you provide the information for the following systems? Finance system: Frame system:
Who is you cannot provide?
Who is not one for contract cipier, and a you have extension options?
What is in the work of the contract?
What is in the work of the contract cipier.
What is the work of the contract cipier.
What is the voltation of the contract cipier. Yours faithfully, [REDACTED] Please use this email address for all replies to this request: request-600498-acabfa79@whatdothevknow.com Is enquiringions gor ask the wrong address for Freedom of Information requests to Single Source Regulations Office? If so, please contact us using this form: https://univ.latinaks.pontection.unitoskc.com? univhappl:/shar21/2/www.shaddishc.use.com/siPchange\_request/uSPace%3Pooly%3Danokampdata=02%7C01%7Conquires%4Doon gor ads%7C57769 Disclaimer: This message and any reply that you make will be published on the internet. Our privacy and copyright policies: https://cut02.aifdinks.protection.outlook.com? uni+https/13.3/29/2154/www.whatdhock.goow.com?42Fhelp%2Fofficers&amp.data=02%7C01%7Cenquiries%46asro.gov.uk% 9VJV17X6tWdiGG55TwQxkUI5%2Bv0WULPFPZ8IHbLljzY%3D&reserved=0 Please note that in some case s publication of requests and responses will be delayed.

kergWHWf7JHrl

Bd1obQGLFQ%2F7EkX%2BxMp1Ok%3Da

If you find this service useful as an FOI officer, please ask your web manager to link to us from your organisation's FOI page