



**Acute trust toolkit for the early
detection, management and control of
carbapenemase-producing
Enterobacteriaceae
Relevant literature and resources**

Withdrawn: October 2020

About Public Health England

Public Health England's mission is to protect and improve the nation's health and to address inequalities through working with national and local government, the NHS, industry and the voluntary and community sector. PHE is an operationally autonomous executive agency of the Department of Health.

Public Health England
133-155 Waterloo Road
Wellington House
London SE1 8UG
Tel: 020 7654 8000
www.gov.uk/phe
Twitter: @PHE_uk
Facebook: www.facebook.com/PublicHealthEngland

Prepared by: Carbapenemase-producing Enterobacteriaceae Toolkit Working Group
For queries relating to this document, please contact: hcai@phe.gov.uk

© Crown copyright 2014

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v2.0. To view this licence, visit OGL or email psi@nationalarchives.gsi.gov.uk. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned. Any enquiries regarding this publication should be sent to publications@phe.gov.uk

Published June 2014

PHE publications gateway number: 2014107

This document is available in other formats on request. Please call 0207 811 7241 or email hcai@phe.gov.uk



339

Relevant literature and resources

Recent international guidance and useful resources

- *Antibiotic resistance threats in the United States*, 2013. Published at: <http://www.cdc.gov/drugresistance/threat-report-2013/>
- Best practice guidance on laboratory testing published by British Society for Antimicrobial Chemotherapy (BSAC) <http://bsac.org.uk/wp-content/uploads/2012/02/AST-testing-and-Reporting-guidance-v1-Final.pdf>
- *Guidance for Control of Carbapenem-resistant Enterobacteriaceae (CRE, 2012)* (USA). Published at: http://www.cdc.gov/hai/organisms/cre/cre_toolkit/
- NHS England National Patient Safety Alert (issued 06 March 2014) <http://www.england.nhs.uk/ourwork/patientsafety/psa/>
- *Recommendations for the control of Multi-drug resistant Gram-negatives: carbapenem resistant Enterobacteriaceae* (Australia). Published at: <http://www.safetyandquality.gov.au/wp-content/uploads/2013/12/MRGN-Guide-Enterobacteriaceae-PDF-1.89MB.pdf>
- *UK Standards for Microbiology Investigations: Laboratory Detection and Reporting of Bacteria with Carbapenem-Hydrolysing β-lactamases (Carbapenemases)* http://www.hpa.org.uk/webw/HPAweb&HPAwebStandard/HPAweb_C/1317138518829 and recently updated referral criteria: http://www.hpa.org.uk/webc/HPAwebFile/HPAweb_C/1317140775283

Recent relevant publications and key literature used to inform the development of the Acute Trust toolkit

- Advice on Carbapenemase Producers: Recognition, infection control and treatment. Health Protection Agency and Department of Health Advisory Committee on Antimicrobial Resistance and Healthcare Associated Infections (ARHAI) (*superseded guidance*)
- Ben-David D et al. Carbapenem-resistant Klebsiella pneumoniae in post-acute-care facilities in Israel. *Infect Control Hosp Epidemiol* 2011 Sep; 32(9):845-5. National Center for Infection Control, Israel Ministry of Health, Tel Aviv, Israel.

- Capone A, Giannella M, et al. High rate of colistin resistance among patients with carbapenem-resistant Klebsiella pneumoniae infection accounts for an excess of mortality. *Clin Microbiol Infect.* 2013 Jan;19(1):E23-30
- Carbonne A, Thiolet JM, Fournier S, Fortineau N, Kassis-Chikhani N, Boytchev I, Aggoune M, Séguier JC, Sénéchal H, Tavolacci MP, Coignard B, Astagneau P, Jarlier V. Control of a multi-hospital outbreak of KPC-producing Klebsiella pneumoniae type 2 in France, September to October 2009. *Euro Surveill.* 2010;15(48)
- Carmeli Y, Akova M, Cornaglia G, Daikos GL, Garau J, et al. Controlling the spread of carbapenemase-producing Gram-negatives: therapeutic approach and infection control. *Clin Microbiol Infect* 2010; 16: 102–111
- Dautzenberg MJ, Ossewaarde, JM. Successful control of a hospital-wide outbreak of OXA-48 producing Enterobacteriaceae in the Netherlands, 2009 to 2011. *Euro Surveill* 2014 Apr;19(9)
- Dimou V, Dhanji H, Pike R, Livermore DM, Woodford N. Characterization of Enterobacteriaceae producing OXA-48-like carbapenemases in the UK. *J Antimicrob Chemother.* 2012 Jul;67(7):1660-5. doi: 10.1093/jac/dks124. Epub 2012 Apr 24
- Glasner C, Albiger B, Buist G, Tambic Andrašević A, Canton R, Carmeli Y, Friedrich AW, Giske CG, Glupczynski Y, Gniadkowski M, Livermore DM, Nordmann P, Poirel L, Rossolini GM, Seifert H, Vatopoulos A, Walsh T, Woodford N, Donker T, Monnet DL, Grundmann H. Carbapenemase-producing Enterobacteriaceae in Europe: a survey among national experts from 39 countries, *Eurosurveill* Volume 18, Issue 28, 11 July 2013
- European Centre for Disease Prevention and Control. Risk assessment on the spread of Carbapenemase-producing Enterobacteriaceae (CPE) through patient transfer between healthcare facilities, with special emphasis on cross-border transfer. Stockholm: ECDC; 2011
- Feldman N, Adler A. Persistence of Carriage and Risk of Transmission to Caregivers of KPC-Producing Klebsiella pneumoniae (KPC-Kp) after Hospital Discharge. *Clin Microbiol Infect.* 2013 Apr;19(4):E190-6
- Health Care Associated Infection Operational Guidance and Standards for Health Protection Units, July 2012.
http://www.hpa.org.uk/webw/HPAweb&HPAwebStandard/HPAweb_C/1317134940691

- Ireland infection control and laboratory guideline.
<http://ndsc.newsweaver.ie/epiinsight/x3k8tfcqbkctx2boyfzyr4>
- Jain A, Hopkins K, Turton J, Doumith M, Hill R, Loy R, Meunier D, Pike R, Livermore DM, Woodford N. NDM carbapenemases in the United Kingdom: an analysis of the first 250 cases. *J Antimicrob Chemother.* 2014 Apr doi:10.1093/jac/dku084
- Lee GC, Burgess DS. Treatment of Klebsiella pneumoniae carbapenemase (KPC) infections: a review of published case series and case reports. *Ann Clin Microbiol Antimicrob.* 2012 Dec 13;11:32
- Logan LK. Carbapenem-resistant enterobacteriaceae: an emerging problem in children. *Clin Infect Dis* 2012 Sept 55(6):852-9
- Lübbert C, Lippmann N. Long-term carriage of Klebsiella pneumoniae carbapenemase2-producing K pneumoniae after a large single-center outbreak in Germany. *Am J Infect Control.* 2014 Apr;42(4):376-80
- Miyakis S, Pefanis A and Tsakris. The Challenges of Antimicrobial Drug Resistance in Greece. *Clin Infect Dis* 2011;53(2):177-84.
- Morris D, Boyle F, Morris C, Condon I, Delannoy-Viellard AS, et al. Inter-hospital outbreak of Klebsiella pneumonia producing KPC-2 carbapenemase in Ireland. *J Antimicrob Chemother* 2012 doi:10.1093/jac/dks239
- Munoz-Price LS et al. Successful Eradication of a Monoclonal Strain of Klebsiella pneumoniae during a K. pneumoniae Carbapenemase-Producing K. pneumoniae Outbreak in a Surgical Intensive Care Unit in Miami, Florida *Infect Control Hosp Epidemiol* 2010; 31(10):1074-1077
- Munoz-Price LS, Hayden MK et al. Successful control of an outbreak of Klebsiella pneumoniae carbapenemase-producing K. pneumoniae at a long-term acute care hospital. *Infect Control Hosp Epidemiol.* 2010 Apr;31(4):341-7
- Munoz-Price LS, Poirel L, Bonomo RA, Schwaber MJ, et al. Clinical epidemiology of the global expansion of Klebsiella pneumoniae carbapenemases. *Lancet Infect Dis.* 2013 Sep;13(9):785-96
- Nordmann P, Naas T, Poirel L. Global Spread of Carbapenemase-producing Enterobacteriaceae. *EID* 2011

- Palmore TN, Henderson DK. Managing Transmission of Carbapenem-Resistant Enterobacteriaceae in Healthcare Settings: A View From the Trenches - CID 71:1598 Revised *Clin Infect Dis.* 2013 Aug 9.
- Robustillo Rodela A, Díaz-Agero Pérez C, Sanchez Sagrado T, Ruiz-Garbajosa P, Pita López MJ, Monge V. Emergence and outbreak of carbapenemase-producing KPC-3 Klebsiella pneumoniae in Spain, September 2009 to February 2010: control measures. *Euro Surveill.* 2012;17(7)
- Scheaber MJ, Lev B, Israeli A, Solter E, Smollan G, et al. Containment of a Country-wide Outbreak of Carbapenem-Resistant Klebsiella pneumoniae in Israeli Hospitals via a Nationally implemented Intervention. *Clin Infect Dis* 2011;52(7):848-855.
- Schechner V et al. Asymptomatic rectal carriage of blaKPC producing carbapenem-resistant Enterobacteriaceae: who is prone to become clinically infected? Tel Aviv *Clin Microbiol Infect* 2013 May 19(5):451-6
- Schwaber MJ et al National Center for Infection Control, Israel Ministry of Health, Tel Aviv, Israel. Containment of a country-wide outbreak of carbapenem-resistant Klebsiella pneumoniae in Israeli hospitals via a nationally implemented intervention. *Clin Infect Dis* 2011 Apr 1;52(7):848-55
- Schwaber MJ, Carmeli Y. An ongoing national intervention to contain the spread of carbapenem-resistant enterobacteriaceae. *Clin Infect Dis.* 2014 Mar;58(5):697-703.
- Steinmann J, Kaase M, Gatermann S, Popp W, Steinmann E, Damman M, Paul A, Saner F, Buer J, Rath PM. Outbreak due to a Klebsiella pneumoniae strain harbouring KPC-2 and VIM-1 in a German university hospital, July 2010 to January 2011. *Eurosurveill,* Volume 16, Issue 33, 18 August 2011
- Struelens MJ, Monnet DL, Magiorakos AP, Santos O'Connor F, Giesecke J, the European NDM-1 Survey Participants. New Delhi metallo-beta-lactamase 1-producing Enterobacteriaceae: emergence and response in Europe. *Euro Surveill.* 2010;15(46)
- The Health and Social Care Act 2008: Code of Practice on the prevention and control of infections and related guidance.
http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_122604

- Tumbarello M, Viale P, Viscoli C, Trecarichi EM, Tumietto F, Marchese A, Spanu T, Ambretti S, Ginocchio F, Cristini F, Losito AR, Tedeschi S, Cauda R, Bassetti M. Predictors of mortality in bloodstream infections caused by Klebsiella pneumoniae carbapenemase-producing K. pneumoniae: importance of combination therapy. *Clin Infect Dis.* 2012 Oct;55(7):943-50.
- Tzouvelekis LS, Markogiannakis A, Psichogiou M, Tassios PT, Daikos GL. Carbapenemases in Klebsiella pneumoniae and Other Enterobacteriaceae: an Evolving Crisis of Global Dimensions. *Clin Microbiol Rev.* 2012 Oct;25(4):682-707.
- Vaux S, Carbonne A, Thiolet JM, Jarlier V, Coignard B, RAISIN and Expert Laboratories Groups. Emergence of Carbapenemase-producing Enterobacteriaceae in France, 2004 to 2011. *Euro Surveill.* 2011;16(22)
- Wilkinson KM, Winstanley TG, Lanyon C, Cummings SP, Raza MW, Perry JD. Comparison of four chromogenic culture media for carbapenemase-producing Enterobacteriaceae. *J Clin Microbiol.* 2012 Sep;50(9):3102-4.
- Zagorianou A, Sianou E, Iosifidis E, Dimou V, Protonotariou E, et al. Microbiological and molecular characteristic of Carbapenemase producing Klebsiella pneumoniae endemic in a tertiary Greek hospital during 2004-10. *Euro Surveill.* 2012;17(7)