Department of the Environment, Food and Rural Affairs Scottish Government Welsh Government

Animal & Plant Health Agency

The Animal By-Products (Enforcement) (England) Regulations 2013 The Animal By-Products (Enforcement) (Scotland) Regulations 2013 The Animal By-Products (Enforcement) (Wales) Regulations 2014 Regulation (EC) No. 1069/2009 laying down health rules concerning animal by-products not intended for human consumption

Application and Inspection Form for Approval of On-Farm Combustion Plants in which Poultry Manure is Used as a Fuel

APHA address:
ABP Team
APHA Customer Service Centre
County Hall
Spetchley Road
Worcester, WR5 2NP

Date Received

Date of Inspection

Ref. No.

Name of applicant	Important - Instructions for applicant. The sections of this application form follow the general layout explained below.			
Name of operator or company if different	 Legal requirements. This section provides a summary of the basic requirements which must be 			
Full postal address of premises	met before an approval can be issued. Applicants should ensure their premises comply fully with these requirements before sending in their application for approval. This application form can only be used for approval for on-farm combustion plants using poultry manure as fuel.			
Postcode	 Guidance. These notes provide a summary only and should not be taken as exhaustive. 			
Telephone no. (incl. national dialling code)	 Details. Information to be provided by the applicant. If insufficient space is provided on this form, please continue on the attached blank pages, 			
Fax no. (incl. national dialling code)	quoting the relevant section number.			
	Online Guidance. Please refer to			
Email address	https://www.gov.uk/guidance/get-approval-to-burn-poultry-manure-in-a-combustion-unit before completing this form.			
CPH No (if applicable)	Once you have completed this form, please send			
	the signed copy to the ABP Team (address above or email to CSCOneHealthABP@apha.gov.uk			
Online Fee Guidance There are application fees and ongoing inspection fees that apply. Please refer to the relevant legislation below:				
England - The Animal By-Products and Pet Pass	port Fees (England) Regulations 2018			

name

Please note:

Customer (company)

• details in the customer name field above must be entered **exactly** as they will appear on invoices

Scotland - The Animal By-Products and Pet Passport Fees (Scotland) Regulations 2018

Wales - The Animal By-Products and Pet Passport Fees (Wales) Regulations 2018

- the customer name must be the full legal trading name
- do not use initials and acronyms

Are you a government department or public organisation?	Yes	No	

Billing Address for company (if different from Correspondence Address above):

Postcode				
Country				
VAT registration number				
Contact for invoices/bill	ing			
Contact email address (for all invoices relating to the above site)				
Full name of contact				
Telephone number				
142/2011 (The Animal By (England) Regulations 20	(EC) No. 1069/2009 (The Animal By-Products Control Regulation), Regulation (EU) NoProducts Implementing Regulation) and The Animal By-Products (Enforcement) (3, The Animal By-Products (Enforcement) (Scotland) Regulations 2013 and The Animal t) (Wales) Regulations 2014.			
	planning permission and environmental protection may apply. It is the operator's at the plant operates in compliance with all relevant legislation.			
produced by poultry on thused in accordance with F	anly poultry manure that is unprocessed (has not received any prior treatment) and e same site may be used as fuel. Poultry manure produced by poultry off-site may be Regulation (EU) 2017/1262 amending Regulation (EU) No.142/2011. Ash must be with Environment Agency/Scottish Environmental Protection Agency/Natural Resource			
	Capacity ally on-farm combustion plants with a total rated thermal input not exceeding 5MW can be all By-Products (ABPs) Regulations.			
Provide confirmation of th	nambers are there? The ch combustion plant operate? The operating capacity of the plant, for example the manufacturer's declaration. The delof the combustion plant?			
For official use only				

Plant Layout Plans Required: A plan of the farm showing the location of the combustion plant in relation to other buildings, livestock and public roads. A plan showing the layout of the premises, to include the access route, storage area for the manure and a designated area for cleaning vehicles.

Describe how the combustion plant is separated from the farmed animals, their feed and bedding.

escribe how the poultry manure to be used as fuel is transferred from the production shed to the combustion lant's storage area.	_
For official use only	I

3. General Requirements

Information Required

- There must be equipment to cleanse and disinfect the vehicles leaving the combustion plant area.
- 2) Wash water must be collected and disposed of in a manner that satisfies the Environment Agency/Scottish Environment Protection Agency/Natural Resources Wales.
- 3) Combustion plants must be located on a well-drained hard standing.
- 4) There must be a documented pest control programme. Records must be kept for two years.
- 5) Staff must have access to adequate facilities for personal hygiene such as lavatories, changing rooms and washbasins.
- 6) There must be a documented cleaning and disinfecting protocol. Records must be kept for two years.
- 7) Records must be kept by the operator of the regular inspection of the combustion plant and its environment.

Information Required:

Describe how the plant will comply with the requirements. A sample of how the required records will compiled and presented either in physical or electronic format should accompany this application.

For official use only
4. Storage of Manure Awaiting Combustion
Additional Guidance Poultry manure awaiting combustion must be stored in an enclosed area. There should be minimal further handling.
Care must be taken to ensure that there is no cross contamination with other areas of the farm, for example by personal movements or shared vehicles.
Information Required:
Describe the system for storing manure awaiting combustion and the precautions being taken to prevent cross contamination.
OSTRATIFICATION.
For official use only
5. Combustion Plant Equipment
Guidance:
The combustion plant must be equipped with:

ABPR36 (Rev. 10/20)

handling.	manibei wilii	out furti	. • .
 An auxiliary burner (to be used during start up and shut down to ensure that the temper maintained). 	ature (850°C) is	
Information Required:			
Tick the Yes/No boxes to confirm that the combustion plant has the following equipment: An automatic fuel management system to place the manure directly into the combustion			
chamber without further handling.	Yes	No	
An auxiliary burner.	Yes 🗌	No	
6. Operating Conditions			
Additional Guidance Combustion plants must be designed, built, equipped and operated in such a way that ever	under the m	oet	
unfavourable conditions the ABPs are treated for at least for two seconds at a temperature	of 850°C or f	or at lea	
0.2 seconds at a temperature of 1100°C and that the gas resulting from the process is raise homogeneous fashion for two seconds to a temperature of 850°C or for 0.2 seconds to a te			
Information Required: Enclose a technology supplier's declaration to confirm that the equipment can operate to the	ese standard	s.	
For official use only			
For official use only			
For official use only			
For official use only			
For official use only			
For official use only			
For official use only			
7. Temperature Monitoring			
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o	f the combus	tion	
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority.			99
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the competent authority.			SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.
7. Temperature Monitoring Additional Guidance The temperature must be measured near the inner wall or at another representative point o chamber, as authorised by the competent authority. Automated techniques shall be used to monitor the parameters and conditions relevant to the Information Required: Describe the location of the temperature probe. Describe how the temperature will be monitored.	ne combustic	n proce	SS.

For official use only			
i of official use only			
8. Slags and Bottom Ash			
Additional Guidance			
The fuel must be combusted so that the total organic content of the slags and bottom ash is less than 3%, or their loss on ignition is less than 5% of the dry weight of the material.			
Information Required:			
Describe how this information will be presented to the inspector.			
For official use only			
For official use only			

9. Emissions

Additional Guidance

The emissions of sulphur dioxide, nitrogen oxides (namely the sum of nitrogen monoxide and nitrogen dioxide, expressed as nitrogen dioxide) and particulate matter from the stack attached to the on farm combustion plant using poultry manure as fuel shall not exceed the following emission limit values, expressed in mg/Nm³ at a temperature of 273,15 K, a pressure of 101,3 kPa and an oxygen content of 11%, after correction for the water vapour content of the waste gases:

Pollutant	Emission limit value in mg/Nm ³
sulphur dioxide	50
nitrogen oxides (as NO ₂)	200
particulate matter	10

Information Required:

- 1) At the second approval visit provide information from the certifying organisation to show the inspector that the combustion plant is meeting the required emissions standards. A further unannounced visit will then take place within six months to ensure the standard has been maintained.
- 2) The Report compiled and submitted on behalf of the operator must contain the results of the emissions monitored, the dates on which it was undertaken and the laboratory used for the testing along with confirmation the combustion plant was operating according to the requirements set out in section 8 when the measurements were made.

 A statement from the certifying organisation saying that provided the equipment the technology supplier's requirements the emissions will be below the value. 			cordan	ice with	
Does the combustion plant have secondary abatement equipment?	Yes		No		
10. Breakdown or Abnormal Operating Conditions Additional Guidance. The combustion plant shall be equipped with facilities which automatically shut down operations in the case of a breakdown, or abnormal operating conditions until normal operations can be resumed. In the event of inefficient operation, manure that has not been fully reduced to ash must be re-combusted or					
Information Required: Describe the way in which the plant will shut itself down in the event of breakdo and the procedure by which the cause of the breakdown will be fixed and norm	own or abnorma al operations re	sumed	d.		
In the event of a breakdown or inefficient operation state how the poultry manu	wiii 50 310160	. 01 413		OI.	
For official use only					
For official use only					
For official use only Signature of applicant	Date				
		Agenc	y Persor	nal	
Signature of applicant DATA PROTECTION For information on how we handle personal data please go to www.gov.uk and search Anima	al and Plant Health	o such	n matte		
Signature of applicant DATA PROTECTION For information on how we handle personal data please go to www.gov.uk and search Anima Information Charter. This application only relates to the Animal By-Products Regulations. It do	pes not relate to risations will b	o such e requ	matte uired.	ers as	

OFFICIAL-SENSITIVE

For official use only

Inspector Name: Notes for inspecting officer on issuing approval 1) In England and Wales, if necessary, obtain AB58 holder countersignature. The ABP Team, CSC Health hold a list of all AB58 holders. In Scotland send to the Lead VO 2) In England and Wales if agreed by AB58 Holder, issue approval In Scotland send to Scottish Government to issue approval 3) In England and Wales copy to: CSC One Health: CSCOneHealthABP@apha.gov.uk Local Authority Environment Agency/Natural Resources Wales In Scotland, copy to the Scottish Environment Protection Agency For official use only AB58 holder Authorisation Comments and mark forward date	endation:
 In England and Wales, if necessary, obtain AB58 holder countersignature. The ABP Team, CSC Health hold a list of all AB58 holders. In Scotland send to the Lead VO In England and Wales if agreed by AB58 Holder, issue approval In Scotland send to Scottish Government to issue approval In England and Wales copy to: CSC One Health: CSCOneHealthABP@apha.gov.uk Local Authority Environment Agency/Natural Resources Wales	
3) In England and Wales copy to: CSC One Health: CSCOneHealthABP@apha.gov.uk Local Authority Environment Agency/Natural Resources Wales In Scotland, copy to the Scottish Environment Protection Agency For official use only AB58 holder Authorisation	One
CSC One Health: CSCOneHealthABP@apha.gov.uk Local Authority Environment Agency/Natural Resources Wales In Scotland, copy to the Scottish Environment Protection Agency For official use only AB58 holder Authorisation	
AB58 holder Authorisation	
AB58 Holder Signature	
Name	
Date	
 In England and Wales, amendments to approvals and suspension of approvals are carried of AB58 Holders. The ODN may be consulted in formulating a recommendation. In Scotland, amendments and suspensions are carried out by the Scottish Government. The be consulted in formulating a recommendation. APHA is an Executive Agency of the Department for Environment, Food and Rural Affairs and also works on behalf of Government, Welsh Government and Food Standards Agency to safeguard animal and plant health for the benefit of environment and the economy. 	e ODN may
HM3 Stamp Name: Date Received: WS ID:	