

Emergency Department

Syndromic Surveillance System: England

Data to: 06 December 2020

08 December 2020

Year: 2020 Week: 49

In This Issue:

Key messages.

Diagnostic indicators at a glance.

Weekly report statistics.

Total attendances.

Respiratory.

Gastrointestinal.

Cardiac.

Notes and caveats.

Acknowledgements.

Key messages

Emergency department COVID-19-like attendances decreased during week 49 (figure 3), mainly in the North West and Yorkshire & Humber PHE Centres.

Note: during the COVID-19 pandemic, patients with COVID-19 symptoms are generally advised to initially access a COVID-19 test through the national COVID-19 testing programme. This is likely to result in lower numbers of patients accessing health advice as monitored through syndromic surveillance systems. Syndromic data should therefore be interpreted with some caution and in the context of other COVID-19 monitoring data sources.

Please see '<u>notes and caveats</u>' for information about the ED syndromic indicators including important caveats around the interpretation.

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance Team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1/2: Winter preparedness / Alert & readiness http://www.metoffice.gov.uk/weather/uk/coldweatheralert/

Diagnostic indicators at a glance:

Further details on the syndromic indicators reported can be found on page 10.

	•	
Indicator	Current trend	Level
COVID-19-like	decreasing	-
Respiratory	decreasing	below baseline
Acute Respiratory Infection	decreasing	below baseline
Bronchiolitis	no trend	below baseline
Influenza-like Illness	decreasing	below baseline
Pneumonia	no trend	below baseline
Asthma	no trend	below baseline
Gastrointestinal	no trend	below baseline
Gastroenteritis	decreasing	below baseline
Cardiac	no trend	above baseline
Myocardial Ischaemia	no trend	above baseline
Alcohol intoxication	no trend	below baseline

EDSSS weekly report statistics

Only Type 1 EDs meeting the weekly reporting criteria are included (see page 10 for details).

*max EDs included across full time period reported in charts, individual days may include fewer EDs.


Date	Total	Diagnoses Coded		Type 1 EDs
Date	Attendances	Number	%	Included
30/11/2020	19,028	14,059	73.9%	86
01/12/2020	17,830	13,493	75.7%	86
02/12/2020	17,813	13,375	75.1%	86
03/12/2020	17,686	12,997	73.5%	86
04/12/2020	17,732	13,791	77.8%	86
05/12/2020	16,250	12,770	78.6%	86
06/12/2020	15,988	12,118	75.8%	86
Total	122,327	92,603	75.7%	(max)* 86



1: Total attendances.


Daily number of total attendances recorded, across the EDSSS network.

The entry of new ED(s) is marked by a vertical **red** line (see page 6 for inclusion criteria).




2a: Daily attendances by age: numbers.

Daily number of total attendances, by age group, recorded across the EDSSS network.



2b: Daily attendances by gender: numbers

Daily number of total attendances by gender, recorded across the EDSSS network (shown as a 7-day moving average). Please note: indeterminate gender is not shown due to small numbers






3: COVID-19-like.

Daily number of attendances recorded as COVID-19-like attendances across the EDSSS network.




3a: COVID-19-like by age group.

7 day moving average of COVID-19-like attendances within each age group.



3b: COVID-19-like by PHE Centre


Daily attendances and 7 day moving average of COVID-19-like attendances within each PHE Centre (with the number of EDs included at the start and end of each time series). Please see 'notes and caveats' for information on how EDs are selected for inclusion each week.






4: Respiratory.

Daily number of attendances recorded as respiratory attendances across the EDSSS network.




5: Acute Respiratory Infection.

Daily number of all attendances recorded as acute respiratory infection attendances across the EDSSS network.



5a: Acute Respiratory Infection by age group.


7 day moving average of ARI attendances within each age group.






6: Bronchiolitis/ bronchitis.

Daily number of attendances recorded as bronchiolitis/ acute bronchitis attendances across the EDSSS network.




6a: Bronchiolitis/ bronchitis by age group

7 day moving average of bronchiolitis/ bronchitis attendances within each age group.



7: Influenza-like Illness.


Daily number of attendances recorded as influenza-like illness attendances across the EDSSS network.





7a: Influenza-like illness by age group

7 day moving average of ILI attendances within each age group.




8: Pneumonia.

Daily number of attendances recorded as pneumonia attendances across the EDSSS network.



8a: Pneumonia by age group.


7 day moving average of pneumonia attendances within each age group.






9: Asthma.

Daily number of attendances recorded as asthma/wheeze/ difficulty breathing attendances across the EDSSS network.



9a: Asthma by age group.

7 day moving average of asthma attendances within each age group.




Intentionally left blank




10: Gastrointestinal.

Daily number of attendances recorded as gastrointestinal attendances across the EDSSS network.



11: Gastroenteritis

Daily number of attendances recorded as gastroenteritis attendances across the EDSSS network.



11a: Gastroenteritis by age group.


7 day moving average of gastroenteritis attendances within each age group.






12: Cardiac.

Daily number of attendances recorded as cardiac attendances across the EDSSS network.




13: Myocardial Ischaemia.

Daily number of attendances recorded as myocardial ischaemia attendances across the EDSSS network.



14. Acute alcohol intoxication

Daily number of attendances recorded as acute alcohol intoxication attendances across the EDSSS network.





Notes and caveats:

- ▶ National EDSSS began operating in April 2018. Following the introduction of the Emergency Care Data Set (ECDS) the: https://www.england.nhs.uk/ourwork/tsd/ec-data-set/
- ▶EDSSS receives an automated daily transfer of anonymised ED data from NHS Digital
- ▶ Not all EDs currently provide data through ECDS on a daily basis
- ► EDs are eligible for inclusion in this report only where the EDSSS reporting criteria have been met during the surveillance week reported:

Data relates to attendances at a type 1 ED

Data for 7 of the 7 most recent days was received by PHE

Data for those days was received within 2 calendar days of the patient arrival

- ► Where an ED meets these criteria, all data received from that ED previous to the current surveillance week is included. EDs eligible for inclusion is likely to change each week, which will in turn affect the historical data inclusion
- ▶ Individual EDs will not be identified in syndromic surveillance reporting in these bulletins

▶ All EDs report diagnoses to EDSSS using SnomedCT codes

- Not all diagnoses are confirmed
- ► The syndromic indicators presented in this bulletin are based on the **primary diagnosis** of each attendance as reported by EDs using SnomedCT codes:

Respiratory: All respiratory diseases and conditions (infectious and non infectious).

Asthma: As indicated by title.

Acute Respiratory Infections (ARI): All acute infectious respiratory diseases.

Bronchiolitis/ bronchitis: As indicated by title (excluding 'chronic').

Influenza-like Illness (ILI): As indicated by title.

Pneumonia: As indicated by title.

COVID-19-like: Coronavirus* or Severe Acute Respiratory Syndrome (SARS).

*Please note: not all EDs have reported a coronavirus diagnosis code.

Gastrointestinal: All gastrointestinal diseases and conditions (infectious and non infectious).

Gastroenteritis: All infectious gastrointestinal diseases.

Cardiac: All cardiac conditions.

Myocardial Ischaemia: All ischaemic heart disease.

Acute alcohol intoxication: As indicated by title (excluding 'chronic')

- ► EDSSS indicators are likely to be an underestimation of number attendances as they are based on primary diagnosis only.
- ► The EDSSS should therefore be used to monitor trends in ED attendances and not numbers of 'cases'.
- ▶ Baselines represent seasonally expected levels of activity and are constructed from historical data since July 2010. They take into account the change from sentinel EDSSS to National EDSSS and current coverage. Gastroenteritis, diarrhoea and vomiting baselines also account for changes since the introduction of rotavirus vaccine in July 2013. Baselines are refreshed using the latest data on a regular basis however they currently exclude data from 2020 due to the COVID-19 pandemic affecting ED services and patient healthcare seeking behaviour.
- ► Sentinel EDSSS 2010 to March 2018, collected data through a bespoke, voluntary network of EDs across England and Northern Ireland
- ► Sentinel EDSSS reports be found in bulletins up to and including week 13 2018: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

Acknowledgements:

We are grateful to the clinicians in each ED and other staff within each Trust for their continued involvement in the EDSSS.

We thank the Royal College of Emergency Medicine, NHS Digital and NHS England for their support in the development of national EDSSS, using anonymised data collection from ECDS.

Emergency Department Syndromic Surveillance System Bulletin.

Produced by: PHE Real-time Syndromic Surveillance Team 1st Floor, 5 St Philips Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 Email: syndromic.surveillance@phe.gov.uk

Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses