

# Defence Clothing Catalogue



## SECTION 2-6: DMC GL GLOVES

RELEASED: OCT 2020

**SECTION AT 2-6, DMC GL  
GLOVES**

**CONTENTS**

*Click on page number to go to that item*

OPERATIONAL GLOVES .....	3
GLOVES, ANTIFLASH, Operational .....	3
GLOVES, ANTIFLASH, Arc Flash.....	3
GLOVES, COLD WEATHER.....	4
GLOVES, COLD WEATHER, Operational, Gloves.....	4
GLOVES, INNER, Operational, Fleece, ECW.....	5
GLOVES, COMBAT, Dismounted Close Combat .....	5
GLOVES, COMBAT, WARM WEATHER, Combat, Multi-Terrain Pattern .....	6
GLOVES, LEATHER, Operational, Close Air Defence Operators .....	7
GLOVES, MENS AND WOMENS, Protective Wiring.....	7
GLOVES, COMBAT, MKII, Black .....	8
GLOVES, MEN'S, Combat, Brown.....	8
GLOVES, MEN'S, Operational, Contact Combat Aramid Type .....	9
MITTENS, EXTREME COLD WEATHER, Operational Mittens .....	9
MITTENS, EXTREME COLD WEATHER, Operational Mittens .....	10
DRESS/PARADE WEAR GLOVES.....	11
GLOVES, CLOTH, Dress Type, Ceremonial, Tri-Service .....	11
GLOVES, COTTON, Dress Type, Ceremonial, The Rifles, Enlisted Personnel, Men's and Women's .....	12
GLOVES, KNITTED, Dress Type, Household Cavalry and Guards Division Officers .....	12
GLOVES, LEATHER, Dress Type, MOD Police, Supervisory Ranks Men's .....	13
GLOVES, LEATHER, Dress Type, MOD Police, Men's.....	14
GLOVES, LEATHER, Dress Type, MOD Police, Women's .....	15
GLOVES, MENS, Dress Type, Parade Duties, Tri-Service Personnel, Black .....	15
GLOVES, MENS, Dress Type, Parade Duties, Tri-Service Personnel, Brown.....	16
GLOVES, WOMENS, Dress Type, Parade Duties, Tri-Service Personnel, Black .....	17
GLOVES, WOMENS, Dress Type, Parade Duties, Tri-Service Personnel, Brown.....	17
MITTENS, KNITTED, Dress Type, Musicians, Full and N°1 Dress .....	18
GLOVES, MEN'S AND WOMEN'S, Gauntlet, Household Cavalry, Officers.....	18
GLOVES, MEN'S AND WOMEN'S, Gauntlet, Household Cavalry, Other Ranks.....	19
PERSONAL PROTECTIVE EQUIPMENT .....	20
GLOVES, CLOTH, Cotton Drill, Handling Equipment, Women's .....	20
GLOVES, CLOTH, Technicians and Mechanics .....	20
GLOVES, CLOTH, Women's, Hospital Service Workers.....	21
GLOVES, GENERAL HANDLING, Nitrile Dipped .....	21
GLOVES, CLOTH, White Cotton, Used in REME Workshops .....	22
GLOVES, CLOTH, Work Type, Fingerless .....	22
GLOVES, DISPOSABLE, Unlined Latex Rubber.....	23
GLOVES, DISPOSABLE, Natural Latex .....	23
GLOVES, DISPOSABLE, Natural Latex .....	24
GLOVES, DISPOSABLE, Nitrile, Powder Free .....	24


**SECTION AT 2-6, DMC GL  
GLOVES**

GLOVES, DISPOSABLE, Nitrile, Heavy Duty, Powder Free .....	25
GLOVES, DISPOSABLE, Nitrile, Heavy Duty, Powder Free, Textured Fingers .....	25
GLOVES, DISPOSABLE, Polyvinyl Chloride (PVC) .....	26
GLOVES, DISPOSABLE, Transparent Polythene .....	26
GLOVES, CHEMICAL & OIL, Protective .....	27
GLOVES, MENS, Chamois Leather .....	28
GLOVES, MENS, Cotton, Photographic Handling .....	28
GLOVES, MENS, High Visibility .....	29
GLOVES, PROTECTIVE, Nitrile Rubber .....	29
GLOVES, PROTECTIVE, Chemical Detergents and Cleaning Fluid .....	30
GLOVES, RUBBER, Heavyweight unlined natural rubber .....	30
GLOVES, RUBBER, Lightweight Natural Rubber .....	31
GLOVES, CHEMICAL , Protective .....	31
GLOVES, RUBBER, Neoprene Synthetic Rubber .....	32
GLOVES, CHEMICAL, Protective .....	32
GLOVES, PROTECTIVE, Cold Store .....	33
GLOVES, PROTECTIVE, Cut and Heat Resistant .....	33
GLOVES, CHEMICAL PROTECTIVE .....	34
GLOVES, PROTECTIVE, Heavy Handling Post Crash Management .....	34
GLOVES, PROTECTIVE, Heavy Handling .....	35
GLOVES, LEATHER, Work Type .....	35
GLOVES, WELDERS .....	36
GLOVES, WELDERS .....	36
GLOVES, WELDERS, Aluminised .....	37
GLOVES, WELDERS, Aluminised .....	37
GLOVES, DIPPED, Polyvinyl Chloride (PVC) .....	38
GLOVES, CHEMICAL PROTECTIVE, Polyvinyl Chloride (PVC) .....	38
GLOVES, RUBBER Rubber Latex, Flock lined .....	39
GLOVES, RUBBER, Flock Lined Natural Rubber .....	40
GLOVES, RUBBER, Lightweight, Natural Rubber .....	41
GLOVES, PROTECTIVE, Rubber, Flock Lined Natural .....	41
GLOVES, NEOPRENE, Synthetic Rubber, Flock Lined .....	42
GLOVES, PROTECTIVE, Rubber, Electrical Worker .....	42
INDEX OF NATO STOCK NUMBERS .....	43

SECTION AT 2-6, DMC GL  
GLOVES

**OPERATIONAL GLOVES**

**GLOVES, ANTIFLASH,  
Operational**



<b>NSN:</b>	8415-99-130-4686	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/4833 @ 22463	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves, Anti-flash. Operational. Leather and knitted cloth. Gauntlet cuff. Parchment colour.

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>	<u>WIDTH ACROSS PALM</u>
8415-99-130-4686	Small	90cm
8415-99-130-4687	Medium	95cm
8415-99-130-4688	Large	100cm

**Additional Information:**

**GLOVES, ANTIFLASH,  
Arc Flash**

<b>NSN:</b>	8415-99-479-8043	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/7053	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves, Antiflash. Arc Flash. For Arc protection. RN.

**Size Range: 2**

<u>NSN</u>	<u>SIZE</u>
8415-99-479-8043	Large
8415-99-479-8047	Extra Large

**Additional Information:** For use onboard Ships/Submarines

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, COLD WEATHER**



<b>NSN:</b>	8415-99-978-9225	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves cold weather. Vinyl impregnated coating on a foam insulated liner and fleece liner. Liquid repellent against rain snow, dirt and grease. For use of cold storage handling truck/forklift and crane driving in a cold environment. BS EN 388 Performance levels 3,2,2,1, BS EN 511 Performance levels 1,1,1

**Size Range: 2**

<u>NSN</u>	<u>SIZE</u>
8415-99-978-9225	L
8415-99-978-9226	XL

**Additional Information:** All gloves shall meet the minimum requirements of BS EN 420 unless otherwise stated.

**GLOVES, COLD WEATHER,  
Operational, Gloves**

<b>NSN:</b>	8415-99-669-0329	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CID/6864	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Design Kevlar; Silicon Carbon Coating; Elasticated at Wrist and End Of Cuff; Flame Retardant and Water Repellent; Size Medium; 5 Finger Glove; Insulated

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-669-0330	Medium
8415-99-669-0331	Large
8415-99-669-0333	Extra Extra Large

**Additional Information:** Used with Mittens Outer ECW; NSNs TS/8415-99-869-3501/2/3; To form Handwear Assembly ECW. Items were made obsolescent July 2020.

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, INNER,  
Operational, Fleece, ECW**



<b>NSN:</b>	8415-99-137-4449	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/3991 @ 20918	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

<b>Description:</b> Gloves inner fleece. White cotton and viscose. 5 finger sheaths.	
<b>Size Range: 2</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-137-4449	1
8415-99-137-4450	2
<b>Additional Information:</b> Used as an inner glove to give extra protection in extreme cold weather conditions.	

**GLOVES, COMBAT,  
Dismounted Close Combat**

<b>NSN:</b>	8415-99-414-1422	<b>DMC:</b>	GL
<b>Specification:</b>	DC/PS/6969	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

<b>Description:</b> Gloves, Combat. Dismounted Close Combat. 5 finger, Wrist Length, with reinforced back of hand and knuckle protection.	
<b>Size Range: 5</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-414-1422	7
8415-99-414-1423	8
8415-99-414-1424	9
8415-99-414-1425	10
8415-99-414-1426	11
<b>Additional Information:</b>	

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, COMBAT, WARM WEATHER,  
Combat, Multi-Terrain Pattern**

<b>NSN:</b>	8415-99-974-2881	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6687 @ D01992	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Combat warm weather. Cape or Hair-sheepskin leather. Multi-terrain Pattern camouflage Gauntlet style with Boulton thumb. Partially elasticised wrist & Sac top with webbing pull strap padded reinforcement to back of hand.


**Size Range:** 10

<u>NSN</u>	<u>SIZE</u>
8415-99-974-2881	6
8415-99-974-2882	7
8415-99-974-2883	7 ½
8415-99-974-2884	8
8415-99-974-2885	8 ½
8415-99-974-2886	9
8415-99-974-2887	9 ½
8415-99-974-2888	10
8415-99-974-2889	11
8415-99-974-2890	12

**Additional Information:**

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, LEATHER,  
Operational, Close Air Defence Operators**



<b>NSN:</b>	8415-99-130-9971	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5034 @ 23557	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001


**Description:** Gloves Leather. Close air defence operators. Black cape sheepskin. Leather. Gauntlet style. Boulton thumb reinforced at base. Elasticated wrist. Provides protection against inclement weather whilst allowing facility and dexterity in operational use.

**Size Range: 7**

<u>NSN</u>	<u>SIZE</u>
8415-99-130-9971	7
8415-99-130-9972	7½
8415-99-130-9973	8
8415-99-130-9974	8½
8415-99-130-9975	9
8415-99-130-9976	9½
8415-99-130-9977	10

**Additional Information:** Cold weather glove ensemble for Close Air Defence Operators Glove knitted NSN 8415-99-768-7313 & Mittens Outer NSN 8415-99-132-6526 to 6528. Also for R.M. use.

**GLOVES, MENS AND WOMENS,  
Protective Wiring**



<b>NSN:</b>	8415-99-975-7272	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Protective Wiring. Size Large. For personnel engaged in heavy-duty operations and the manhandling of barbed wire where abrasion cut and puncture resistance is required.

Leather sections - BS EN 388 Performance levels 4,1,3,3

Reinforced sections - BS EN 388 Performance levels 4,5,3,3

BS EN 420 – Dexterity level -1

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.



**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, COMBAT, MKII,  
Black**



<b>NSN:-</b>	8415-99-978-3711	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5405 @ 28919A	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Men's. Combat MK2. All ranks. Chrome tanned cape sheepskin. Waterproof. Moisture vapour permeable membrane, knitted cuff. Part of integrated combat clothing system.

**Size Range: 5**

<u>NSN</u>	<u>SIZE</u>
8415-99-978-3711	7
8415-99-978-3712	8
8415-99-978-3713	9
8415-99-978-3714	10
8415-99-978-3715	11

**Additional Information:**

**GLOVES, MEN'S,  
Combat, Brown**

<b>NSN:-</b>	8415-99-895-5801	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5405 D02835	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Men's. Combat, Brown. Waterproof, Cape sheepskin leather gauntlet style. Fully lined with an MVP(Moisture Vapour Permeable) polymeric laminate and internal knitted wrist. For Tri-service personnel in temperate and extreme weather zones.

**Size Range: 5**

<u>NSN</u>	<u>TL NUMBER</u>	<u>SIZE</u>
8415-99-895-5801	TL1065027	7
8415-99-895-5802	TL1065028	8
8415-99-895-5803	TL1065029	9
8415-99-895-5804	TL1065030	10
8415-99-895-5805	TL1065031	11

**Additional Information:** For Tri-Service personnel.

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, MEN'S,  
Operational, Contact Combat Aramid Type**



<b>NSN:</b>	8415-99-846-2332	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5406 D02770	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Men's. Contact combat Aramid type. Knitted. Olive drab. Dot coated.

**Size Range: 4**

<u>NSN</u>	<u>Size</u>
8415-99-846-2332	7
8415-99-846-2333	8
8415-99-846-2334	9
8415-99-846-2335	10 - 11

**Additional Information:**

**MITTENS, EXTREME COLD WEATHER,  
Operational Mittens**

<b>NSN:</b>	8415-99-327-4679	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CID/6804	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Design any acceptable colour; Cuff Quick Release, Elastic and Toggle; Size Large; 3 Fingered Design to allow dexterity to use a weapon in extreme cold weather

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-327-4679	Small
8415-99-327-4680	Medium
8415-99-327-4681	Large
8415-99-440-7527	Extra Large

**Additional Information:** Used with Mittens Outer ECW; NSNs TS/8415-99-869-3501/2/3; To form Handwear Assembly ECW. Items were made obsolescent July 2020.

SECTION AT 2-6, DMC GL  
GLOVES

**MITTENS, EXTREME COLD WEATHER,  
Operational Mittens**

<b>NSN:</b> 8415-99-705-9060	<b>DMC:</b> GL
<b>Specification:</b> UK/CID/6862	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Mittens, Extreme Cold Weather. Operational Mittens. Liner Glove to be used in combination with the Blizzard Mitten (NSNs 8415-99-327-4679 - 4681). To aid use of weapons under extreme cold weather conditions.

**Size Range: 4**


<u>NSN</u>	<u>Size</u>
8415-99-705-9060	S
8415-99-705-9061	M
8415-99-705-9062	L
8415-99-729-2711	XL

**Additional Information:** Items were made obsolescent July 2020.

SECTION AT 2-6, DMC GL  
GLOVES

**DRESS/PARADE WEAR GLOVES**

**GLOVES, CLOTH,  
Dress Type, Ceremonial, Tri-Service**



<b>NSN:</b>	8415-99-571-3547	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/4084 @ 23732	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

<b>Description:</b> Gloves Cotton. Ceremonial Dress Type. Tri-Service. Knitted white cotton.	
<b>Size Range:</b> 7	
<u>NSN</u>	<u>SIZE</u>
8415-99-571-3547	6½
8415-99-571-3548	7
8415-99-571-3549	7½
8415-99-571-3550	8
8415-99-571-3551	9
8415-99-571-3552	10
8415-99-471-7147	11
<b>Additional Information:</b> Tri-service item for Ceremonial or for Protective Handwear (Stewards).	

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, COTTON,  
Dress Type, Ceremonial, The Rifles,  
Enlisted Personnel, Men's and Women's**



<b>NSN:</b>	8415-99-679-8483	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/4084 @ D01086	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Cotton Men's and Women's ceremonial. Black cotton cloth wrist length. Front opening with touch and close fastening four Chettes and three rows of pointing on the back. For use by The Rifles.

**Size Range: 6**

<u>NSN</u>	<u>SIZE</u>
8415-99-679-8483	7
8415-99-679-8484	7½
8415-99-679-8485	8
8415-99-679-8486	9
8415-99-679-8487	10
8415-99-679-8488	11

**Additional Information:**

**GLOVES, KNITTED,  
Dress Type, Household Cavalry and  
Guards Division Officers**



<b>NSN:</b>	8440-99-943-0503	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6378 @ 23715	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Knitted. Household Cavalry and Guards Division Officers. Cloth. Mercerised cotton. White. Ribbed cuff.


**Size Range: 5**

<u>NSN</u>	<u>SIZE</u>	<u>WIDTH (mm)</u>	<u>LENGTH (mm)</u>
8440-99-943-0503	0	90	235
8440-99-943-0504	1	100	250
8440-99-943-0505	2	100	265
8440-99-943-0506	3	115	285
8440-99-943-0507	4	115	300

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, LEATHER,  
Dress Type, MOD Police, Supervisory  
Ranks Men's**



<b>NSN:</b>	8440-99-130-6811	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6220 24007	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Leather. Mens. Dress type. MOD Police. Supervisory ranks. Stud closure. Brown. lined.

**Size Range:** 12

<u>NSN</u>	<u>SIZE</u>
8440-99-130-6811	6
8440-99-130-6812	6½
8440-99-130-6813	7
8440-99-130-6814	7½
8440-99-130-6815	8
8440-99-130-6816	8½
8440-99-130-6817	9
8440-99-130-6818	9½
8440-99-130-6819	10
8440-99-130-6820	10½
8440-99-130-6821	11
8440-99-130-6822	11½

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, LEATHER,  
Dress Type, MOD Police, Men's**



<b>NSN:</b>	8440-99-130-6708	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6220 @ 24006	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Leather. Men's. Dress type. MOD Police. Ribbed nylon cuff. Black.

<b>Size Range: 12</b>	
<u>NSN</u>	<u>SIZE</u>
8440-99-130-6708	6
8440-99-130-6709	6½
8440-99-130-6710	7
8440-99-130-6711	7½
8440-99-130-6712	8
8440-99-130-6713	8½
8440-99-130-6714	9
8440-99-130-6715	9½
8440-99-130-6716	10
8440-99-130-6717	10½
8440-99-130-6718	11
8440-99-130-6719	11½

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, LEATHER,  
Dress Type, MOD Police, Women's**



<b>NSN:</b>	8445-99-130-6720	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6220 @ 24005	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Leather. Women's. Dress type. MOD Police. Black.

**Size Range: 6**

<u>NSN</u>	<u>SIZE</u>
8445-99-130-6720	6½
8445-99-130-6721	7
8445-99-130-6722	7½
8445-99-130-6723	8
8445-99-130-6724	8½
8445-99-130-6725	9

**Additional Information:**

**GLOVES, MENS,  
Dress Type, Parade Duties, Tri-Service  
Personnel, Black**



<b>NSN:</b>	8415-99-131-5755	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5912 @ D00186	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Men's. Parade Duties. Tri-Service personnel. Black. Chrome tanned cape sheepskin. Press-stud wrist closure. Boulton thumb.

**Size Range: 9**


<u>NSN</u>	<u>SIZE</u>	<u>LENGTH (mm)</u>	<u>WIDTH (mm)</u>
8415-99-131-5755	6½	258	83
8415-99-131-5756	7	261	86
8415-99-131-5757	7½	263	89
8415-99-131-5758	8	266	92
8415-99-131-5759	8½	269	95
8415-99-131-5760	9	273	98
8415-99-131-5761	9½	279	101
8415-99-131-5762	10	285	104

**Additional Information:**



SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, MENS,  
Dress Type, Parade Duties, Tri-Service  
Personnel, Brown**



<b>NSN:</b>	8415-99-131-5764	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5912 @ D00187	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001


**Description:** Gloves Men's. Parade duties. Tri-Service personnel. Brown. Chrome tanned cape sheepskin. Press-stud wrist closure. Boulton thumb.

<b>Size Range: 9</b>			
<u>NSN</u>	<u>SIZE</u>	<u>LENGTH (mm)</u>	<u>WIDTH (mm)</u>
8415-99-131-5764	6½	258	83
8415-99-131-5765	7	261	86
8415-99-131-5766	7½	263	89
8415-99-131-5767	8	266	92
8415-99-131-5768	8½	269	95
8415-99-131-5769	9	273	98
8415-99-131-5770	9½	279	101
8415-99-131-5771	10	285	104

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, WOMENS,  
Dress Type, Parade Duties, Tri-Service  
Personnel, Black**



<b>NSN:</b>	8415-99-131-5773	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5912 @ D00188	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Women's. Parade duties. Tri-Service personnel. Black. Chrome tanned cape sheepskin. Press-stud wrist closure. Boulton thumb.

<b>Size Range: 6</b>			
<u>NSN</u>	<u>SIZE</u>	<u>LENGTH (mm)</u>	<u>WIDTH (mm)</u>
8415-99-131-5773	6½	250	77
8415-99-131-5774	7	253	80
8415-99-131-5775	7½	256	83
8415-99-131-5776	8	260	85
8415-99-131-5777	8½	263	87
8415-99-131-5778	9	267	94

**Additional Information:**

**GLOVES, WOMENS,  
Dress Type, Parade Duties, Tri-Service  
Personnel, Brown**



<b>NSN:</b>	8415-99-131-5780	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5912 @ D00189	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001


**Description:** Gloves Women's. Parade Duties. Tri-Service Personnel. Brown. Chrome tanned cape sheepskin. Press-stud wrist closure. Boulton thumb.

<b>Size Range: 6</b>			
<u>NSN</u>	<u>SIZE</u>	<u>LENGTH (mm)</u>	<u>WIDTH (mm)</u>
8415-99-131-5780	6½	250	77
8415-99-131-5781	7	253	80
8415-99-131-5782	7½	256	83
8415-99-131-5783	8	260	85
8415-99-131-5784	8½	263	87
8415-99-131-5785	9	267	94

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES


**MITTENS, KNITTED,  
Dress Type, Musicians, Full and N°1 Dress**



<b>NSN:</b>	8440-99-975-7489	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/4672 @ 23535	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

<b>Description:</b> Mitten Knitted. Musicians. Full and N°1 dress. Wool. White.			
<b>Size Range:</b> 3			
<u>NSN</u>	<u>SIZE</u>	<u>LENGTH (mm)</u>	<u>WIDTH (mm)</u>
8440-99-975-7489	Small	210	80
8440-99-975-7490	Medium	210	90
8440-99-975-7491	Large	210	100
<b>Additional Information:</b>			

**GLOVES, MEN'S AND WOMEN'S,  
Gauntlet, Household Cavalry, Officers**



<b>NSN:</b>	8440-99-975-6505	<b>DMC:</b>	CE
<b>Specification</b>	UK/SC/6113 @ 15120	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

<b>Description:</b> Gauntlet, Household Cavalry, Officers. Glove, white buckskin. Gauntlet, white buff leather.	
<b>Size Range:</b> 4	
<u>NSN</u>	<u>SIZE</u>
8440-99-975-6505	8
8440-99-975-6506	8 ½
8440-99-975-6507	9
8440-99-975-6508	9 ½
<b>Additional Information:</b> Used when performing ceremonial duties	

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, MEN'S AND WOMEN'S,  
Gauntlet, Household Cavalry, Other Ranks**



<b>NSN:</b>	8440-99-563-9757	<b>DMC:</b>	CE
<b>Specification</b>	UK/SC/5763 @ 24505	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Glove's Men's and Women's with Gauntlet Cuff Household Cavalry Other Ranks Dress Chrome Tanned Buffed Leather Cuff White Leather Buckskin.

**Size Range:** 10

<u>NSN</u>	<u>SIZE</u>
8440-99-563-9757	5 1/2
8440-99-563-9758	6
8440-99-563-9759	6 1/2
8440-99-975-6510	7
8440-99-975-6511	7 1/2
8440-99-975-6512	8
8440-99-975-6513	8 1/2
8440-99-975-6514	9
8440-99-975-6515	9 1/2
8440-99-975-6516	10

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**PERSONAL PROTECTIVE EQUIPMENT**

**GLOVES, CLOTH,  
Cotton Drill, Handling Equipment,  
Women's**

<b>NSN:</b>	8415-99-137-1663	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Cotton Drill, Women's. For general handling of equipment and components in the workshop. BS EN 388 Performance levels 2,1,2,2

<b>Size Range: 2</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-137-1663	S
8415-99-137-1664	M

**Additional Information:** All gloves shall meet the minimum requirements of BS EN 420 unless otherwise stated.

**GLOVES, CLOTH,  
Technicians and Mechanics**

<b>NSN:</b>	8415-99-978-4575	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5068 @ 28827	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001



**Description:** Gloves Men's and Women's Cotton and Satin back Leather Goats skin Black Ripstop back with black leather palms. FS SF WR Chrome tanned.

<b>Size Range: 7</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-978-4575	6
8415-99-978-4576	7
8415-99-978-4577	8
8415-99-978-4578	9
8415-99-978-4579	10
8415-99-978-4580	11
8415-99-978-4581	Outsize

**Additional Information:**

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, CLOTH,  
Women's, Hospital Service Workers**



<b>NSN:</b>	8415-99-571-3542	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6124 @ 23208	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Women's. Work type. Hospital service workers. Cloth. Cotton. White. Without gauntlet. Elasticised wrist.

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-571-3542	6½
8415-99-571-3543	7½
8415-99-571-3544	8½
8415-99-571-3545	9½

**Additional Information:** These items were made obsolescent – May 2020.

**GLOVES, GENERAL HANDLING,  
Nitrile Dipped**

<b>NSN:</b>	8415-99-978-4506	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves General Handling Nitrile Dipped. Wrist length glove made from cotton material and nitrile dipped on the palm and the fingers. For general purpose handling where protection is required from cuts abrasions and dry hazards.

BS EN 388 – Performance Levels 2,1,1,1


**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-978-4506	S
8415-99-978-4507	M
8415-99-978-4508	L
8415-99-978-4509	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES


**GLOVES, CLOTH,  
White Cotton, Used in REME Workshops**



<b>NSN:</b>	8415-99-130-4462	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/6122 @ 23962A	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Cloth. Work Type. Cotton. White. Universal size.  
**Size Range:** Single  
**Additional Information:** Used by REME Workshops. This item was made obsolescent – May 2020

**GLOVES, CLOTH,  
Work Type, Fingerless**



<b>NSN:</b>	8415-99-978-4592	<b>DMC:</b>	GL
<b>Specification:</b>	UK/SC/5067 @ 35/R/2109	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Cloth. Mans Work Type. Fingerless. Cotton fabric. Black. Leather palm reinforced.  
**Size Range:** 4

<u>NSN</u>	<u>SIZE</u>
8415-99-978-4592	X Small
8415-99-978-4593	Small
8415-99-978-4594	Medium
8415-99-978-4595	Large

**Additional Information:** Used with Technicians & Mechanics Glove Ensemble; NSNs 8415-99-978-4575 to 4581.

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, DISPOSABLE,  
Unlined Latex Rubber**

<b>NSN:</b>	6515-99-210-7205	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	050

**Description:** Glove Disposable, Latex. Disposable unlined latex rubber sterile glove with roughened finish. For use in environments and applications to minimise the risk of product contamination and provide some degree of personal protection. For single use only.

BS EN 455 – Medical Gloves of single use

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
6515-99-210-7205	S
6515-99-210-7206	M
6515-99-210-7207	L

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, DISPOSABLE,  
Natural Latex**

<b>NSN:</b>	8415-99-869-3008	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Carton
		<b>PPQ:</b>	001

**Description:** Glove Disposable. Powdered ambidextrous natural latex skin tight glove with rolled cuff. For laboratory food processing and electronic work. Low chemical protection and micro-organism hazard protection.

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-869-3008	S
8415-99-869-3009	M
8415-99-869-3010	L

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.



SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, DISPOSABLE, Natural Latex</b>	
<b>NSN:</b> 8415-99-839-6707	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Carton
	<b>PPQ:</b> 001

**Description:** Glove Disposable. Powder free natural latex skin tight glove with rolled bead cuff. For laboratory food processing and electronic work. Low chemical protection and micro-organism hazard protection.

<b>Size Range: 3</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-839-6707	S
8415-99-839-6708	M
8415-99-839-6709	L

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

<b>GLOVES, DISPOSABLE, Nitrile, Powder Free</b>	
<b>NSN:</b> 8415-99-789-6046	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Carton
	<b>PPQ:</b> 001

**Description:** Glove Disposable. Powder free thin nitrile skin tight glove with rolled cuff. For laboratory food processing and electronic work. Low chemical protection and micro-organism hazard protection.

<b>Size Range: 4</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-789-6046	S
8415-99-789-6047	M
8415-99-789-6048	L
8415-99-789-6049	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, DISPOSABLE, Nitrile, Heavy Duty, Powder Free</b>	
<b>NSN:</b> 8415-99-846-9444	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Carton
	<b>PPQ:</b> 001

**Description:** Glove Disposable, Nitrile, Heavy Duty. Powder free thin nitrile skin tight glove with rolled cuff to provide resistance to hazardous chemicals. Palm thickness (Single Wall) 0.12MM(MIN). BS EN 455-2 Clause 5.2.

<b>Size Range: 4</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-846-9444	S
8415-99-846-9445	M
8415-99-846-9446	L
8415-99-846-9447	XL

**Additional Information:** Applications : Acid Resistance, Chemical Handling.

<b>GLOVES, DISPOSABLE, Nitrile, Heavy Duty, Powder Free, Textured Fingers</b>	
---	--

<b>NSN:</b> 8415-99-230-2809	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405 ITEM 27	<b>D of Q:</b> Carton
	<b>PPQ:</b> 001

**Description:** Glove Disposable, Nitrile, Textured fingers, Powder free thin nitrile skin tight glove with rolled cuff to provide resistance to hazardous chemicals. Palm thickness (Single Wall) 0.12MM(MIN).

<b>Size Range: 4</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-230-2809	S
8415-99-230-2810	M
8415-99-230-2811	L
8415-99-230-2812	XL

**Additional Information:** Applications : Acid Resistance, Chemical Handling.

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, DISPOSABLE,  
Polyvinyl Chloride (PVC)**

<b>NSN:</b>	8415-99-130-5912	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Carton
		<b>PPQ:</b>	001


**Description:** Gloves Disposable. Polyvinyl Chloride PVC). Polyvinyl chloride (PVC) glove. Light soiling polishing etc. Low chemical ion. Minimal risk only

**Size Range:** 4

<u>NSN</u>	<u>SIZE</u>
8415-99-130-5912	S
8415-99-130-5913	M
8415-99-130-5914	L
8415-99-834-2023	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, DISPOSABLE,  
Transparent Polythene**



<b>NSN:</b>	8415-99-139-6594	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Carton
		<b>PPQ:</b>	001

**Description:** Gloves Disposable Transparent. Lightweight polythene ambidextrous gauntlet type gloves powder free. One size. Minimal risk only.

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, CHEMICAL &amp; OIL, Protective</b>	
<b>NSN:</b> 8415-99-132-1427	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Chemical and Oil Protective. Unsupported flock lined, nitrile rubber glove with gauntlet type cuff 330mm ± 10mm in length. For protection against all commonly used solvents. For use with chemical processing aerospace/automotive degreasing machine operations using cutting oil metal fabrication aviation fuels

BS EN 420 – Dexterity Level 5

BS EN 388 – Performance Levels 4,1,0,1

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-132-1427	S
8415-99-132-1428	M
8415-99-132-1429	L
8415-99-132-1430	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, MENS, Chamois Leather</b>	
<b>NSN:</b> 8415-99-125-3243	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Men's. Chamois Leather. Chamois leather glove with a knitted cuff the palm the fingers on the palm side and the thumbs of which shall be of combination tanned natural colour Chamois leather. For use primarily by RAF trades personnel when handling roller and ball bearing components but can also be worn for general purposes where there is a need for good tactility and dexterity.


BS EN 420 – Dexterity level – 5

The gloves are expected to give a minimum of 12 month's wear.

<b>Size Range: 3</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-125-3243	9
8415-99-125-3244	9½
8415-99-125-3245	10

**Additional Information:** All gloves shall meet the minimum requirements of BS EN 420 unless otherwise stated.

<b>GLOVES, MENS, Cotton, Photographic Handling</b>	
<b>NSN:</b> 8415-99-125-6127	<b>DMC:</b> GL
<b>Specification:</b> UK/SC/6134 @ 35/R/1420	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001



**Description:** Glove Men's. Cotton Cloth. Work type photographic handling. Knitted white cotton. Plain cuff. Universal size.

**Size Range:** Single

**Additional Information:** This item was made obsolescent – May 2020

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, MENS,  
High Visibility**

<b>NSN:</b> 8415-99-137-3889	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Glove Men's High Visibility. Size Large. Vinyl impregnated coating on a foam insulated liner and fleece liner. Fluorescent coloured warm weather-proof oil and grease repellent. For use in airfield/road traffic management and hand signalling.

BS EN 388 Performance levels 3,1,2,1

BS EN 511 Performance levels X,X,1

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, PROTECTIVE,  
Nitrile Rubber**

<b>NSN:</b> 8415-99-978-3706	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Protective. Nitrile Rubber. Unsupported flock lined with gauntlet type cuff. 380mm ± 10mm length for the protection against aviation fuels and some solvents. For use in chemical processing aerospace/automotive degreasing machine operations using cutting oil and metal fabrication

BS EN 388 – Performance Levels 4,1,0,2

**Size Range:** 5

<u>NSN</u>	<u>SIZE</u>
8415-99-978-3706	S
8415-99-978-3707	M
8415-99-978-3708	L
8415-99-978-3709	XL
8415-99-978-3710	XXL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, PROTECTIVE,  
Chemical Detergents and Cleaning Fluid**

<b>NSN:</b>	8415-99-130-9396	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber. Gauntlet type. Medium duty supported natural latex gauntlet style gloves. For handling wet & slippery objects Page chemical detergents & cleaning fluids.  
 BS EN 388 – Performance Levels 4,1,2,1  
 BS EN 407 - Performance Levels X,1,X,X,X,X

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-130-9396	S
8415-99-130-9397	M
8415-99-130-9398	L
8415-99-130-9399	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, RUBBER,  
Heavyweight unlined natural rubber**

<b>NSN:</b>	8415-99-869-4330	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber Heavyweight. Unlined natural rubber 420mm ± 10mm length gauntlet style glove. For use in protection against water based chemicals and associated compounds  
 BS EN 388 – Performance Levels 4,1,2,1

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-869-4330	S
8415-99-869-4331	M
8415-99-869-4332	L
8415-99-869-4333	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, RUBBER, Lightweight Natural Rubber</b>	
<b>NSN:</b> 8415-99-869-4334	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Rubber Lightweight. Natural rubber 620mm ± 10mm length gauntlet gloves. For use in protection against water based chemicals and associated compounds. Acid and alkali resistant  
BS EN 388 - Performance Levels 4,1,2,1

<b>Size Range: 2</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-869-4334	L
8415-99-869-4335	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

<b>GLOVES, CHEMICAL , Protective</b>	
<b>NSN:</b> 8415-99-869-1337	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Chemical Protective. Lightweight layered laminated ambidextrous Gauntlet glove. For protection against Dichloromethane.

<b>Size Range: 5</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-869-1337	S
8415-99-869-1338	M
8415-99-869-1339	L
8415-99-869-1340	XL
8415-99-869-1341	XXL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.



**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, RUBBER,  
Neoprene Synthetic Rubber**

<b>NSN:</b>	8415-99-130-5437	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405 @ NP/161N	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber. Neoprene (synthetic rubber) gauntlet style gloves on cotton interlock 380mm ± 10mm length. Chemical protection from solvents ketones acids oils and fats  
BS EN 388 – Performance Levels 2,2,3,1

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-130-5437	M
8415-99-130-5438	L
8415-99-130-5439	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, CHEMICAL,  
Protective**

<b>NSN:</b>	8415-99-000-6827	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Chemical Protective Butyl Rubber Black. For use with ketones (acetone MEK) and esters (ethyl acetate). Performance Level 2,0,0,0 to BS EN 388

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-000-6827	M
8415-99-000-6828	L
8415-99-000-6829	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, PROTECTIVE, Cold Store</b>	
<b>NSN:</b> 8415-99-700-6621	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Cold Protective. Foam lined leather with vein patch knitted wrist area. For use in cold stores. Size Large  
 BS EN 388 Performance levels 3,2,4,3  
 BS EN 511 Performance levels 2,3,X

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

<b>GLOVES, PROTECTIVE, Cut and Heat Resistant</b>	
<b>NSN:</b> 8415-99-577-1518	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Protective Cut and Heat Resistant. Knitted glove manufactured to provide hand protection from heat and mechanical hazards.  
 BS EN 388 Performance levels 1,3,4,X  
 BS EN 407 Performance levels X,1,X,X,X,X

**Size Range:** 3

<u>NSN</u>	<u>SIZE</u>
8415-99-577-1518	S
8415-99-577-1519	M
8415-99-577-1520	L

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, CHEMICAL PROTECTIVE**

<b>NSN:</b> 8415-99-869-5616	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Chemical Protective. General handling glove of Gauntlet length for the protection of inorganic acids.

BS EN 374– Part 3 Performance:-

Hydrochloric acid 32% - class 5

Sulphuric acid 98% class – 5

Red fuming nitric acid – class 1

BS EN 388 Performance Levels 3,1,2,1

BS EN 420 Dexterity Level 5

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-869-5616	M
8415-99-869-5617	L
8415-99-869-5618	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, PROTECTIVE,  
Heavy Handling Post Crash Management**

<b>NSN:</b> 8415-99-477-2231	<b>DMC:</b> GL
<b>Specification:</b> DC/CID/6677	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves heavy handling. Personnel involved in Post Crash Management green leather and suede reinforced thumb crotch and finger tips.

**Size Range: 5**

<u>NSN</u>	<u>SIZE</u>
8415-99-477-2231	Small
8415-99-477-2232	Medium
8415-99-477-2233	Large
8415-99-477-2234	X Large
8415-99-477-2235	XX Large

**Additional Information:**

**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, PROTECTIVE,  
Heavy Handling**

<b>NSN:</b>	8415-99-241-7966	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Heavy Handling. Lined full grain leather glove with elasticated wrist protective vein patch and leather protection to back of cuff.

BS EN 388 Performance levels 3,5,3,4

BS EN 420 – Dexterity level – 4

**Size Range: 6**

<u>NSN</u>	<u>SIZE</u>
8415-99-241-7966	XS
8415-99-244-0752	S
8415-99-244-0753	M
8415-99-244-0754	L
8415-99-244-0755	XL
8415-99-244-0756	XXL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, LEATHER,  
Work Type**

<b>NSN:</b>	8415-99-975-7244	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Leather Work Type. Horse/cattle hide palm and chrome leather back. For general 'dry' light duties.

BS EN 388 Performance levels 3,1,3,2

**Size Range: 3**

<u>NSN</u>	<u>SIZE</u>
8415-99-975-7244	M
8415-99-975-7245	L
8415-99-975-7246	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, WELDERS</b>	
<b>NSN:</b> 8415-99-391-1332	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Glove Welders. Size Large. Chrome leather gauntlet type glove for use in TIG welding process to provide protection from heat.  
 BS EN 388 Performance levels 1,1,1,1  
 BS EN 407 Performance levels 2,1,2,X,3,X  
 BS EN 12477 Type B

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

<b>GLOVES, WELDERS</b>	
<b>NSN:</b> 8415-99-869-5412	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Glove Welders. Size Large. Lined leather gauntlet glove for use in heavy welding processes.  
 BS EN 388 Performance levels 3,1,3,3  
 BS EN 407 Performance levels 4,1,3,1,3,X  
 BS EN 12477 Type A

**Size Range:** Single

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, WELDERS, Aluminised</b>	
<b>NSN:</b> 8415-99-130-9321	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

<b>Description:</b> Glove Welders. Leather gauntlet heat resist Aluminised back.
<b>Size Range:</b> Single
<b>Additional Information:</b>

<b>GLOVES, WELDERS, Aluminised</b>	
<b>NSN:</b> 8415-99-853-6974	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6426	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

<b>Description:</b> Glove Welders. Gauntlet style, heat resistant. Aluminised back. Size - Large. For use in welding processes.
<b>Size Range:</b> Single
<b>Additional Information:</b>

**SECTION AT 2-6, DMC GL  
GLOVES**

<b>GLOVES, DIPPED, Polyvinyl Chloride (PVC)</b>	
<b>NSN:</b> 8415-99-127-8521	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Dipped Polyvinyl Chloride. Dipped PVC gauntlet length glove on cotton interlock offering a high degree of protection from both water based chemical and mechanical hazards.  
Heavy duty applications where very high mechanical and chemical protection is required.  
BS EN 388 – Performance Levels 4,1,2,1

<b>Size Range: 4</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-127-8521	S
8415-99-127-8522	M
8415-99-127-8523	L
8415-99-127-8524	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

<b>GLOVES, CHEMICAL PROTECTIVE, Polyvinyl Chloride (PVC)</b>	
--	--

<b>NSN:</b> 8415-99-127-8273	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 001

**Description:** Gloves Chemical Protective Polyvinyl Chloride Dipped. Wrist length gloves made from cotton material and fully coated with rough polyvinyl chloride (PVC) on the palm and the fingers. General handling where protection is required from cuts abrasions and dry hazards  
BS EN 388 – Performance Levels 4,1,2,1

<b>Size Range: 3</b>	
<u>NSN</u>	<u>SIZE</u>
8415-99-127-8273	M
8415-99-127-8274	L
8415-99-127-8275	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

<b>GLOVES, RUBBER</b> <b>Rubber Latex, Flock lined</b>	
<b>NSN:</b> 8415-99-978-9381	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Pair
	<b>PPQ:</b> 012

**Description:** Gloves Rubber Latex. Flock lined triple dipped latex gauntlet type industrial gloves coated with a thin layer of nitrate. For the use in janitorial duties and areas requiring hygiene and food processing. Resistance to water and oil based chemicals.  
BS EN 388 Performance Levels 4,0,2,1

<b>Size Range:</b> 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-978-9381	S
8415-99-978-9382	M
8415-99-978-9383	L

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.



**SECTION AT 2-6, DMC GL  
GLOVES**

**GLOVES, RUBBER,  
Flock Lined Natural Rubber**

<b>NSN:</b> 8415-99-571-3559	<b>DMC:</b> GL
<b>Specification:</b> DC/CPS/6405	<b>D of Q:</b> Dozen
	<b>PPQ:</b> 001
	<b>D of Q:</b> DZ

**Description:** Gloves Rubber. Flock lined natural rubber gauntlet type gloves with raised patterned palm and fingers to enhance wet grip. 320mm ± 10mm length with beaded cuff for tear resistance and easy pull-on. For the purpose of cleaning duties involving industrial strength cleaning fluids. High resistance to water based chemicals.

BS EN 388 – Performance Levels 0,1,2,1

BS EN 420 – Dexterity Level 5

**Size Range: 5**

<u>NSN</u>	<u>SIZE</u>
8415-99-571-3559	S
8415-99-571-3560	M
8415-99-571-3561	L
8415-99-571-3562	XL
8415-99-727-9002	XXL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, RUBBER,  
Lightweight, Natural Rubber**

<b>NSN:</b>	8415-99-869-4323	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber Lightweight. Natural rubber 270mm ± 10mm length gloves. For use in protection against water based chemicals and associated compounds. Acid and alkali resistant.  
BS EN 388 – Performance Levels 4,1,2,1

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-869-4323	S
8415-99-869-4325	M
8415-99-869-4327	L
8415-99-869-4329	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, PROTECTIVE,  
Rubber, Flock Lined Natural**

<b>NSN:</b>	8415-99-978-9377	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber. Flock lined natural rubber short gauntlet style industrial glove with patterned palm and fingers. Minimal hazard areas i.e. cleaning environments and food preparation. For water based chemicals.  
BS EN 388 Performance Levels 2,0,1,0

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-978-9377	S
8415-99-978-9378	M
8415-99-978-9379	L
8415-99-978-9380	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

SECTION AT 2-6, DMC GL  
GLOVES

**GLOVES, NEOPRENE,  
Synthetic Rubber, Flock Lined**

<b>NSN:</b>	8415-99-130-5342	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6405	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Neoprene. Neoprene (synthetic rubber) flock lined short gauntlet style glove with patterned palm and fingers. To provide Chemical protection from acids oils fats and hydrocarbons  
BS EN 388 – Performance Levels 3,1,2,1

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-130-5342	S
8415-99-130-5343	M
8415-99-130-5344	L
8415-99-130-5345	XL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 374. All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**GLOVES, PROTECTIVE,  
Rubber, Electrical Worker**

<b>NSN:</b>	8415-99-975-7239	<b>DMC:</b>	GL
<b>Specification:</b>	DC/CPS/6426	<b>D of Q:</b>	Pair
		<b>PPQ:</b>	001

**Description:** Gloves Rubber Electrical. Electrically resistant dipped natural synthetic or mix rubber glove. Low voltage (<1000 volts) for maintenance activities.  
BS EN 60903 to Class 0

**Size Range: 4**

<u>NSN</u>	<u>SIZE</u>
8415-99-975-7239	M
8415-99-975-7240	L
8415-99-975-7241	XL
8415-99-975-7242	XXL

**Additional Information:** All gloves shall meet the minimum requirement of BS EN 420 unless otherwise stated.

**SECTION AT 2-6, DMC GL  
GLOVES**

NSN	Page No	NSN	Page No
<b>INDEX OF NATO STOCK NUMBERS</b>			
6515-99-210-7205,.....	Page 23	8415-99-130-9977, .....	Page 7
6515-99-210-7206,.....	Page 23	8415-99-131-5755, .....	Page 15
6515-99-210-7207,.....	Page 23	8415-99-131-5756, .....	Page 15
8415-99-000-6827,.....	Page 32	8415-99-131-5757, .....	Page 15
8415-99-000-6828,.....	Page 32	8415-99-131-5758, .....	Page 15
8415-99-000-6829,.....	Page 32	8415-99-131-5759, .....	Page 15
8415-99-125-3243,.....	Page 28	8415-99-131-5760, .....	Page 15
8415-99-125-3244,.....	Page 28	8415-99-131-5761, .....	Page 15
8415-99-125-3245,.....	Page 28	8415-99-131-5762, .....	Page 15
8415-99-125-6127,.....	Page 28	8415-99-131-5764, .....	Page 16
8415-99-127-8273,.....	Page 38	8415-99-131-5765, .....	Page 16
8415-99-127-8274,.....	Page 38	8415-99-131-5766, .....	Page 16
8415-99-127-8275,.....	Page 38	8415-99-131-5767, .....	Page 16
8415-99-127-8521,.....	Page 38	8415-99-131-5768, .....	Page 16
8415-99-127-8522,.....	Page 38	8415-99-131-5769, .....	Page 16
8415-99-127-8523,.....	Page 38	8415-99-131-5770, .....	Page 16
8415-99-127-8524,.....	Page 38	8415-99-131-5771, .....	Page 16
8415-99-130-4462,.....	Page 22	8415-99-131-5773, .....	Page 17
8415-99-130-4686,.....	Page 3	8415-99-131-5774, .....	Page 17
8415-99-130-4687,.....	Page 3	8415-99-131-5775, .....	Page 17
8415-99-130-4688,.....	Page 3	8415-99-131-5776, .....	Page 17
8415-99-130-5342,.....	Page 42	8415-99-131-5777, .....	Page 17
8415-99-130-5343,.....	Page 42	8415-99-131-5778, .....	Page 17
8415-99-130-5344,.....	Page 42	8415-99-131-5780, .....	Page 17
8415-99-130-5345,.....	Page 42	8415-99-131-5781, .....	Page 17
8415-99-130-5437,.....	Page 32	8415-99-131-5782, .....	Page 17
8415-99-130-5438,.....	Page 32	8415-99-131-5783, .....	Page 17
8415-99-130-5439,.....	Page 32	8415-99-131-5784, .....	Page 17
8415-99-130-5912,.....	Page 26	8415-99-131-5785, .....	Page 17
8415-99-130-5913,.....	Page 26	8415-99-132-1427, .....	Page 27
8415-99-130-5914,.....	Page 26	8415-99-132-1428, .....	Page 27
8415-99-130-9321,.....	Page 37	8415-99-132-1429, .....	Page 27
8415-99-130-9396,.....	Page 30	8415-99-132-1430, .....	Page 27
8415-99-130-9397,.....	Page 30	8415-99-137-1663, .....	Page 20
8415-99-130-9398,.....	Page 30	8415-99-137-1664, .....	Page 20
8415-99-130-9399,.....	Page 30	8415-99-137-3889, .....	Page 29
8415-99-130-9971,.....	Page 7	8415-99-137-4449, .....	Page 5
8415-99-130-9972,.....	Page 7	8415-99-137-4450, .....	Page 5
8415-99-130-9973,.....	Page 7	8415-99-139-6594, .....	Page 26
8415-99-130-9974,.....	Page 7	8415-99-230-2809, .....	Page 25
8415-99-130-9975,.....	Page 7	8415-99-230-2810, .....	Page 25
8415-99-130-9976,.....	Page 7	8415-99-230-2811, .....	Page 25

**SECTION AT 2-6, DMC GL  
GLOVES**

NSN	Page No	NSN	Page No
-----	---------	-----	---------

**INDEX OF NATO STOCK NUMBERS**

8415-99-230-2812,.....	Page 25	8415-99-669-0329, .....	Page 4
8415-99-241-7966,.....	Page 35	8415-99-669-0330, .....	Page 4
8415-99-244-0752,.....	Page 35	8415-99-669-0331, .....	Page 4
8415-99-244-0753,.....	Page 35	8415-99-669-0333, .....	Page 4
8415-99-244-0754,.....	Page 35	8415-99-679-8483, .....	Page 12
8415-99-244-0755,.....	Page 35	8415-99-679-8484, .....	Page 12
8415-99-244-0756,.....	Page 35	8415-99-679-8485, .....	Page 12
8415-99-327-4679,.....	Page 9	8415-99-679-8486, .....	Page 12
8415-99-327-4680,.....	Page 9	8415-99-679-8487, .....	Page 12
8415-99-327-4681,.....	Page 9	8415-99-679-8488, .....	Page 12
8415-99-391-1332,.....	Page 36	8415-99-700-6621, .....	Page 33
8415-99-414-1422,.....	Page 5	8415-99-705-9060, .....	Page 10
8415-99-414-1423,.....	Page 5	8415-99-705-9061, .....	Page 10
8415-99-414-1424,.....	Page 5	8415-99-705-9062, .....	Page 10
8415-99-414-1425,.....	Page 5	8415-99-727-9002, .....	Page 40
8415-99-414-1426,.....	Page 5	8415-99-729-2711, .....	Page 10
8415-99-440-7527,.....	Page 9	8415-99-789-6046, .....	Page 24
8415-99-471-7147,.....	Page 11	8415-99-789-6047, .....	Page 24
8415-99-477-2231,.....	Page 34	8415-99-789-6048, .....	Page 24
8415-99-477-2232,.....	Page 34	8415-99-789-6049, .....	Page 24
8415-99-477-2233,.....	Page 34	8415-99-834-2023, .....	Page 26
8415-99-477-2234,.....	Page 34	8415-99-839-6707, .....	Page 24
8415-99-477-2235,.....	Page 34	8415-99-839-6708, .....	Page 24
8415-99-479-8043,.....	Page 3	8415-99-839-6709, .....	Page 24
8415-99-479-8047,.....	Page 3	8415-99-846-2332, .....	Page 9
8415-99-571-3542,.....	Page 21	8415-99-846-2333, .....	Page 9
8415-99-571-3543,.....	Page 21	8415-99-846-2334, .....	Page 9
8415-99-571-3544,.....	Page 21	8415-99-846-2335, .....	Page 9
8415-99-571-3545,.....	Page 21	8415-99-846-9444, .....	Page 25
8415-99-571-3547,.....	Page 11	8415-99-846-9445, .....	Page 25
8415-99-571-3548,.....	Page 11	8415-99-846-9446, .....	Page 25
8415-99-571-3549,.....	Page 11	8415-99-846-9447, .....	Page 25
8415-99-571-3550,.....	Page 11	8415-99-853-6974, .....	Page 37
8415-99-571-3551,.....	Page 11	8415-99-869-1337, .....	Page 31
8415-99-571-3552,.....	Page 11	8415-99-869-1338, .....	Page 31
8415-99-571-3559,.....	Page 40	8415-99-869-1339, .....	Page 31
8415-99-571-3560,.....	Page 40	8415-99-869-1340, .....	Page 31
8415-99-571-3561,.....	Page 40	8415-99-869-1341, .....	Page 31
8415-99-571-3562,.....	Page 40	8415-99-869-3008, .....	Page 23
8415-99-577-1518,.....	Page 33	8415-99-869-3009, .....	Page 23
8415-99-577-1519,.....	Page 33	8415-99-869-3010, .....	Page 23
8415-99-577-1520,.....	Page 33	8415-99-869-4323, .....	Page 41

**SECTION AT 2-6, DMC GL  
GLOVES**

NSN	Page No	NSN	Page No
-----	---------	-----	---------

**INDEX OF NATO STOCK NUMBERS**

8415-99-869-4325,.....	Page 41	8415-99-978-3712, .....	Page 8
8415-99-869-4327,.....	Page 41	8415-99-978-3713, .....	Page 8
8415-99-869-4329,.....	Page 41	8415-99-978-3714, .....	Page 8
8415-99-869-4330,.....	Page 30	8415-99-978-3715, .....	Page 8
8415-99-869-4331,.....	Page 30	8415-99-978-4506, .....	Page 21
8415-99-869-4332,.....	Page 30	8415-99-978-4507, .....	Page 21
8415-99-869-4333,.....	Page 30	8415-99-978-4508, .....	Page 21
8415-99-869-4334,.....	Page 31	8415-99-978-4509, .....	Page 21
8415-99-869-4335,.....	Page 31	8415-99-978-4575, .....	Page 20
8415-99-869-5412,.....	Page 36	8415-99-978-4576, .....	Page 20
8415-99-869-5616,.....	Page 34	8415-99-978-4577, .....	Page 20
8415-99-869-5617,.....	Page 34	8415-99-978-4578, .....	Page 20
8415-99-869-5618,.....	Page 34	8415-99-978-4579, .....	Page 20
8415-99-895-5801,.....	Page 8	8415-99-978-4580, .....	Page 20
8415-99-895-5802,.....	Page 8	8415-99-978-4581, .....	Page 20
8415-99-895-5803,.....	Page 8	8415-99-978-4592, .....	Page 22
8415-99-895-5804,.....	Page 8	8415-99-978-4593, .....	Page 22
8415-99-895-5805,.....	Page 8	8415-99-978-4594, .....	Page 22
8415-99-974-2881,.....	Page 6	8415-99-978-4595, .....	Page 22
8415-99-974-2882,.....	Page 6	8415-99-978-9225, .....	Page 4
8415-99-974-2883,.....	Page 6	8415-99-978-9226, .....	Page 4
8415-99-974-2884,.....	Page 6	8415-99-978-9377, .....	Page 41
8415-99-974-2885,.....	Page 6	8415-99-978-9378, .....	Page 41
8415-99-974-2886,.....	Page 6	8415-99-978-9379, .....	Page 41
8415-99-974-2887,.....	Page 6	8415-99-978-9380, .....	Page 41
8415-99-974-2888,.....	Page 6	8415-99-978-9381, .....	Page 39
8415-99-974-2889,.....	Page 6	8415-99-978-9382, .....	Page 39
8415-99-974-2890,.....	Page 6	8415-99-978-9383, .....	Page 39
8415-99-975-7239,.....	Page 42	8440-99-130-6708, .....	Page 14
8415-99-975-7240,.....	Page 42	8440-99-130-6709, .....	Page 14
8415-99-975-7241,.....	Page 42	8440-99-130-6710, .....	Page 14
8415-99-975-7242,.....	Page 42	8440-99-130-6711, .....	Page 14
8415-99-975-7244,.....	Page 35	8440-99-130-6712, .....	Page 14
8415-99-975-7245,.....	Page 35	8440-99-130-6713, .....	Page 14
8415-99-975-7246,.....	Page 35	8440-99-130-6714, .....	Page 14
8415-99-975-7272,.....	Page 7	8440-99-130-6715, .....	Page 14
8415-99-978-3706,.....	Page 29	8440-99-130-6716, .....	Page 14
8415-99-978-3707,.....	Page 29	8440-99-130-6717, .....	Page 14
8415-99-978-3708,.....	Page 29	8440-99-130-6718, .....	Page 14
8415-99-978-3709,.....	Page 29	8440-99-130-6719, .....	Page 14
8415-99-978-3710,.....	Page 29	8440-99-130-6811, .....	Page 13
8415-99-978-3711,.....	Page 8	8440-99-130-6812, .....	Page 13

**SECTION AT 2-6, DMC GL  
GLOVES**

NSN	Page No	NSN	Page No
-----	---------	-----	---------

**INDEX OF NATO STOCK NUMBERS**

8440-99-130-6813,.....	Page 13	8440-99-975-6506, .....	Page 18
8440-99-130-6814,.....	Page 13	8440-99-975-6507, .....	Page 18
8440-99-130-6815,.....	Page 13	8440-99-975-6508, .....	Page 18
8440-99-130-6816,.....	Page 13	8440-99-975-6510, .....	Page 19
8440-99-130-6817,.....	Page 13	8440-99-975-6511, .....	Page 19
8440-99-130-6818,.....	Page 13	8440-99-975-6512, .....	Page 19
8440-99-130-6819,.....	Page 13	8440-99-975-6513, .....	Page 19
8440-99-130-6820,.....	Page 13	8440-99-975-6514, .....	Page 19
8440-99-130-6821,.....	Page 13	8440-99-975-6515, .....	Page 19
8440-99-130-6822,.....	Page 13	8440-99-975-6516, .....	Page 19
8440-99-563-9757,.....	Page 19	8440-99-975-7489, .....	Page 18
8440-99-563-9758,.....	Page 19	8440-99-975-7490, .....	Page 18
8440-99-563-9759,.....	Page 19	8440-99-975-7491, .....	Page 18
8440-99-943-0503,.....	Page 12	8445-99-130-6720, .....	Page 15
8440-99-943-0504,.....	Page 12	8445-99-130-6721, .....	Page 15
8440-99-943-0505,.....	Page 12	8445-99-130-6722, .....	Page 15
8440-99-943-0506,.....	Page 12	8445-99-130-6723, .....	Page 15
8440-99-943-0507,.....	Page 12	8445-99-130-6724, .....	Page 15
8440-99-975-6505,.....	Page 18	8445-99-130-6725, .....	Page 15

