

Defence Clothing Catalogue



SECTION 2-10: DMC V052 FREEZER WEAR, HIGH VISIBILITY AND PROTECTIVE CLOTHING

RELEASED: OCT 2020

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

Click on page number to go to that item

FREEZER WEAR CLOTHING	3
CAP, Extreme Cold Weather.....	3
GLOVES, Cold Weather.....	3
JACKET, Extreme Cold Weather.....	4
TROUSERS, EXTREME COLD WEATHER, SalopetteType.....	4
HIGH VISIBILITY CLOTHING	5
BELT, High Visibility.....	5
JACKET, HIGH VISIBILITY, General Purpose, Fluorescent Yellow.....	5
JACKET, HIGH VISIBILITY, Fire, Fluorescent Yellow with 'FIRE' logos.....	6
JACKET, HIGH VISIBILITY, Marching Troops, Fluorescent Yellow with 'MARCHING TROOPS' logos.....	6
WAISTCOAT, HIGH VISIBILITY, General Purpose, Fluorescent Yellow.....	7
WAISTCOAT, HIGH VISIBILITY, General Purpose, Fluorescent Orange.....	7
WAISTCOAT, HIGH VISIBILITY, Royal Air Force, Fluorescent Yellow with 'ROYAL AIR FORCE' logos.....	8
WAISTCOAT, HIGH VISIBILITY, Military Police, Fluorescent Yellow with 'MILITARY POLICE' logos.....	8
WAISTCOAT, HIGH VISIBILITY, RAF Police, Fluorescent Yellow with 'RAF POLICE' logos.....	9
WAISTCOAT, HIGH VISIBILITY, Security, Fluorescent Yellow with 'SECURITY' logos.....	9
JACKET, HIGH VISIBILITY, Security, Fluorescent Saturn with 'SECURITY' logos.....	10
Waistcoat, HIGH VISIBILITY, with 'POLICE' logos.....	10
WAISTCOAT, HIGH VISIBILITY, Incident Commander, Fluorescent Yellow with 'INCIDENT COMMANDER' logos.....	11
WAISTCOAT, HIGH VISIBILITY, Marching Troops, Fluorescent Yellow with 'MARCHING TROOPS' logos	11
WAISTCOAT, HIGH VISIBILITY, Railway Worker, Fluorescent Orange.....	12
PUBLIC ORDER PROTECTION	13
BATON,.....	13
BODY ARMOUR, FOREARM & ELBOW, Part Cover.....	13
BODY ARMOUR, FOREARM & ELBOW, Full Cover.....	14
BODY ARMOUR, SHIN & KNEE, Part Cover.....	14
BODY ARMOUR, SHIN & KNEE, Full Cover.....	15
BOMB SUPPRESSION BLANKET.....	15
CLUB, SELF PROTECTION.....	16
GOGGLES, DESERT.....	16
GUARD, UPPER ARM.....	17
GUARD, METATARSAL.....	17
PROTECTOR, GROIN, Male.....	18
PROTECTOR, GROIN, Female.....	18
PROTECTIVE, Sleeves, Shock.....	19
PROTECTIVE LEGGING.....	19
RESTRAINT, Wrist.....	20
SHIELD, PERSONAL PROTECTION, Polycarbonate, Long.....	20
SHIELD, PERSONAL PROTECTION, Polycarbonate, Short.....	20
STRAP, LINE SUPPORTING, Disposable Handcuff.....	21
SUIT, HITMAN TRAINING.....	21
THIGH PAD.....	22
PROTECTIVE CLOTHING	23
APRON, DISPOSABLE, Food Handlers.....	23
APRON, BLACKSMITHS AND METALSMITHS.....	23
BIB, PAINT, Over Trousers with Bib, Flame Resistant & Anti -Static, Civilian Foul Weather Clothing.....	24
BODY WARMER, Civilian Foul Weather Clothing, Hi Vis Yellow.....	24
BODY WARMER, Civilian Foul Weather Clothing, Hi Vis Orange.....	25
BOOTS, SAFETY, Mixed PPE, Petrochemical.....	25
COVERALLS, DISPOSABLE.....	26
COVERALLS, DISPOSABLE.....	26
COVERALLS, DISPOSABLE.....	27
COVERALLS, DISPOSABLE.....	27
COVERALLS, DISPOSABLE.....	28
COVERALLS, UTILITY, Quilted Coverall, Civilian Foul Weather Clothing, Navy and Orange.....	28

Section AT2-10, DMC V052

Freezer Wear, High Visibility and Protective Clothing

COVERALLS, UTILITY, Flame Resistant & Anti-Static, Civilian Foul Weather Clothing	29
FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Hi viz Yellow and Navy	29
FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Hi viz Orange and Navy	30
FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Hi viz Orange and Green	30
FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Navy	31
GLOVES, PROTECTIVE, Mixed PPE, Petrochemical	32
JACKET, HIGH VISIBILITY, Mixed PPE, Petrochemical	32
JACKET, WET WEATHER, Flame Resistant & Anti-Static, Civilian Foul Weather Clothing, Hi Vis Yellow ..	33
JACKET, WET WEATHER, Flame Resistant & Anti-Static, Civilian Foul Weather Clothing	33
OVERSHOES, DISPOSABLE	34
PARKA, WET WEATHER, Civilian Foul Weather Clothing, Hi Vis Yellow.....	34
PARKA, WET WEATHER, Hi Vis Orange	35
PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Yellow and Navy	35
PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Orange and Navy	36
PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Orange and Green	36
PARKA, WET WEATHER, With Removable Fleece Liner, Navy	37
TROUSERS, WET WEATHER, Over Trousers, Hi Vis Yellow	37
TROUSERS, WET WEATHER, Over Trousers, Hi Vis Orange	38
TROUSERS, WET WEATHER, Flame Resistant & Anti-Static, Hi Vis Yellow	38
TROUSERS, WET WEATHER, Over Trousers	39
TROUSERS, UTILITY, Mixed PPE, Petrochemical	39
VEST (T-SHIRT), Mixed PPE, Petrochemical	40
VEST (WAISTCOAT), HIGH VISIBILITY, Mixed PPE, Petrochemical.....	40

INDEX OF NATO STOCK NUMBERS

41

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

FREEZER WEAR CLOTHING

CAP, Extreme Cold Weather	
NSN: 8415-99-902-4119	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
PPQ: 001	
Description: Cap, Extreme Cold Weather. Ice breaker and cold comfort cold store clothing. Thermal, lined 'Trapper' type hat. Suitable for operators working in a typical cold store environment for an 8 hour shift. Soft peak. Thermal ear protector flaps, which can be secured underneath the chin and over the head (when not in use)	
Size Range: 2	
<u>NSN</u>	<u>SIZE</u>
8415-99-902-4119	Large
8415-99-902-4120	X Large
Additional Information:	

GLOVES, Cold Weather	
NSN: 8415-99-902-4121	DMC: V052
Specification: DC/CPS/6381	D of Q: Pair
PPQ: 001	
Description: Gloves, Freezer Wear. Cold Weather. Ice breaker and cold comfort cold store clothing. CE marked to BS EN 511. Water Penetration – Performance Level 1. Convective Cold – Performance Level 2 and Contact Cold – Performance Level 3. Suitable for operators working in a typical cold store environment for an 8 hour shift. Leather, 5-finger glove with thermal lining and soft elasticated cuffs. One Size fits all.	
Size Range: Single	
Additional Information:	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

JACKET, Extreme Cold Weather			
NSN:	8415-99-902-4109	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Jacket, Freezer Wear, Extreme Cold Weather. Ice breaker and cold comfort cold store clothing. CE marked to BS EN 342, Air Permeability Class 3 and Resistance to Water Penetration Class 2. Thermal insulation provided shall be suitable for operators working in a typical cold store environment for an 8-hour shift. Outer fabric with dirt repellent finish. Soft lined collar. Soft elasticated cuffs

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-902-4109	Small
8415-99-902-4110	Medium
8415-99-902-4111	Large
8415-99-902-4112	X Large
8415-99-902-4113	XX Large

Additional Information:

TROUSERS, EXTREME COLD WEATHER, SalopetteType	
--	--

NSN:	8415-99-902-4114	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Salopettes, Freezer Wear, Extreme Cold Weather. Salopette Type. Ice breaker and cold comfort store clothing. CE marked to BS EN 342, Air Permeability Class 3 and Resistance to Water Penetration Class 2. Thermal insulation provided shall be suitable for operators working in a typical cold store environment for an 8 hour shift at medium work rate. Salopettes style garment with high front and back. Elasticated braces. Bottom outside leg seam zip.


Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-902-4114	Small
8415-99-902-4115	Medium
8415-99-902-4116	Large
8415-99-902-4117	X Large
8415-99-902-4118	XX Large

Additional Information: To be compatible with cold store Boots

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

HIGH VISIBILITY CLOTHING


BELT, High Visibility			
NSN:	8465-99-613-4809	DMC:	V052
Specification:	DC/CPS/6959	D of Q:	Each
		PPQ:	001
Description: Belt, High Visibility, Single Size, Nylon Buckle and Adjuster, Yellow and Grey Belt with Black Buckle, Adjustable, Elasticated Strap, Reflective Selvedge			
Size Range: Single			
Additional Information:			

JACKET, HIGH VISIBILITY, General Purpose, Fluorescent Yellow				
NSN:	8415-99-575-0605		DMC:	V052
Specification:	DC/CPS/6381		D of Q:	Each
		PPQ:	001	
Description: Jacket, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, zip fastening. No Logo. CE marked to BS EN ISO 20471 Class 3				
Size Range: 5				
	<u>NSN</u>		<u>SIZE</u>	
	8415-99-575-0605		Small	
	8415-99-575-0606		Medium	
	8415-99-575-0607		Large	
	8415-99-575-0608		X Large	
	8415-99-575-0609		XX Large	
Additional Information: Does not provide protection against inclement weather.				

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**JACKET, HIGH VISIBILITY,
Fire, Fluorescent Yellow with 'FIRE' logos**

CE



NSN:	8415-99-575-0630	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Jacket, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, zip fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 3


Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-575-0630	Small
8415-99-575-0631	Medium
8415-99-575-0632	Large
8415-99-575-0633	X Large
8415-99-575-0634	XX Large

Additional Information: Does not provide protection against inclement weather.

**JACKET, HIGH VISIBILITY,
Marching Troops, Fluorescent Yellow with
'MARCHING TROOPS' logos**

CE



NSN:	8415-99-575-0665	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Jacket, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, zip fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 3


Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-575-0665	Small
8415-99-575-0666	Medium
8415-99-575-0667	Large
8415-99-575-0668	X Large
8415-99-575-0669	XX Large

Additional Information: Does not provide protection against inclement weather.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

WAISTCOAT, HIGH VISIBILITY, General Purpose, Fluorescent Yellow	
NSN: 8415-99-131-8403	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
	PPQ: 001




Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. No logo. CE marked to BS EN ISO 20471 Class 2

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-131-8403	Small
8415-99-131-8404	Medium
8415-99-131-8405	Large
8415-99-131-8406	X Large
8415-99-131-8407	XX Large

Additional Information: Does not provide protection against inclement weather.

WAISTCOAT, HIGH VISIBILITY, General Purpose, Fluorescent Orange	
NSN: 8415-99-131-8408	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
	PPQ: 001



Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Orange, incorporating 50mm retro-reflective strips, touch & close front fastening. No logo. CE marked to BS EN ISO 20471 Class 2

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-131-8408	Small
8415-99-131-8409	Medium
8415-99-131-8410	Large
8415-99-131-8411	X Large
8415-99-131-8412	XX Large

Additional Information: Does not provide protection against inclement weather.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

WAISTCOAT, HIGH VISIBILITY, Royal Air Force, Fluorescent Yellow with 'ROYAL AIR FORCE' logos	
NSN: 8415-99-134-8621	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
	PPQ: 001




Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 4	
<u>NSN</u>	<u>SIZE</u>
8415-99-134-8621	Small
8415-99-134-8622	Medium
8415-99-134-8623	Large
8415-99-134-8624	X Large

Additional Information: Does not provide protection against inclement weather.

WAISTCOAT, HIGH VISIBILITY, Military Police, Fluorescent Yellow with 'MILITARY POLICE' logos	
NSN: 8415-99-575-0680	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
	PPQ: 001




Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-575-0680	Small
8415-99-575-0681	Medium
8415-99-575-0682	Large
8415-99-575-0683	X Large
8415-99-575-0684	XX Large

Additional Information: Does not provide protection against inclement weather.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**WAISTCOAT, HIGH VISIBILITY,
RAF Police, Fluorescent Yellow with 'RAF
POLICE' logos**



NSN:	8415-99-575-0685	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001


Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-575-0685	Small
8415-99-575-0686	Medium
8415-99-575-0687	Large
8415-99-575-0688	X Large
8415-99-575-0689	XX Large

Additional Information: Does not provide protection against inclement weather.

**WAISTCOAT, HIGH VISIBILITY,
Security, Fluorescent Yellow with
'SECURITY' logos**



NSN:	8415-99-575-0690	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-575-0690	Small
8415-99-575-0691	Medium
8415-99-575-0692	Large
8415-99-575-0693	X Large
8415-99-575-0694	XX Large

Additional Information: Does not provide protection against inclement weather.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

JACKET, HIGH VISIBILITY, Security, Fluorescent Saturn with 'SECURITY' logos	
NSN: 8415-99-575-0625	DMC: V052
Specification: DC/CPS/6381	D of Q: Each
PPQ: 001	


Description: Jacket, High Visibility, Lightweight polyester, Fluorescent saturn, incorporating 50mm retro-reflective strips.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-575-0625	Small
8415-99-575-0626	Medium
8415-99-575-0627	Large
8415-99-575-0628	X Large
8415-99-575-0629	XX Large
Additional Information:	

Waistcoat, HIGH VISIBILITY, with 'POLICE' logos	
NSN: 8415-99-575-0675	DMC: V052
Specification: DC/CPS/6381 Table 5 Item 7	D of Q: Each
PPQ: 001	

Description: Jacket, High Visibility, Lightweight polyester, incorporating 50mm retro-reflective strips.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-575-0675	Small
8415-99-575-0676	Medium
8415-99-575-0677	Large
8415-99-575-0678	X Large
8415-99-575-0679	XX Large
Additional Information:	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**WAISTCOAT, HIGH VISIBILITY,
Incident Commander, Fluorescent Yellow
with 'INCIDENT COMMANDER' logos**




NSN:	8415-99-575-0705	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 5	<u>SIZE</u>
<u>NSN</u>	
8415-99-575-0705	Small
8415-99-575-0706	Medium
8415-99-575-0707	Large
8415-99-575-0708	X Large
8415-99-575-0709	XX Large

Additional Information: Does not provide protection against inclement weather.

**WAISTCOAT, HIGH VISIBILITY,
Marching Troops, Fluorescent Yellow with
'MARCHING TROOPS' logos**



NSN:	8415-99-575-0730	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001


Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Yellow, incorporating 50mm retro-reflective strips, touch & close front fastening. Logos positioned on left breast and centre rear. CE marked to BS EN ISO 20471 Class 2

Size Range: 5	<u>SIZE</u>
<u>NSN</u>	
8415-99-575-0730	Small
8415-99-575-0731	Medium
8415-99-575-0732	Large
8415-99-575-0733	X Large
8415-99-575-0734	XX Large

Additional Information: Does not provide protection against inclement weather.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**WAISTCOAT, HIGH VISIBILITY,
Railway Worker, Fluorescent Orange**



NSN:	8415-99-759-6996	DMC:	V052
Specification:	DC/CPS/6381	D of Q:	Each
		PPQ:	001

Description: Waistcoat, High Visibility, Lightweight (non-foul weather) polyester, Fluorescent Orange, incorporating 50mm retro-reflective strips, touch & close front fastening. No logo. CE marked to BS EN ISO 20471 Class 2 and to Railway Group Standard GO/RT 3279.

Size Range: 5

<u>NSN</u>	SIZE
8415-99-759-6996	Small
8415-99-759-6997	Medium
8415-99-759-6998	Large
8415-99-759-6999	X Large
8415-99-759-7000	XX Large

Additional Information: For use by MoD railway personnel where conspicuity is required. Does not provide protection against inclement weather.

PUBLIC ORDER PROTECTION

BATON, Training	
NSN: 6920-99-290-5349	DMC: V052
Specification: D048	D of Q: Each
	PPQ: 1
Description: Baton, Training. 26IN Long. No optional Velcro belt holder.	
Size Range: Single	
Additional Information:	

BODY ARMOUR, FOREARM & ELBOW, Part Cover	
NSN: 8470-99-869-5620	DMC: V052
Specification: D018	D of Q: Pair
	PPQ: 001
Description: Body Armour, Forearm and Elbow. Part cover. Plastics/foam construction. Secured by webbing/elasticated straps.	
Size Range: Single	
Additional Information: Limb protection worn during general policing duties. Item was made obsolescent – January 2020.	



Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

BODY ARMOUR, FOREARM & ELBOW, Full Cover	
NSN: 8470-99-869-5621	DMC: V052
Specification: D019	D of Q: Pair
	PPQ: 001


Description: Body Armour, Forearm and Elbow. Full cover. Plastics/foam construction. Secured by webbing/elasticated straps.
Size Range: Single
Additional Information: Limb protection worn during general policing duties. Item was made obsolescent – January 2020.

BODY ARMOUR, SHIN & KNEE, Part Cover	
NSN: 8470-99-869-5622	DMC: V052
Specification: D012	D of Q: Pair
	PPQ: 001

Description: Body Armour, Shin and Knee. Part cover; plastics/foam construction; secured by webbing/elasticated straps
Size Range: Single
Additional Information: Limb protection worn during general policing duties. Item was made obsolescent – January 2020.

**Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing**

**BODY ARMOUR, SHIN & KNEE,
Full Cover**



NSN: 8470-99-869-5623	DMC: V052
Specification: D013	D of Q: Pair
	PPQ: 001

Description: Body Armour, Shin and Knee. Full cover; plastics/foam construction; secured by webbing/elasticated straps

Size Range: Single

Additional Information: Limb protection worn during general policing duties. Item was made obsolescent – January 2020.

BOMB SUPPRESSION BLANKET

NSN: 4240-99-811-9508	DMC: V052
Specification: DC/CID/7028	D of Q: Each
	PPQ: 001

Description: Bomb Suppression Blanket & Safety Circle. Lightweight, highly protective equipment, Multi Layer Ballistic Material, folds to compact bag. Size 1.5 x 2.0 metres. Weight 13.5KG.

Size Range: Single

Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

CLUB, SELF PROTECTION


NSN:	8465-99-290-5350	DMC:	V052
Specification:	D049 – MP660	D of Q:	Each
		PPQ:	1

Description: Club, Self Protection. 660.00MM O/A LG. Plastic, with rubber grip.

Size Range: Single

Additional Information:

GOGGLES, DESERT



NSN:	8465-99-132-1366	DMC:	V052
Specification:	BG63 Pattern No. 28181	D of Q:	Each
		PPQ:	001

Description: Goggle Desert, goggles with lenses PVC frame with foam comfort padding. Headband is adjustable with buckle. Supplied with yellow lenses

Size Range: Single

Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

GUARD, UPPER ARM	
NSN: 8415-99-290-5345	DMC: V052
Specification: D265	D of Q: Pair
	PPQ: 001
Description: Guard, Upper Arm. Maintenance of order and crowd control. Plastic, with retention straps and Velcro and plastic buckles.	
Size Range: 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-290-5345	Short
8415-99-290-5346	Regular
8415-99-290-5347	Long
Additional Information:	

GUARD, METATARSAL	
NSN: 8415-99-290-5348	DMC: V052
Specification: D268	D of Q: Pair
	PPQ: 1
Description: Guard, Metatarsal. Maintenance of order and crowd control. One Size. Plastic, with retention straps, Velcro and plastic buckles.	
Size Range: Single	
Additional Information:	

**Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing**

PROTECTOR, GROIN, Male	
NSN: 8415-99-513-9934	DMC: V052
Specification: DC/CID/7014 D109	D of Q: Each
	PPQ: 001

Description: Protector, Groin, Male, Lightweight groin guard and box guard. Black drill cloth with crosslink foam padding, elasticated waist, black, one size. For public order.

Size Range: Single

Additional Information:

PROTECTOR, GROIN, Female	
NSN: 8415-99-513-9935	DMC: V052
Specification: DC/CID/7015 D135	D of Q: Each
	PPQ: 001

Description: Protector, Groin, Female groin guard, and pelvic bone guard. Black drill cloth with crosslink foam padding, elasticated waist, black, one size. For Public Order.

Size Range: Single

Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

PROTECTIVE, Sleeves, Shock

NSN:	8415-99-290-5336	DMC:	V052
Specification:	D262	D of Q:	Pair
		PPQ:	001

Description: Protective Sleeves, Shock. Plastic, with retention straps and velcro.

Size Range: 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-290-5336	Short
8415-99-290-5337	Regular
8415-99-290-5338	Long

Additional Information:

PROTECTIVE LEGGING

NSN:	8415-99-290-5342	DMC:	V052
Specification:	D264	D of Q:	Pair
		PPQ:	001

Description: Protective Legging. Maintenance of order and crowd control. Plastic, with retention straps and Velcro.

Size Range: 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-290-5342	Short
8415-99-290-5343	Regular
8415-99-290-5344	Long

Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**RESTRAINT,
Wrist**

NSN:	8465-99-676-7488	DMC:	V052
Specification:	TCH KC1	D of Q:	Each
		PPQ:	001

Description: Design plastic. 534mm long, 8mm wide, 3mm high. Colour Black. Reusable by using handcuff key

Size Range: Single

Additional Information: This item was made obsolescent September 2018.

**SHIELD, PERSONAL PROTECTION,
Polycarbonate, Long**

NSN:	8470-99-290-5351	DMC:	V052
Specification:	D078 Long	D of Q:	Each
		PPQ:	1

Description: Shield, Personal Protection. Polycarbonate, transparent. 1800.00MM O/A LG, 570.00MM O/A WD, With interlock feature. Police style handles.

Size Range: Single

Additional Information:

**SHIELD, PERSONAL PROTECTION,
Polycarbonate, Short**

NSN:	8470-99-290-5352	DMC:	V052
Specification:	D078 Short	D of Q:	Each
		PPQ:	1

Description: Shield, Personal Protection. Polycarbonate, transparent. 1200.00MM O/A LG, 570.00MM O/A WD, With interlock feature. Police style handles.

Size Range: Single

Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

STRAP, LINE SUPPORTING, Disposable Handcuff	
NSN: 5340-99-137-0588	DMC: V052
Specification: LK5NATURAL	D of Q: Pack
	PPQ: 1

Description: Strap, Line Supporting. Used as Disposable Handcuffs. Strap line Length 540mm long, Width 13mm, Colour: Natural. Material: Nylon 6.6. Minimum Tensile Strength: 113kg -1115N/mm2. Supplied in pack of 100.
Size Range: Single
Additional Information:


SUIT, HITMAN TRAINING	
NSN: 8415-99-870-4859	DMC: V052
Specification: DC/CID/7012 D249	D of Q: Pack
	PPQ: 001

Description: Suit, Hitman Training. For Public Order Duties.
Size Range: Single
Additional Information:

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

THIGH PAD	
NSN: 8415-99-290-5339	DMC: V052
Specification: D263	D of Q: Pair
	PPQ: 001
Description: Thigh Pad, Maintenance of order and crowd control. Plastic, with retention straps and velcro.	
Size Range: 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-290-5339	Short
8415-99-290-5340	Regular
8415-99-290-5341	Long
Additional Information:	

PROTECTIVE CLOTHING

APRON, DISPOSABLE, Food Handlers		
NSN: 8415-99-132-1022	DMC: V052	
Specification: DC/CPS/6381	D of Q: Box	
PPQ: 001		
Description: Apron, Disposable. Food Handlers. Single use disposable apron. Low density polyethylene. To be suitable/approved for use in food preparation areas. Supplied on 100 aprons/roll and 10 rolls/box.		
Size Range: 6		
<u>NSN</u>	<u>COLOUR</u>	<u>SIZE (LENGTH x WIDTH)</u>
8415-99-132-1022	White	1070cm x 710cm
8415-99-132-1023	White	1320cm x 690cm
8415-99-132-1024	Red	1070cm x 710cm
8415-99-132-1025	Red	1320cm x 690cm
8415-99-132-1026	Blue	1070cm x 710cm
8415-99-132-1027	Blue	1320cm x 690cm
Additional Information:		

APRON, BLACKSMITHS AND METALSMITHS		
NSN: 8415-99-454-2355	DMC: V052	
Specification: DC/PS/5898	D of Q: Each	
PPQ: 001		
Description: Apron, Blacksmiths and Metalsmiths. Bib type apron. One full piece skirt design. Adjustable ties around neck and waist. Attached waist belt with fastening behind back.. One Size. To be used by Blacksmiths and Metalsmiths. To provide protection from heat, metal splatter and abrasion. To be worn in Brazing workshops as well as Smithies and Forges. To be compatible with other protective clothing such as capes, gloves, sleeves, gaiters, spats and leggings.		
Size Range: Single		
Additional Information: To comply with BS EN ISO 13688 and BS EN ISO 11611		

**Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing**

**BIB, PAINT,
Over Trousers with Bib, Flame Resistant &
Anti –Static, Civilian Foul Weather Clothing**

NSN:	8415-99-165-6202	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Bib, Paint. Over trouser, FR, AS, Navy.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6202	Small
8415-99-507-4806	Medium
8415-99-507-4807	Large
8415-99-507-4808	X Large
8415-99-507-4809	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN 343 RWP – Class 3, WVP – Class 1, BS EN ISO 14116 Index 3, BS EN 1149-1: less than 5 x 10¹⁰ Ω

**BODY WARMER,
Civilian Foul Weather Clothing,
Hi Vis Yellow**

NSN:	8415-99-165-6195	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Body Warmer. Civilian Foul Weather Clothing. Hi Vis Yellow.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6195	Small
8415-99-507-4762	Medium
8415-99-507-4763	Large
8415-99-507-4764	X Large
8415-99-507-4765	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN ISO 20471 Class 2 Garment COR – Level 2 , BS EN 343 RWP – Class 3, WVP – Class 1

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**BODY WARMER,
Civilian Foul Weather Clothing,
Hi Vis Orange**

NSN: 8415-99-507-4766	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Body Warmer. Civilian Foul Weather Clothing. Hi Vis Orange.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-507-4766	Small
8415-99-507-4767	Medium
8415-99-507-4768	Large
8415-99-507-4769	X Large
8415-99-507-4770	XX Large

Additional Information: Foul Weather Clothing

**BOOTS, SAFETY,
Mixed PPE, Petrochemical**

NSN: 8430-99-391-3779	DMC: V052
Specification: DC/CPS/6926	D of Q: EA
	PPQ: 001

Description: Boots, Safety. Approved to BS EN ISO 20345 Type S2. Slip Resistant. Anti-static. Oil/Chemical resistant. "2 cuff height. Laced. 2mm Tread. Steel midsole plate. Steel toecap with 200 joule protection.


Size Range: 8

<u>NSN</u>	<u>SIZE</u>
8430-99-391-3779	5
8430-99-391-3780	6
8430-99-391-3781	7
8430-99-391-3782	8
8430-99-391-3783	9
8430-99-391-3784	10
8430-99-391-3785	11
8430-99-391-3786	12

Additional Information: Available for Op Escalin only, authority from SJC(UK) only.

**Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing**

COVERALLS, DISPOSABLE



NSN:	8415-99-130-8302	DMC:	V052
Specification:	DC/PS/5885	D of Q:	Each
		PPQ:	001

Description: Protective coveralls, disposable with hood, limited life type 6. For protection from liquid aerosols, spray & light splashing and solid particles where the risk of exposure is defined as low. Suitable for chemical, manufacturing, utilities, electronics, agriculture and paint spraying.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-130-8302	Medium
8415-99-130-8303	Large
8415-99-130-8304	X Large
8415-99-665-7624	XX Large
8415-99-665-7625	XXX Large

Additional Information: To comply with BS EN ISO 13688, BS EN 1149 Part 5 and BS EN 13034

COVERALLS, DISPOSABLE

NSN:	8415-99-667-5028	DMC:	V052
Specification:	DC/PS/5885	D of Q:	Each
		PPQ:	001

Description: Protective coveralls, disposable with hood and integral socks. Limited life type 4. For protection when undertaking fuel tank cleaning.

Size Range: 4

<u>NSN</u>	<u>SIZE</u>
8415-99-667-5028	Medium
8415-99-667-5029	Large
8415-99-667-5030	X Large
8415-99-269-3260	XX Large

Additional Information: To comply with BS EN ISO 13688, BS EN 14605 and BS EN 1149 Part 5

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

COVERALLS, DISPOSABLE	
NSN: 8415-99-978-4772	DMC: V052
Specification: DC/PS/5885	D of Q: Each
	PPQ: 001

Description: Protective coveralls, disposable with hood. Limited life type 5. For protection from powder, fibres, particles and light splashes where the risk of exposure is defined as low. Suitable for asbestos-related work, handling powders, general maintenance and cleaning.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-978-4772	Medium
8415-99-978-4773	Large
8415-99-978-4774	X Large
8415-99-978-4775	XX Large
8415-99-978-4776	XXX Large
Additional Information: To comply with BS EN ISO 13688 and BS EN ISO 13982 Part 1	

COVERALLS, DISPOSABLE	
NSN: 8415-99-471-8961	DMC: V052
Specification: DC/PS/5885	D of Q: Each
	PPQ: 001

Description: Coveralls, Disposable. Protective coverall c/w hood and integral socks . Limited life. Compatible for use with liquid aviation kerosene fuel. CE marked.	
Size Range: 3	
<u>NSN</u>	<u>SIZE</u>
8415-99-471-8961	M
8415-99-471-8962	L
8415-99-471-8963	XL
Additional Information: To comply with BS EN 14605 Type 3. Antistatic to BS EN 1149 Part 5.	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

COVERALLS, DISPOSABLE

NSN:	8415-99-471-8964	DMC:	V052
Specification:	DC/PS/5885	D of Q:	Each
		PPQ:	001

Description: Coveralls, Disposable. Protective coverall c/w hood and integral socks . Limited life. Compatible for use with dichloromethane(DCM) based paint stripper. CE marked.

Size Range: 4

<u>NSN</u>	<u>SIZE</u>
8415-99-471-8964	S
8415-99-471-8965	M
8415-99-471-8966	L
8415-99-471-8967	XL

Additional Information: To comply with BS EN 14605 Type 3. Antistatic to BS EN 1149 Part 5.

**COVERALLS, UTILITY,
Quilted Coverall, Civilian Foul Weather
Clothing, Navy and Orange**

NSN:	8415-99-165-6203	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Coveralls, Utility. Quilted, Integral Hood. Bi Colour, Navy and Orange.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6203	Small
8415-99-507-4810	Medium
8415-99-507-4811	Large
8415-99-507-4812	X Large
8415-99-507-4813	XX Large

Additional Information: Foul Weather Clothing.

To comply with BS EN 343 – Class 3, WVP – Class 1, BS EN 14058: Thermal Resistance Class 3.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**COVERALLS, UTILITY,
Flame Resistant & Anti-Static, Civilian Foul
Weather Clothing**

NSN:	8415-99-165-6207	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Coveralls, Utility. FR, AS, Removable lining, Detachable or fold away hood. Navy.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6207	Small
8415-99-507-4818	Medium
8415-99-507-4819	Large
8415-99-507-4820	X Large
8415-99-507-4821	XX Large
Additional Information: Foul Weather Clothing. To comply with BS EN 343 RWP – Class 3, WVP – Class 1, BS EN ISO 14116 Index 3, BS EN BS EN 1149-1: less than 5 x 10 ¹⁰ Ω	

**FLEECE,
(Thermal Liner), Civilian Foul Weather
Clothing, Hi viz Yellow and Navy**

NSN:	8415-99-668-8148	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Fleece, (Thermal Liner), Bi colour, Hi viz yellow and navy. Compatible with a yellow and navy parka.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-668-8148	Small
8415-99-507-4826	Medium
8415-99-507-4827	Large
8415-99-507-4828	X Large
8415-99-507-4829	XX Large
Additional Information: Foul Weather Clothing To comply with BS EN 14058 Thermal Resistance Class 3 (Liners compatible with Item 3 BS EN ISO 20471 Class 3 Garment, COR – Level 2)	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Hi viz Orange and Navy			
NSN:	8415-99-507-4830	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Fleece, (Thermal Liner), Bi colour, Hi viz orange and navy. Compatible with an orange and navy parka.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4830	Small
8415-99-507-4831	Medium
8415-99-507-4832	Large
8415-99-507-4833	X Large
8415-99-507-4834	XX Large
Additional Information: Foul Weather Clothing	

FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Hi viz Orange and Green			
NSN:	8415-99-507-4835	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Fleece, (Thermal Liner), Bi colour, Hi viz orange and green. Compatible with an orange and green parka.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4835	Small
8415-99-507-4836	Medium
8415-99-507-4837	Large
8415-99-507-4838	X Large
8415-99-507-4839	XX Large
Additional Information: Foul Weather Clothing	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

FLEECE, (Thermal Liner), Civilian Foul Weather Clothing, Navy	
NSN: 8415-99-296-3860	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Fleece, (Thermal Liner), Navy.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-296-3860	Small
8415-99-296-3861	Medium
8415-99-296-3862	Large
8415-99-296-3863	X Large
8415-99-296-3864	XX Large
Additional Information: Civilian Foul Weather Clothing. To comply with BS EN 14058 Thermal Resistance Class 3 (Liners compatible with Item 3 BS EN ISO 20471 Class 3 Garment, COR – Level 2)	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**GLOVES, PROTECTIVE,
Mixed PPE, Petrochemical**

NSN:	8415-99-391-3774	DMC:	V052
Specification:	DC/CPS/6926	D of Q:	Pair
		PPQ:	001

Description: Gloves, Protective. Double dipped PVC gauntlet length glove. All Gloves shall meet the minimum requirements of BS EN 374 and BS EN 420. All Gloves shall meet the requirements of BS EN 388 performance levels 4,1,2,1.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-391-3774	Small
8415-99-391-3775	Medium
8415-99-391-3776	Large
8415-99-391-3777	X Large
8415-99-391-3778	XX Large

Additional Information: Available for Op Escalin only, authority from SJC(UK) only.

**JACKET, HIGH VISIBILTY,
Mixed PPE, Petrochemical**

NSN:	8415-99-669-4408	DMC:	V052
Specification:	DC/CPS/6926	D of Q:	Each
		PPQ:	001

Description: Outerwear Jacket, High Visibility, Protective. Anti-static approved/marked to BS EN 1149 Part 5. Flame resistant approved/marked to BS EN ISO 11612 and BS EN ISO 14116.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-669-4408	Small
8415-99-669-4409	Medium
8415-99-669-4410	Large
8415-99-669-4411	X Large
8415-99-669-4412	XX Large

Additional Information: CE marked to BS EN ISO 20471 Class 3. Available for Op Escalin only, authority from SJC(UK) only.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**JACKET, WET WEATHER,
Flame Resistant & Anti-Static, Civilian Foul
Weather Clothing, Hi Vis Yellow**

NSN:	8415-99-165-6199	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Jacket, Wet Weather. FR, AS, Detachable or Foldaway Hood. Hi Vis Yellow.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6199	Small
8415-99-507-4794	Medium
8415-99-507-4795	Large
8415-99-507-4796	X Large
8415-99-507-4797	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN ISO 20471 Class 3 Garment, COR – Level 2, BS EN 343 RWP – Class 3, WVP – Class 1, BS EN ISO 14116 Index 1, BS EN 1149-1: less than $5 \times 10^{10} \Omega$

**JACKET, WET WEATHER,
Flame Resistant & Anti-Static, Civilian Foul
Weather Clothing**

NSN:	8415-99-165-6201	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Jacket, Wet Weather. FR, AS, Navy, Detachable fold away hood.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6201	Small
8415-99-507-4802	Medium
8415-99-507-4803	Large
8415-99-507-4804	X Large
8415-99-507-4805	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN 343 RWP – Class 3, WVP – Class 1, BS EN ISO 14116 Index 3, BS EN 1149-1: less than $5 \times 10^{10} \Omega$

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

OVERSHOES, DISPOSABLE			
NSN:	8430-99-132-0939	DMC:	V052
Specification:	DC/PS/5885	D of Q:	Each
		PPQ:	001

Description: Protective Overshoes, Disposable. Limited life type 6 and type PB [6] equipment. Overshoes worn by Aircraft service personnel to protect aircraft surfaces during paint spraying and finishing. They can also be worn by personnel working with pesticides. Item to be in synthetic fabric. Universal size.

Size Range: Single

Additional Information: To comply with BS EN ISO 13688 and BS EN 13034 and BS EN 1149 Part 5.

PARKA, WET WEATHER, Civilian Foul Weather Clothing, Hi Vis Yellow			
NSN:	8415-99-165-6194	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Parka, Wet Weather. Hi Vis Yellow, With detachable or foldaway hood.

Size Range: 5

<u>NSN</u>	<u>SIZE</u>
8415-99-165-6194	Small
8415-99-507-4753	Medium
8415-99-507-4754	Large
8415-99-507-4755	X Large
8415-99-507-4756	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN ISO 20471 Class 3 Garment COR – Level 2 , BS EN 343 RWP – Class 3, WVP – Class 1

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

PARKA, WET WEATHER, Hi Vis Orange	
NSN: 8415-99-507-4757	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Parka, Wet Weather. Hi Vis Orange, With detachable or foldaway hood.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4757	Small
8415-99-507-4758	Medium
8415-99-507-4759	Large
8415-99-507-4760	X Large
8415-99-507-4761	XX Large
Additional Information: Foul Weather Clothing	

PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Yellow and Navy	
NSN: 8415-99-165-6196	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Parka, Wet Weather. Bi Colour, Hi Vis Yellow and Navy, With detachable or foldaway hood and removable fleece thermal liner.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6196	Small
8415-99-507-4771	Medium
8415-99-507-4772	Large
8415-99-507-4773	X Large
8415-99-507-4774	XX Large
Additional Information: Foul Weather Clothing. To comply with BS EN ISO 20471 Class 3 Garment COR – Level 2 , BS EN 343 RWP – Class 3, WVP – Class 3, BS EN 14058 Thermal Resistance Class 3	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Orange and Navy	
NSN: 8415-99-507-4775	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Parka, Wet Weather. Bi Colour, Hi Vis Orange and Navy, With detachable or foldaway hood and removable fleece thermal liner.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4775	Small
8415-99-507-4776	Medium
8415-99-507-4777	Large
8415-99-507-4778	X Large
8415-99-507-4779	XX Large
Additional Information: Foul Weather Clothing	

PARKA, WET WEATHER, With Removable Fleece Liner, Hi Vis Orange and Green	
NSN: 8415-99-507-4780	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Parka, Wet Weather. Bi Colour, Hi Vis Orange and Green, With detachable or foldaway hood and removable fleece thermal liner.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4780	Small
8415-99-507-4781	Medium
8415-99-507-4782	Large
8415-99-507-4783	X Large
8415-99-507-4784	XX Large
Additional Information: Foul Weather Clothing	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**PARKA, WET WEATHER,
With Removable Fleece Liner, Navy**

NSN:	8415-99-165-6204	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Parka, Wet Weather. With removable fleece(thermal) liner with detachable or fold away hood. Navy.

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6204	Small
8415-99-507-4814	Medium
8415-99-507-4815	Large
8415-99-507-4816	X Large
8415-99-507-4817	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN 343: RWP – Class 3, WVP Class 3, BS EN 14058: Thermal Resistance Class 3

**TROUSERS, WET WEATHER,
Over Trousers, Hi Vis Yellow**

NSN:	8415-99-165-6198	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Trousers, Wet Weather, Over Trousers, Hi Vis Yellow.

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6198	Small
8415-99-507-4785	Medium
8415-99-507-4786	Large
8415-99-507-4787	X Large
8415-99-507-4788	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN ISO 20471 Class 1 Garment, COR – Level 2, BS EN 343 RWP – Class 3, WVP – Class 1

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

TROUSERS, WET WEATHER, Over Trousers, Hi Vis Orange	
NSN: 8415-99-507-4789	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Trousers, Wet Weather, Over Trousers, Hi Vis Orange.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-507-4789	Small
8415-99-507-4790	Medium
8415-99-507-4791	Large
8415-99-507-4792	X Large
8415-99-507-4793	XX Large
Additional Information: Foul Weather Clothing	

TROUSERS, WET WEATHER, Flame Resistant & Anti-Static, Hi Vis Yellow	
NSN: 8415-99-165-6200	DMC: V052
Specification: DC/CPS/6489	D of Q: Each
	PPQ: 001

Description: Trousers, Wet Weather. Over trousers, FR, AS, Hi Vis Yellow.	
Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6200	Small
8415-99-507-4798	Medium
8415-99-507-4799	Large
8415-99-507-4800	X Large
8415-99-507-4801	XX Large
Additional Information: Foul Weather Clothing.	
To comply with BS EN ISO 20471 Class 2 Garment COR- Level 2, BS EN 343 RWP – Class 3, WVP – Class 1, BS EN ISO 14116 Index 1, BS EN 1149-1: less than 5 x 10 ¹⁰ Ω	

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

**TROUSERS, WET WEATHER,
Over Trousers**

NSN:	8415-99-165-6208	DMC:	V052
Specification:	DC/CPS/6489	D of Q:	Each
		PPQ:	001

Description: Trousers, Wet, Weather. Over trouser, Navy.

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-165-6208	Small
8415-99-507-4822	Medium
8415-99-507-4823	Large
8415-99-507-4824	X Large
8415-99-507-4825	XX Large

Additional Information: Foul Weather Clothing.
To comply with BS EN 343: RWP – Class 3, WVP – Class 1

**TROUSERS, UTILITY,
Mixed PPE, Petrochemical**

NSN:	8405-99-669-4413	DMC:	V052
Specification:	DC/CPS/6926	D of Q:	EA
		PPQ:	001

Description: Outerwear Trousers, High Visibility, Protective. Anti-static – Approved / marked to BS EN 1149 Part 5. Flame resistant – Approved / marked to BS EN ISO 11612 and BS EN ISO 14116. CE Marked to BS EN ISO 20471, Class 2

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8405-99-669-4413	Small
8405-99-669-4414	Medium
8405-99-669-4415	Large
8405-99-669-4416	X Large
8405-99-669-4417	XX Large

Additional Information: Available for Op Escalin only, authority from SJC(UK) only.

Section AT2-10, DMC V052
Freezer Wear, High Visibility and Protective Clothing

VEST (T-SHIRT), Mixed PPE, Petrochemical			
NSN:	8415-99-391-3787	DMC:	V052
Specification:	DC/CPS/6926	D of Q:	Each
		PPQ:	001

Description: T-Shirt. Non-combustable fabric or natural fibres. Short sleeve vest with bound round neck and sleeve cuffs.

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-391-3787	Small
8415-99-391-3788	Medium
8415-99-391-3789	Large
8415-99-391-3790	X Large
8415-99-391-3791	XX Large
Additional Information: Available for Op Escalin only, authority from SJC(UK) only.	

VEST (WAISTCOAT), HIGH VISIBILITY, Mixed PPE, Petrochemical			
NSN:	8415-99-669-4403	DMC:	V052
Specification:	DC/CPS/6926	D of Q:	Each
		PPQ:	001

Description: Waistcoat, High Visibility, General Purpose. Lightweight. Fluorescent Yellow. Non-metallic zip fastening.

Size Range: 5	
<u>NSN</u>	<u>SIZE</u>
8415-99-669-4403	Small
8415-99-669-4404	Medium
8415-99-669-4405	Large
8415-99-669-4406	X Large
8415-99-669-4407	XX Large
Additional Information: CE marked to BS EN ISO 20471, Class 2. Available for Op Escalin only, authority from SJC(UK) only.	

Section AT2/10, DMC V052
Freezer Wear, High Visibility and Protective Clothing.

NSN	Page No	NSN	Page No
-----	---------	-----	---------

INDEX OF NATO STOCK NUMBERS

4240-99-811-9508,.....	Page 15	8415-99-296-3860,	Page 31
5340-99-137-0588,.....	Page 21	8415-99-296-3861,	Page 31
6920-99-290-5349,.....	Page 13	8415-99-296-3862,	Page 31
8405-99-669-4413,.....	Page 39	8415-99-296-3863,	Page 31
8405-99-669-4414,.....	Page 39	8415-99-296-3864,	Page 31
8405-99-669-4415,.....	Page 39	8415-99-391-3774,	Page 32
8405-99-669-4416,.....	Page 39	8415-99-391-3775,	Page 32
8405-99-669-4417,.....	Page 39	8415-99-391-3776,	Page 32
8415-99-130-8302,.....	Page 26	8415-99-391-3777,	Page 32
8415-99-130-8303,.....	Page 26	8415-99-391-3778,	Page 32
8415-99-130-8304,.....	Page 26	8415-99-391-3787,	Page 40
8415-99-131-8403,.....	Page 7	8415-99-391-3788,	Page 40
8415-99-131-8404,.....	Page 7	8415-99-391-3789,	Page 40
8415-99-131-8405,.....	Page 7	8415-99-391-3790,	Page 40
8415-99-131-8406,.....	Page 7	8415-99-391-3791,	Page 40
8415-99-131-8407,.....	Page 7	8415-99-454-2355,	Page 23
8415-99-131-8408,.....	Page 7	8415-99-471-8961,	Page 27
8415-99-131-8409,.....	Page 7	8415-99-471-8962,	Page 27
8415-99-131-8410,.....	Page 7	8415-99-471-8963,	Page 27
8415-99-131-8411,.....	Page 7	8415-99-471-8964,	Page 28
8415-99-131-8412,.....	Page 7	8415-99-471-8965,	Page 28
8415-99-132-1022,.....	Page 23	8415-99-471-8966,	Page 28
8415-99-132-1023,.....	Page 23	8415-99-471-8967,	Page 28
8415-99-132-1024,.....	Page 23	8415-99-507-4753,	Page 34
8415-99-132-1025,.....	Page 23	8415-99-507-4754,	Page 34
8415-99-132-1026,.....	Page 23	8415-99-507-4755,	Page 34
8415-99-132-1027,.....	Page 23	8415-99-507-4756,	Page 34
8415-99-134-8621,.....	Page 8	8415-99-507-4757,	Page 35
8415-99-134-8622,.....	Page 8	8415-99-507-4758,	Page 35
8415-99-134-8623,.....	Page 8	8415-99-507-4759,	Page 35
8415-99-134-8624,.....	Page 8	8415-99-507-4760,	Page 35
8415-99-165-6194,.....	Page 34	8415-99-507-4761,	Page 35
8415-99-165-6195,.....	Page 24	8415-99-507-4762,	Page 24
8415-99-165-6196,.....	Page 35	8415-99-507-4763,	Page 24
8415-99-165-6198,.....	Page 37	8415-99-507-4764,	Page 24
8415-99-165-6199,.....	Page 33	8415-99-507-4765,	Page 24
8415-99-165-6200,.....	Page 38	8415-99-507-4766,	Page 25
8415-99-165-6201,.....	Page 33	8415-99-507-4767,	Page 25
8415-99-165-6202,.....	Page 24	8415-99-507-4768,	Page 25
8415-99-165-6203,.....	Page 28	8415-99-507-4769,	Page 25
8415-99-165-6204,.....	Page 37	8415-99-507-4770,	Page 25
8415-99-165-6207,.....	Page 29	8415-99-507-4771,	Page 35
8415-99-165-6208,.....	Page 39	8415-99-507-4772,	Page 35
8415-99-269-3260,.....	Page 26	8415-99-507-4773,	Page 35
8415-99-290-5336,.....	Page 19	8415-99-507-4774,	Page 35
8415-99-290-5337,.....	Page 19	8415-99-507-4775,	Page 36
8415-99-290-5338,.....	Page 19	8415-99-507-4776,	Page 36
8415-99-290-5339,.....	Page 22	8415-99-507-4777,	Page 36
8415-99-290-5340,.....	Page 22	8415-99-507-4778,	Page 36
8415-99-290-5341,.....	Page 22	8415-99-507-4779,	Page 36
8415-99-290-5342,.....	Page 19	8415-99-507-4780,	Page 36
8415-99-290-5343,.....	Page 19	8415-99-507-4781,	Page 36
8415-99-290-5344,.....	Page 19	8415-99-507-4782,	Page 36
8415-99-290-5345,.....	Page 17	8415-99-507-4783,	Page 36
8415-99-290-5346,.....	Page 17	8415-99-507-4784,	Page 36
8415-99-290-5347,.....	Page 17	8415-99-507-4785,	Page 37
8415-99-290-5348,.....	Page 17	8415-99-507-4786,	Page 37

Section AT2/10, DMC V052
Freezer Wear, High Visibility and Protective Clothing.

NSN	Page No	NSN	Page No
8415-99-507-4787,.....	Page 37	8415-99-575-0609,	Page 5
8415-99-507-4788,.....	Page 37	8415-99-575-0625,	Page 10
8415-99-507-4789,.....	Page 38	8415-99-575-0626,	Page 10
8415-99-507-4790,.....	Page 38	8415-99-575-0627,	Page 10
8415-99-507-4791,.....	Page 38	8415-99-575-0628,	Page 10
8415-99-507-4792,.....	Page 38	8415-99-575-0629,	Page 10
8415-99-507-4793,.....	Page 38	8415-99-575-0630,	Page 6
8415-99-507-4794,.....	Page 33	8415-99-575-0631,	Page 6
8415-99-507-4795,.....	Page 33	8415-99-575-0632,	Page 6
8415-99-507-4796,.....	Page 33	8415-99-575-0633,	Page 6
8415-99-507-4797,.....	Page 33	8415-99-575-0634,	Page 6
8415-99-507-4798,.....	Page 38	8415-99-575-0665,	Page 6
8415-99-507-4799,.....	Page 38	8415-99-575-0666,	Page 6
8415-99-507-4800,.....	Page 38	8415-99-575-0667,	Page 6
8415-99-507-4801,.....	Page 38	8415-99-575-0668,	Page 6
8415-99-507-4802,.....	Page 33	8415-99-575-0669,	Page 6
8415-99-507-4803,.....	Page 33	8415-99-575-0675,	Page 10
8415-99-507-4804,.....	Page 33	8415-99-575-0676,	Page 10
8415-99-507-4805,.....	Page 33	8415-99-575-0677,	Page 10
8415-99-507-4806,.....	Page 24	8415-99-575-0678,	Page 10
8415-99-507-4807,.....	Page 24	8415-99-575-0679,	Page 10
8415-99-507-4808,.....	Page 24	8415-99-575-0680,	Page 8
8415-99-507-4809,.....	Page 24	8415-99-575-0681,	Page 8
8415-99-507-4810,.....	Page 28	8415-99-575-0682,	Page 8
8415-99-507-4811,.....	Page 28	8415-99-575-0683,	Page 8
8415-99-507-4812,.....	Page 28	8415-99-575-0684,	Page 8
8415-99-507-4813,.....	Page 28	8415-99-575-0685,	Page 9
8415-99-507-4814,.....	Page 37	8415-99-575-0686,	Page 9
8415-99-507-4815,.....	Page 37	8415-99-575-0687,	Page 9
8415-99-507-4816,.....	Page 37	8415-99-575-0688,	Page 9
8415-99-507-4817,.....	Page 37	8415-99-575-0689,	Page 9
8415-99-507-4818,.....	Page 29	8415-99-575-0690,	Page 9
8415-99-507-4819,.....	Page 29	8415-99-575-0691,	Page 9
8415-99-507-4820,.....	Page 29	8415-99-575-0692,	Page 9
8415-99-507-4821,.....	Page 29	8415-99-575-0693,	Page 9
8415-99-507-4822,.....	Page 39	8415-99-575-0694,	Page 9
8415-99-507-4823,.....	Page 39	8415-99-575-0705,	Page 11
8415-99-507-4824,.....	Page 39	8415-99-575-0706,	Page 11
8415-99-507-4825,.....	Page 39	8415-99-575-0707,	Page 11
8415-99-507-4826,.....	Page 29	8415-99-575-0708,	Page 11
8415-99-507-4827,.....	Page 29	8415-99-575-0709,	Page 11
8415-99-507-4828,.....	Page 29	8415-99-575-0730,	Page 11
8415-99-507-4829,.....	Page 29	8415-99-575-0731,	Page 11
8415-99-507-4830,.....	Page 30	8415-99-575-0732,	Page 11
8415-99-507-4831,.....	Page 30	8415-99-575-0733,	Page 11
8415-99-507-4832,.....	Page 30	8415-99-575-0734,	Page 11
8415-99-507-4833,.....	Page 30	8415-99-665-7624,	Page 26
8415-99-507-4834,.....	Page 30	8415-99-665-7625,	Page 26
8415-99-507-4835,.....	Page 30	8415-99-667-5028,	Page 26
8415-99-507-4836,.....	Page 30	8415-99-667-5029,	Page 26
8415-99-507-4837,.....	Page 30	8415-99-667-5030,	Page 26
8415-99-507-4838,.....	Page 30	8415-99-668-8148,	Page 29
8415-99-507-4839,.....	Page 30	8415-99-669-4403,	Page 40
8415-99-513-9934,.....	Page 18	8415-99-669-4404,	Page 40
8415-99-513-9935,.....	Page 18	8415-99-669-4405,	Page 40
8415-99-575-0605,.....	Page 5	8415-99-669-4406,	Page 40
8415-99-575-0606,.....	Page 5	8415-99-669-4407,	Page 40
8415-99-575-0607,.....	Page 5	8415-99-669-4408,	Page 32
8415-99-575-0608,.....	Page 5	8415-99-669-4409,	Page 32

**Section AT2/10, DMC V052
Freezer Wear, High Visibility and Protective Clothing.**

NSN	Page No	NSN	Page No
8415-99-669-4410,.....	Page 32	8415-99-978-4773,	Page 27
8415-99-669-4411,.....	Page 32	8415-99-978-4774,	Page 27
8415-99-669-4412,.....	Page 32	8415-99-978-4775,	Page 27
8415-99-759-6996,.....	Page 12	8415-99-978-4776,	Page 27
8415-99-759-6997,.....	Page 12	8430-99-132-0939,	Page 34
8415-99-759-6998,.....	Page 12	8430-99-391-3779,	Page 25
8415-99-759-6999,.....	Page 12	8430-99-391-3780,	Page 25
8415-99-759-7000,.....	Page 12	8430-99-391-3781,	Page 25
8415-99-870-4859,.....	Page 21	8430-99-391-3782,	Page 25
8415-99-902-4109,.....	Page 4	8430-99-391-3783,	Page 25
8415-99-902-4110,.....	Page 4	8430-99-391-3784,	Page 25
8415-99-902-4111,.....	Page 4	8430-99-391-3785,	Page 25
8415-99-902-4112,.....	Page 4	8430-99-391-3786,	Page 25
8415-99-902-4113,.....	Page 4	8465-99-132-1366,	Page 16
8415-99-902-4114,.....	Page 4	8465-99-290-5350,	Page 16
8415-99-902-4115,.....	Page 4	8465-99-613-4809,	Page 5
8415-99-902-4116,.....	Page 4	8465-99-676-7488,	Page 20
8415-99-902-4117,.....	Page 4	8470-99-290-5351,	Page 20
8415-99-902-4118,.....	Page 4	8470-99-290-5352,	Page 20
8415-99-902-4119,.....	Page 3	8470-99-869-5620,	Page 13
8415-99-902-4120,.....	Page 3	8470-99-869-5621,	Page 14
8415-99-902-4121,.....	Page 3	8470-99-869-5622,	Page 14
8415-99-978-4772,.....	Page 27	8470-99-869-5623,	Page 15