SPI-M-O Medium-Term Projections

27th January 2021

SPI-M-O medium-term projections


- These projections are not forecasts or predictions. They represent a scenario in which the trajectory of the epidemic continues to follow the trends that were seen in the data up to 25th January.
- The delay between infection, developing symptoms, the need for hospital care, and death means they will not fully reflect the impact of behaviour changes in the two to three weeks prior to 25th January.
- These projections include the potential impact of vaccinations over the next four weeks. This has been based on a rollout scenario provided by Cabinet Office for modelling purposes; it assumes an average of 2.2 million doses are administered per week until 21st February.
- The projections assume vaccinations are administered according to JCVI's priority order with 85% coverage in all age groups. The real world effectiveness of vaccines, particularly against infection, is not yet known. The first dose effectiveness against both hospitalisation and death of the Pfizer-BioNTech and Oxford-AstraZeneca vaccines are modelled to be 88% and 70% respectively in line with JCVI's advice. Both vaccines are also modelled as reducing the risk of infection by 48% after the first dose.
- Not all modelling groups produce projections for both hospitalisations and deaths so there will be some differences between the models included in the combined projections for each metric.


Metrics:

- New hospitalisations per day: Number of individuals admitted with COVID-19 and inpatients newly diagnosed with COVID-19. Data definitions differ slightly across all four nations.
- New deaths per day (by date of death): The number of COVID-19 deaths within 28 days of a positive test. Data definitions differ slightly across all four nations.

New hospital admissions per day

These projections are based on current trends and will not fully reflect the impact of behaviour changes over the past two to three weeks. They are not forecasts or predictions.





Real data

Expected to Increase

Projection Midpoint

High and low estimates 5th to 95th percentile

High and low estimates 25th to 75th percentile

Models

These fan charts show the combined medium-term projections based on current trends. They cannot account for behavioural changes in the two to three weeks prior to 25th January, as these will not yet have been reflected in epidemiological data.


These projections include the potential impact of vaccinations over the next four weeks. This has been based on a rollout scenario provided by Cabinet Office for modelling purposes; it assumes an average of 2.2 million doses are administered per week until 21st February with uptake eventually plateauing at 85% of each age cohort. Vaccine effectiveness assumptions are given on page 2.

Data notes:

England: Number of patients admitted with confirmed COVID-19 and the number of inpatients diagnosed with COVID-19 in the past 24 hours. Taken from the NHSE COVID-19 Situation reports. Wales: Number of patients admitted with confirmed COVID-19 and the number of patients diagnosed with COVID-19 on the day of admission. Provided by Public Health Wales. Scotland: Number of patients admitted with confirmed COVID-19 and inpatients diagnosed with COVID-19 within 7 days of admission. Provided by Public Health Scotland. Northern Ireland: Number of patients admitted with confirmed COVID-19 and the number of inpatients diagnosed with COVID-19. Provided by Health and Social Care Northern Ireland.

New hospital admissions per day

These projections are based on current trends and will not fully reflect the impact of behaviour changes over the past two to three weeks. They are not forecasts or predictions.




Real data Expected to Increase Projection Midpoint High and low estimates 5th to 95th percentile High and low estimates 25th to 75th percentile Models


These fan charts show the combined medium-term projections based on current trends. They cannot account for behavioural changes in the two to three weeks prior to 25th January, as these will not yet have been reflected in epidemiological data.


These projections include the potential impact of vaccinations over the next four weeks. This has been based on a rollout scenario provided by Cabinet Office for modelling purposes; it assumes an average of 2.2 million doses are administered per week until 21st February with uptake eventually plateauing at 85% of each age cohort. Vaccine effectiveness assumptions are given on page 2.

New deaths per day

These projections are based on current trends and will not fully reflect the impact of behaviour changes over the past two to three weeks. They are not forecasts or predictions.







These fan charts show the combined medium-term projections based on current trends. They cannot account for behavioural changes in the two to three weeks prior to 25th January, as these will not yet have been reflected in epidemiological data.

These projections include the potential impact of vaccinations over the next four weeks. This has been based on a rollout scenario provided by Cabinet Office for modelling purposes; it assumes an average of 2.2 million doses are administered per week until 21st February with uptake eventually plateauing at 85% of each age cohort. Vaccine effectiveness assumptions are given on page 2.

Data Notes:

The number of COVID-19 deaths (by date of death) within 28 days of a positive test.

The past data for England is taken from the PHE line list of deaths. The past data for Scotland, Wales, and Northern Ireland is taken from the Coronavirus (COVID-19) in the UK dashboard on Gov.uk.

New deaths per day

These projections are based on current trends and will not fully reflect the impact of behaviour changes over the past two to three weeks. They are not forecasts or predictions.



Key

Real data

Expected to Increase

Projection Midpoint

High and low estimates 5th to 95th percentile High and low estimates

25th to 75th percentile Models

These fan charts show the combined medium-term projections based on current trends. They cannot account for behavioural changes in the two to three weeks prior to 25th January, as these will not yet have been reflected in epidemiological data.

These projections include the potential impact of vaccinations over the next four weeks. This has been based on a rollout scenario provided by Cabinet Office for modelling purposes; it assumes an average of 2.2 million doses are administered per week until 21st February with uptake eventually plateauing at 85% of each age cohort. Vaccine effectiveness assumptions are given on page 2.

Data Notes:

within 28 days of a positive test.

list of deaths.