

Weekly statistics for NHS Test and Trace (England): 11 March to 17 March 2021

Main points

People tested, England

- 37,087 people tested positive for coronavirus (COVID-19) at least once¹ in England between 11 March and 17 March 2021, a 6% decrease compared to the previous week. This continues the decrease in positive cases observed over the last 10 weeks.
- 6,211,376 people were tested at least once¹ between 11 March and 17 March 2021 for COVID-19, a 7% increase compared to the previous week. The large increase in people tested over the last 2 weeks is due to the return of secondary school students to schools from 8 March, as students are regularly tested using rapid tests.

Pillar 2 testing turnaround times, England

- Turnaround times for pillar 2 (virus testing for the wider population) for all in-person testing routes have become shorter overall since the beginning of December 2020 and have stayed the same (regional testing sites and mobile testing units) or got slightly longer (local testing sites) in the most recent week, compared to the previous week. In the most recent week, 85.5% of in-person tests were received within 24 hours compared to 90.0% in the previous week.
- Since the previous reporting week, the median turnaround time for home tests has got slightly shorter from 36 to 35 hours in the current week. The turnaround time for satellite tests has got slightly longer, increasing from 30 hours to 31 hours in the current week.

Distance to in-person testing sites for booked PCR tests, pillar 2, England

- The median distance to in-person testing sites (pillar 2) for booked PCR tests has been approximately constant for the last two months. In the latest week the median distance remained at 2.0 miles.

Positive cases transferred to NHS Test and Trace

- 33,266 cases were transferred to the contact tracing system between 11 March and 17 March 2021, a decrease of 9% compared to the previous week. The number of

¹ Deduplicated for the reporting week. For information on how the number of people are tested and tested positive in a reporting week is measured see the [NHS Test and Trace statistics methodology](#).

cases transferred to the contact tracing system has been decreasing for the last 10 weeks.

- Of the cases transferred to the contact tracing system between 11 March and 17 March, 90.0% were reached and asked to provide information about their recent close contacts. This has remained broadly consistent over the past four months, although this is the first time it has been at 90%.

Close contacts identified by NHS Test and Trace

- Between 11 March and 17 March, 99,737 people² were identified as coming into close contact with someone who had tested positive. The number of close contacts identified had been decreasing for the previous nine weeks, but the number of contacts has increased this week.
- For those where communication details were available, 92.5% of close contacts were reached and told to self-isolate in the most recent week. Taking into account all contacts identified, 89.5% were reached in the most recent week.

Managed Quarantine Service (MQS)

- This week, new statistics on the number of people quarantining at home or in a managed quarantine hotel have been published. In the latest week 53,804 people were quarantining at home and 1,747 in a managed quarantine hotel.
- Since the MQS launched on 15 February, 289,061 people have started quarantining at home or in a managed quarantine hotel.

² The number of people identified includes duplicates as an individual may be named as a close contact for more than one case. See the [methodology](#) for more information.

Introduction

The Department for Health and Social Care publishes weekly statistics on NHS Test and Trace (England), across all 4 testing pillars. The purpose of this publication is to provide a weekly update on the implementation and performance of NHS Test and Trace in England.

For NHS Test and Trace (England), this includes:

Testing

- People tested for COVID-19, England
- People testing positive for COVID-19, England
- Time taken for test results to become available, England
- Distance to in-person test sites for booked PCR tests, England

Contact Tracing

- People transferred to the contact tracing system, and the time taken for them to be reached, England
- Close contacts identified, and the time taken for them to be reached, England

Managed Quarantine Service

- People quarantining at home or in a managed quarantine hotel

Data collected for NHS Test and Trace is primarily for operational purposes and was not designed to track the spread of the virus. Studies into the spread of the virus in the UK are carried out by the Office for National Statistics (ONS). Further guidance can be found in [comparing methods used in the COVID-19 Infection Survey and NHS Test and Trace, England](#).

A list of data sources relating to the coronavirus pandemic in the UK can be found at [Coronavirus \(COVID-19\) statistics and analysis](#). A breakdown of all available testing and contact tracing data in the UK can be found at [Testing and contact tracing in the UK: summary of data](#).

All data used in the report can be found in the NHS Test and data tables on the weekly collection page. A full explanation of the data sources and methods used to produce these statistics can be found in the additional methodology document for [NHS Test and Trace statistics](#).

Data and methodology for the NHS COVID-19 app is available on the [NHS COVID-19 app support website](#).

Revisions to figures previously published

Figures given in previous releases are routinely revised each week going back to the start of Test and Trace for people tested for COVID-19, people testing positive for COVID-19, pillar 2 testing turnaround times, distance to in-person PCR test sites and contact tracing. The figures presented are based on a data cut several days after the end of the reporting period. This is to give time for data relating to the end of the 7-day period to be collected. Some data may continue to be collected after this period, and therefore may need to be revised over time.

Figures for pillar 1 testing turnaround times are not routinely revised as only minor changes occur to past weeks post-publication. Figures are only revised when substantial changes occur. More detail on routine revisions is given in the quality section.

Note that these routine revisions to data includes the local authority level contact tracing data that is made available on the weekly collection page. As past data is revised, subtracting figures given in the previous week from figures given in the current week will not give the total number of cases for that week.

1. NHS Test and Trace

NHS Test and Trace was launched in England on 28 May 2020 and ensures that anyone who develops symptoms of coronavirus (COVID-19) can quickly be tested to find out if they have the virus. It then helps trace recent close contacts of anyone who tests positive for COVID-19 and, if necessary, notifies them that they must self-isolate at home to help stop the spread of the virus. The flow of how people move through the NHS Test and Trace service is shown in Figure 1. More information about NHS Test and Trace can be found at [NHS Test and Trace: How it Works](#).

1.1 Testing in England


NHS Test and Trace starts with an individual taking a swab test for the virus, either in pillar 1 (testing in hospitals and outbreak locations), pillar 2 (national swab testing) or pillar 4 (prevalence studies). Those who go on to test positive will have their case transferred to NHS Test and Trace for contact tracing.

From 27 January, individuals who test positive from LFD and PCR tests will be transferred to contact tracing³. Prior to this only individuals with positive PCR tests were sent to contact tracing as those with positive LFD tests were previously instructed to take a confirmatory PCR test. More information is given in the [NHS Test and Trace statistics methodology](#).

NHS Test and Trace is for England only, therefore the figures in this section are given for England. Weekly figures for UK testing are available to download from the weekly collection page and are also available daily on the [Coronavirus in the UK dashboard](#). Information on contact tracing in Scotland, Wales and Northern Ireland can be found directly from Public Health Scotland, the Welsh government and the Northern Ireland Public Health Agency.

³ Confirmatory PCR testing will continue for NHS England staff, adult social care, primary school teachers and hauliers.

Figure 1: flowchart showing how people move through NHS Test and Trace



People tested and people testing positive, England

The headline figures reported in this publication for people tested and people testing positive include both lateral flow device (LFD) tests and polymerase chain reaction (PCR) tests, de-duplicated for each reporting week. Information on the differences between these types of tests can be found in the methodology document for [NHS Test and Trace statistics](#).

From 7 January 2021, positivity rate is not calculated as part of this publication but can instead be found on the [Coronavirus in the UK dashboard](#) for PCR only positive cases in England. This is because the figures in this publication include both PCR and LFD tests and it is likely that LFD tests have a different positivity rate to PCR tests due to the use of LFDs in rapid testing. As the number of LFD tests conducted is increasing over time, a consistent positivity rate cannot be calculated using these figures.

A statistical commentary on rapid testing in England along with data tables for the number of tests conducted, broken down for LFD and PCR tests, remains available on the weekly collection page.

The number of people tested and number of people testing positive via PCR tests in each reporting week, by age, gender and local authority is also available on the weekly collection page.

Between 11 March and 17 March 2021, 6,211,376 people were tested for coronavirus (COVID-19) at least once in the reporting week⁴, a 7% increase compared to the previous week

The number of people tested this week has increased by 98% compared to the week ending 3 March. This is due to the return of secondary school students to schools from 8 March, as students are regularly tested using rapid tests. For more information, see the rapid testing commentary available on the weekly collection page.


Prior to this, the number of people tested each week had been generally been increasing, although levelled off slightly between the week ending 6 January and week ending 3 March.

Since Test and Trace launched at the end of May 2020, 26,889,734 people have been tested at least once⁵.

⁴ Deduplicated for the reporting week, methodology was revised from 15 October 2020. See [NHS Test and Trace statistics methodology](#) for more information.

⁵ Deduplicated since testing began and the end of the most recent reporting week. People tested multiple times in this time period will only be counted once. See [NHS Test and Trace statistics methodology](#) for more information.

Figure 2: Number of people tested for COVID-19 in each reporting week by pillar, England




This data can be found in the 'table_1' tab of the 'NHS Test and Trace Statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

Between 11 March and 17 March 2021, 37,087 people tested positive⁶. The number of positive cases has been decreasing since the week ending 6 January.

The number of people testing positive between 11 March and 17 March 2021 decreased by 6% compared to the previous week. The number of people testing positive has been decreasing for the last 10 weeks and is now more than 10 times lower than it was in the week ending 6 January 2021.

⁶ Deduplicated for the reporting week. See [NHS Test and Trace statistics methodology page](#) for more information.

Figure 3: number of people testing positive for COVID-19 in each reporting week by pillar, England



This data can be found in the 'table_1' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

Pillar 1 testing turnaround times, England

Some pillar 1 tests are conducted in a hospital setting and it is therefore not practical for those administering the tests to record the exact time that a test was taken. Therefore, the time taken to receive a coronavirus (COVID-19) test result is measured from the time that a test is received by a laboratory for processing to the time when the results are published to the Laboratory Information Management System (LIMS).

The total tests given in figures for pillar 1 turnaround times is not the same as the number of tests processed in pillar 1 as study samples and tests from private laboratories do not report data on turnaround times. This data is only available from 9 July 2020. More details can be found in the [NHS Test and Trace statistics methodology](#).

Over 19 out of 20 pillar 1 test results were made available within 24 hours of the laboratory receiving the test.

Between 11 March and 17 March 2021, 97.0% of pillar 1 test results were made available within 24 hours. Turnaround times for pillar 1 have been consistently around 95% for the last eleven weeks, and since reporting began, 91.5% of test results have been made available within 24 hours.

Pillar 2 testing turnaround times, England

There are various routes for getting tested within pillar 2 (national swab testing). Data on the time taken to receive a COVID-19 test result for pillar 2 is split up to reflect this, as this impacts on the turnaround times⁷. These routes include:

- **Regional test sites**, which includes drive-through testing centres.
- **Local test sites**⁸, which are similar to regional test sites but specifically for walk ups.
- **Mobile testing units**, which travel around the UK to increase access to COVID-19 testing. They respond to need, travelling to test people at specific sites including care homes, police stations and prisons.
- **Satellite test centres**, which includes test kits provided directly to 'satellite' centres at places like care homes or hospitals that have a particularly urgent or significant need.

⁷ For all measures of time taken to receive a COVID-19 test result, there are a number of tests that were not completed. This covers any test where the results were not communicated, which may be because communication details (for example, phone number or email address) were not provided or were incorrect, or because the test was cancelled or abandoned, or no result was available. It also includes some tests which are still being processed.

⁸ Previously local test sites were included together with regional test sites but from 17 September 2020 have been split out as a separate group

- **Home test kits**, which are delivered to someone's door so they can test themselves and their family without leaving the house.

Lateral flow device (LFD) tests have been made available to some individuals from 21 October 2020. These tests are not included in this section on turnaround times.

Turnaround times are measured and reported in two ways, time taken from booking a test and from taking a test to receiving a test result. More information on these definitions is in the terminology section. Both measures are now reported as the median turnaround time, in addition to the usual turnaround time windows, such as within 24 hours. All these measures are available in full in the accompanying data tables, however only time from taking a test is discussed below.

The total tests reported for pillar 2 turnaround times is not the same as the number of tests processed in pillar 2 as test processed is available for the UK (rather than for England only). In addition, they are reporting on the number of tests at different stages in the process. Further detail is given in the [NHS Test and Trace statistics methodology](#).

After someone takes a test, it is transported to a laboratory for processing. There are normal fluctuations in this operational process which can sometimes cause the time taken to receive a test result to go over 24 hours, but still be turned around the next day. Where appropriate therefore we also provide the number of tests turned around the day after a test was taken.

Satellite tests are predominantly used by care homes who need greater control and flexibility over when test kits are collected. For example, tests may be conducted over multiple days with a collection scheduled a few days later. Home test kits take time to be posted to a person and be couriered back to the lab. Consequently, a lower proportion of home and satellite test results will be available within 24 hours of the test being taken.

The median time to receive a test result after taking a test in-person has decreased overall since mid-December 2020.

The median time taken to receive a test result for in-person tests (regional tests sites, local tests sites and mobile testing units) decreased overall from mid-December to the most recent week. Prior to this, between late November 2020 and mid-December 2020 the median time had been steadily increasing.


Between 11 March and 17 March 2021, the median time taken to receive a test result for regional test sites was 17 hours, same as the previous week. The median time for local test sites increased from 18 hours to 19 hours, while the median time for mobile testing units also stayed the same at 17 hours.

The median time to receive a test result after taking a test from satellite test centres and home testing kits has decreased overall since mid-December 2020.

The median time taken to receive a test result for home testing kits and satellite test centres increased between the end of November 2020 and mid-December 2020. From the start of January 2021, the median time taken has decreased overall.

In the latest week, the median time taken to receive results from satellite test centres has increased from 30 hours to 31 hours in the latest week. The median time for home testing kits has decreased from 36 hours to 35 hours in the latest week.

Figure 4: median time (hours) from taking a test to receiving test results by route, England



This data can be found in the 'table_8' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

In the latest week, the percentage of test results received within 24 hours for in-person tests and the percentage within 48 hours for home testing kits and satellite test centres have decreased.

In the most recent week, for in-person tests (local test sites, mobile testing units and regional test sites), 85.5% were received within 24 hours. The percentage of results received within 24 hours decreased between the end of November 2020 and mid-December 2020 but has since increased overall and has been above 80% for the last 8 weeks.

80.8% of test results were received within 48 hours for home test kits and satellite test centres, compared to 83.2% in the previous week. For all routes combined, 30.4% of tests from all test sites were received within 24 hours of a test being taken compared to 30.5% in the previous week. If we consider the day the test was taken, 93.5% of in-person tests results were received the next day after the test was taken and for all routes combined this was 65.0%.

For satellite test centres, 95.2% were received within 72 hours, a decrease compared to the previous week where 96.8% were received. 96.6% of satellite tests were received within 3 days after the day they were taken.

In the most recent week, approximately 72% of tests from satellite test centres were care home tests. Removing the 28% of tests from other sites does not substantially change the turnaround figures.

Table 1: percentage of results received within 24 hours (in-person tests) or within 48 hours (home/satellite tests), by route, England

	Previous reporting week	Current reporting week	Since Test and Trace launched: 28 May 2020 to 17 Mar 2021
Regional test sites within 24 hours	90.5	88.3	50.4
Local test sites within 24 hours	86.5	81.7	40.8
Mobile testing units within 24 hours	93.0	87.7	53.7
Satellite test centres within 48 hours	88.2	84.9	53.2
Home testing kits within 48 hours	72.1	71.1	46.2

Distance to in-person testing sites for booked PCR tests, pillar 2, England

The distance to testing sites for booked PCR tests is calculated as the direct distance between the approximate centre of a person's postal district and their chosen test location in straight line. This is reported as the median and associated percentiles for those who successfully booked a test at regional test sites, local test sites and mobile testing units in the latest week. More information is available in the [NHS Test and Trace statistics methodology](#).

Lateral flow device (LFD) tests have been made available to some individuals from 21 October 2020. These tests are not included in this section on distance to in-person PCR testing sites.


The median distance to in-person PCR testing sites for booked tests has remained the same in the most recent week.

From mid-August to mid-September 2020, the distance to PCR testing sites for booked tests increased across in-person routes. However, since mid-September 2020, the distance to PCR testing sites for booked tests has decreased overall.

Between 11 March and 17 March 2021, the median distance to an in-person PCR test site remained the same when compared to the previous week at 2.0 miles. 90% of people who booked a test at a test centre lived 8.0 miles or less away.

Considering each route individually, in the latest week the median distance to PCR testing sites for booked tests at regional test sites stayed the same at 3.7 miles, when compared to the previous week. For local test sites, the median distance to PCR testing sites for booked tests remained at 1.1 miles. For mobile testing units the median increased from 2.4 miles to 2.6 miles.

Figure 5: median distance (miles) to testing sites for tests booked at an in-person PCR test site by route, England



This data can be found in the 'table_9' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

1.2 Contact Tracing in England

Once a person has a confirmed positive test result for coronavirus (COVID-19)⁹, this person is transferred to NHS Test and Trace and a case is opened for them. The number of positive cases transferred to the contact tracing system may not always align with the number of people testing positive for COVID-19. There are several reasons for this which are outlined in the [information for users](#) document.

Positive cases and their contacts which are linked to potential outbreaks in specific settings are handled by PHE local health protection teams (HPTs). These cases and contacts, previously known as complex, have been referred to as 'cases and contacts managed by local HPTs' since 29 October 2020. Furthermore, cases and contacts managed nationally either online or by call centres, previously known as non-complex, are referred to as 'cases and contacts not managed by local HPTs'. Further information is available in the [NHS Test and Trace statistics methodology](#).

Positive cases transferred to NHS Test and Trace

The number of positive cases transferred to NHS Test and Trace has decreased in the latest week.

Between 11 March and 17 March 2021, 33,266 cases were transferred to the contact tracing system, a 9% decrease compared to the previous week. The number of cases transferred has been decreasing for the last 10 weeks.

Between 11 March and 17 March 2021, 9 in every 10 cases transferred to the contact tracing system were reached and asked to provide information about their contacts.

Out of the 33,266 cases transferred to the contact tracing system in the latest week, 29,928 (90.0%) were reached, 3,217 (9.7%) were not reached and 121 (0.4%) had no communication details provided. The proportion of cases reached has remained broadly similar since the start of January 2021. Since Test and Trace launched, 86.5% of all cases have been reached.


⁹ All positive test results under pillar 1 and pillar 2 should be transferred. In addition, all positive virus test results as part of prevalence studies (pillar 4) are also transferred to Test and Trace. People tested under pillar 3 (serology testing to show if people have antibodies from having had COVID-19) do not have their cases transferred to NHS Test and Trace.

In the latest week, 885 cases who were reached and asked to provide details of close contacts were managed by local health protection teams (HPTs), whereas 29,043 cases were community-wide cases and, therefore, not managed by local HPTs.

For cases managed by local HPTs, their contacts are often managed at a situation rather than individual level, with advice being issued to the contact institution (for example in a care home or prison). Therefore, cases who were managed by local HPTs may not have been individually reached and asked to provide details of their recent close contacts. However, the cases and contacts will have been successfully dealt with as a whole.

For more information on the different ways of managing cases and the outcomes of contact tracing see the terminology section.

Figure 6: number of cases transferred to the contact tracing system and number of cases transferred who were reached and asked to provide details of recent close contacts (includes cases managed and not managed by local HPTs), England



This data can be found in the 'table_10' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).


Table 2: cases transferred to the contact tracing system (includes cases managed and not managed by local HPTs) by whether they were reached and asked to provide contact details, England¹⁰

	Previous reporting week	Current reporting week	Since Test and Trace launched: 28 May 2020 to 17 Mar 2021
People who were reached and asked to provide details of recent close contacts	32,597 (89.2%)	29,928 (90.0%)	3,235,054 (86.5%)
People not managed by local HPTs	31,230	29,043	3,094,919
People managed by local HPTs	1,367	885	140,135
People who were not reached	3,752 (10.3%)	3,217 (9.7%)	450,399 (12.0%)
People whose communication details were not provided	212 (0.6%)	121 (0.4%)	55,375 (1.5%)
Total	36,561	33,266	3,740,828

¹⁰ If NHS test and trace is not able to reach an individual testing positive or if no communication details are available, then it is not always possible to know if the case should be managed by a local HPT or not. Therefore, these breakdowns are not available.

Proportion of people transferred to the contact tracing system who were reached by upper tier local authority (UTLA)

Figure 7: percentage of cases reached and asked to provide details of recent close contacts by UTLA since Test and Trace began.



This data is available as an [interactive map](#) and to download as a csv on the [weekly publication collection page](#)¹¹.

¹¹ The regional data uses a different data cut to the main publication therefore cumulative totals will not exactly match. The data is available for the cumulative figures since Test and Trace launched up to the most recent week of reporting. Due to revisions that occur each week one week's cumulative figures cannot be subtracted from a previous week's to obtain weekly data by UTLA.


In the latest week, over 4 in every 5 people who were reached and asked to provide information about their contacts, provided one or more close contacts.

Out of the 29,928 people reached between 11 March and 17 March 2021, 25,016 (83.6%) provided details of one or more close contacts. The proportion of people providing one or more contacts decreased overall between mid-October 2020 and mid-February 2021. However, the proportion has been increasing in the last 3 weeks and has now returned to similar levels as mid-October 2020.

The number who were not able to give any recent close contacts refers to people who were successfully reached by NHS Test and Trace, but either had no recent close contacts or could not provide details of close recent contacts to pass on for further contact tracing (for example, recent close contact with strangers on the bus).

In the most recent week, the median number of contacts provided per case managed by local HPTs was 12.5, an increase from 11 in the previous week. For cases not managed by local HPTs the median was 2. This has been approximately constant since the start of Test and Trace.

Figure 8: proportion of people transferred to the contact tracing system (includes cases managed and not managed by local HPTs) who were reached and asked to provide details of recent close contacts by whether they provided details for contacts or not, England



This data can be found in the 'table_11' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).


The breakdown for method used to reach cases is not currently available. Further information is given in the [NHS Test and Trace methodology](#).

For cases not managed by local HPTs, over 4 in 5 cases were reached and asked to provide details about recent close contacts within 24 hours of their case being transferred to contact tracing.

Between 11 March and 17 March 2021, 84.4% of cases transferred (24,500) were reached within 24 hours, compared to 83.3% the previous week. The percentage of cases reached within 24 hours has been increasing for the last 4 weeks and is now at its highest since the programme started. Since Test and Trace launched on 28 May 2020, 71.9% of people (2,225,192) have been reached within 24 hours.

Note that because these timing statistics are from when a case was transferred to the contact tracing system, delays in transferring cases to contact tracing will not be captured in these figures.

Figure 9: proportion of people who were reached and asked to provide details about recent close contacts by time taken to reach them, England (excludes cases managed by local HPTs)



This data can be found in the 'table_12' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

Close contacts identified by NHS Test and Trace

The number of close contacts identified has increased by 13% in the latest week, marking the first week in which it has increased since the start of January.

Between 11 March and 17 March 2021, 99,737 people¹² were identified as recent close contacts, of which 98,186 (98.4%) were not managed by local HPTs and 1,551 (1.6%) were managed by local HPTs.

The number of contacts not managed by local HPTs increased between the end of November 2020 and the beginning of January 2021, then decreased for 9 consecutive weeks but has now increased again.


There has been a substantial shift in the proportion of contacts who are managed by local HPTs compared to the beginning of June 2020. At the beginning of June 2020, contacts managed by local HPTs were 81.7% of contacts identified compared to only 1.6% in the most recent week.

From 18 November 2020, there has been a change in how household contacts under 18 are reached. These changes mean that under-18s in a household are no longer contact traced individually, providing the parent or guardian in the household confirms they have completed their legal duty to inform their child to self-isolate. From 27 November 2020, this change was also extended to cover adults in the same household, so they have the option to be traced via a single phone call.

Considering only the contacts where communication details were provided, 92.5% were reached and told to self-isolate in the most recent week. This has fallen from 93.1% in the previous week.

¹² The number of people identified includes duplicates as an individual may be named as a close contact for more than one case. See the [methodology](#) for more information.

Figure 10: number of recent close contacts identified, England



This data can be found in the 'table_13' tab in 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

89.4% of contacts not managed by local HPTs were reached and told to self-isolate in the latest week. This is a slight decrease from the previous week.

Between 11 March and 17 March 2021, 98,186 recent close contacts not managed by local HPTs were identified of which 87,736 (89.4%) were reached and told to self-isolate. In the latest week, 7,204 (7.3%) contacts not managed by local HPTs were not reached and 3,246 (3.3%) people had no communication details. For more information on the different outcomes of contact tracing see the terminology section.


Almost all contacts managed by local HPTs continue to be reached and told to self-isolate.

Between 11 March and 17 March 2021, 1,551 close contacts were identified who were managed by local HPTs of which 1,497 (96.5%) were reached and told to self-isolate and

54 (3.5%) was not reached. Since Test and Trace launched, 97.9% of all contacts managed by local HPTs have been successfully reached.

For contacts managed by local HPTs, contacts are managed as a whole setting and are often managed at a situation rather than individual level, with advice being issued to the contact institution (for example in a care home or prison). Therefore, these contacts may not have been individually reached and told to self-isolate but should have received this advice from their institution. For this reason, contacts managed by local HPTs have a higher success rate compared with community wide contacts not managed by local HPTs.

Figure 11: proportion of contacts reached and told to self-isolate, England¹³




This data can be found in the 'table_13' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

¹³ Contacts managed by local HPTs are reached when the situation has been dealt with and advice has been issued to the institution, whereas contacts not managed by local HPTs must be individually contact traced (unless they are a household contact) to be classified as reached.

Proportion of close contacts identified not managed by local HPTs who were reached and told to self-isolate by upper tier local authority

Figure 12: percentage of contacts not managed by local HPTs who were reached and told to self-isolate by UTLA since Test and Trace began.



This data is available as an [interactive map](#) or to download as a csv on the [weekly publication collection page](#).¹⁴

¹⁴ The regional data uses a different data cut to the main publication therefore cumulative totals will not exactly match. The data is available for the cumulative figures since Test and Trace launched up to the most recent week of reporting. Due to revisions that occur each week one week's cumulative figures cannot be subtracted from a previous weeks to obtain weekly data by UTLA.

In the most recent week, over 6 out of 10 contacts not managed by local HPTs were from the same household as the case they were identified from, a decrease from the previous week.


The proportion of close contacts, not managed by local HPTs, that were from the same household as the case they were identified from has decreased for the last seven weeks to 64.6% in the latest week. This has been particularly pronounced in the last four weeks, as the percentage has decreased to its current value from 84.1% in the week ending 24 February 2021.

This proportion declined overall between the end of May 2020, when Test and Trace launched, and the beginning of September 2020. Between the end of September 2020 and mid-February 2021 the proportion of contacts who were from the same household increased.

Between 11 March and 17 March 2021, 97.3% of household contacts were successfully reached and told to self-isolate, which has remained consistent since the week ending 9 December 2020.

In the same time period, 74.9% of contacts, who were from a different household to the case from which they were identified, were successfully reached and told to self-isolate. This is an increase from the 70.8% reported in the previous week.

Figure 13: proportion of recent close contacts not managed by local HPTs by whether they were from the same household as the case that they were identified from, England



This data can be found in the 'table_14' tab of the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

For contacts not managed by local HPTs who were told to self-isolate, 98.0% were reached within 24 hours of being identified. This has remained broadly similar for the last 10 weeks¹⁵.

Between 11 March and 17 March 2021, 98.0% of contacts who weren't managed by local HPTs were reached and told to self-isolate within 24 hours of being identified, consistent with 98.4% the previous week. This percentage has been broadly consistent at around 98% since the week ending 13 January 2021.


¹⁵ Timing data does not include contacts which were subsequently escalated to a local HPT.

For contacts not managed by local HPTs who were told to self-isolate, the proportion reached within 24 hours of the case that reported them being transferred to the contact tracing system has decreased to 68.2%.

Between 11 March and 17 March 2021, 59,450 (68.2%) contacts who weren't managed by local HPTs were reached and told to self-isolate within 24 hours of the case that reported them being transferred to the contact tracing system. This is a decrease from the percentage reached the previous week (74.3%).

Note that because these timing statistics are from when a case was transferred to the contact tracing system, delays in transferring cases to contact tracing will not be captured in these figures.

Figure 14: proportion of recent close contacts who were told to self-isolate within 24 hours, excludes cases managed by local HPTs, England




This data can be found in the 'table_15' and 'table_16' tabs in the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

For contacts not managed by local HPTs who were told to self-isolate, over 8 out of 10 were reached within 3 days of the case that reported them taking their test.

Between 11 March and 17 March 2021, 71,084 (81.5%) contacts that were reached and told to self-isolate were reached within 3 days of the case that reported them taking a test which subsequently returned a positive result. This is a decrease from 86.0% in the previous week, and there has been an overall decrease since the week starting 18 February.

The percentage reached within 3 days increased overall between October 2020 and early December 2020, with 90.7% successfully reached in the week ending 9 December, followed by a dip over the Christmas period. The percentage returned to pre-Christmas levels by the end of January 2021, but over the last 4 weeks it has decreased to its current value.

Figure 15: proportion of recent close contacts who were told to self-isolate within 3 days of the case taking a test, excludes cases managed by local HPTs, England



This data can be found in the 'table_17' tab in the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).


For contacts not managed by local HPTs who were told to self-isolate, the median time taken for contacts to be reached from the case that identified them reporting to first observe symptoms¹⁶ was 74 hours.

Between late November 2020 and mid December 2020, the median time for contacts that were reached and told to self-isolate decreased before beginning to increase over the Christmas period. Since early January 2021, the median time in hours has decreased overall and is now below levels observed at the start of December 2020.

Please note this data only includes contacts reported by cases who reported to experience at least one symptom. This data is collected by asking symptomatic people who tested positive and were subsequently reached by NHS Test and Trace to recall which day they first observed coronavirus symptoms. More information is available in the [NHS Test and Trace statistics methodology](#).

¹⁶ The date a case first observed symptoms is the date they reported to NHS Test and Trace after a positive test. This only includes contacts where the case that reports them reporting experiencing at least one symptom to NHS Test and Trace.

Figure 16: median time from case first reporting symptoms to contact reached, excludes cases managed by local HPTs, England



This data can be found in the 'table_18 tab in the 'NHS Test and Trace statistics 28 May 2020 to 17 March 2021: data tables' on the [weekly collection page](#).

1.3 Managed Quarantine Service (MQS)

Background on the Service

From 15 February 2021 onwards, everyone¹⁷ allowed to enter England from outside the Common Travel Area (Ireland, the Channel Islands or the Isle of Man) is required to quarantine for 10 days and take a polymerase chain reaction (PCR) coronavirus (COVID-19) test on day 2 and day 8 of quarantining as part of the Managed Quarantine Service (MQS).

People arriving in England who have visited or passed through a country where travel to the UK is banned ('red list'¹⁸ countries) are required to quarantine in a managed quarantine hotel. Only British or Irish Nationals, or people with residence rights in the UK, are allowed to do this. People arriving from 'non-red list' countries are required to quarantine at home.

'Red list' and 'non-red list' countries are published by the Department for Transport and are reviewed on a regular basis, therefore they are subject to change and the data released will reflect the lists as they were on the date of release. For more detail see [Entering the UK - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/entering-the-uk).

About This Data

A full explanation of the data sources and methods used to produce these statistics can be found in the [NHS Test and Trace statistics methodology](#).

People quarantining

All arrivals who do not meet exemptions¹⁷ are required to book a travel test package and complete a passenger locator form with details of where they will quarantine, either at home or in a managed quarantine hotel.

¹⁷ Some people are exempt from the need to quarantine due to their job, a list of these exemptions can be found at [Coronavirus \(COVID-19\): jobs that qualify for travel exemptions - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/coronavirus-covid-19-jobs-that-qualify-for-travel-exemptions)

¹⁸ A list of the current countries on the red travel ban list can be found here: [Coronavirus \(COVID-19\): red list travel ban countries - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/coronavirus-covid-19-red-list-travel-ban-countries).

Since the MQS launched on 15 February, 289,061 people have started quarantining at home or in a managed quarantine hotel. In the week of 11 March to 17 March, 55,551 people started quarantining, compared to 78,199 in the previous week.

In every week since MQS launched, more people were quarantining at home than in a managed quarantine hotel. In the latest week, 53,804 were quarantining at home and 1,747 in a managed quarantine hotel.

Table 3. Number of people starting their quarantine at home or in a managed quarantine hotel, England

	4 March to 10 March: Number of quarantine packages booked	11 March to 17 March: Number of quarantine packages booked	Since MQS launched. 15 February to 17 March: Number of quarantine packages booked
People quarantining at home	76,582	53,804	282,643
People quarantining in a managed quarantine hotel	1,617	1,747	6,418
Total	78,199	55,551	289,061

This data can be found in the 'Table_19' tab of the data tables on the [weekly collection page](#).

2. Terminology

2.1 Testing

- **Pillar 1 testing:** swab testing for the virus in Public Health England (PHE) labs, NHS hospitals for those with a clinical need, and health and care workers.
- **Pillar 2 testing:** swab testing for the virus for the wider population, through commercial partnerships¹⁹, either processed in a lab or more rapidly via lateral flow devices tests. Tests processed in a lab are carried out through several different routes:
 - **Regional test sites**, which includes drive-through testing centres.
 - **Local test sites**²⁰, which are similar to regional test sites but specifically for walk ups.
 - **Mobile testing units**, which travel around the UK to increase access to COVID-19 testing. They respond to need, travelling to test people at specific sites including care homes, police stations and prisons.
 - **Satellite test centres**, which includes test kits provided directly to ‘satellite’ centres at places like hospitals or care homes that have a particularly urgent or significant need.
 - **Home test kits**, which are delivered to someone’s door so they can test themselves and their family without leaving the house.
- **Pillar 3 testing:** serology testing to show if people have antibodies from having had coronavirus.
- **Pillar 4 testing:** blood and virus testing for national surveillance support by PHE, ONS and research, academic and scientific partners to learn more about the prevalence and spread of the virus and for other testing research purposes.
- **Virus testing:** swab testing using polymerase chain reaction (PCR) assay within pillars 1, 2 and pillar 4 to show if someone currently has COVID-19.
- **Antibody testing:** testing of a blood sample within pillar 3 and pillar 4 to show if people have antibodies from having had COVID-19.
- **People tested each week:** refers to people who have been tested at least once in each reporting week, therefore if someone had multiple tests in a given week they would be counted once.
- **People testing positive each week:** refers to the number of people who tested positive at least once in each reporting week, therefore if someone tested positive multiple times in a given week they would only be counted once.

¹⁹ See more detail in [Scaling up our testing programmes](#).

²⁰ Previously local test sites were included together with regional test sites but from 17 September 2020 have been split out as a separate group.

- **Cumulative people tested:** refers to the number of people who have been tested at least once since Test and Trace launched.
- **Cumulative people testing positive:** refers to the number of people who have tested positive at least once since Test and Trace launched.

For pillar 2, there are two measures of the time taken to receive a coronavirus (COVID-19) test result:

- **The time taken to receive a COVID-19 test result from time of booking** is measured from the time that a person books an appointment on the website to the time when the person receives a notification of their test result via an email or an SMS. This data is only available for regional test sites, local test sites and mobile testing units, as test booking and registration processes for home testing and satellite test centres are currently undertaken on different systems.
- **The time taken to receive a COVID-19 test result from time of test** is measured from the time a person completes a test registration (or the time a person indicates their test was taken for home testing kits) until the time that they receive a notification of the result of their test via an email or an SMS.

2.2 Tracing

NHS Test and Trace has two ways of handling cases depending on the way in which they are managed:

- **Cases and contacts managed by local HPTs (previously known as complex)** - PHE Local Health Protection Teams manage cases linked to outbreaks, examples include someone who works or has recently visited:
 - a health or care setting, such as a hospital or care home
 - a prison or other secure setting
 - a school for people with special needs
 - critical national infrastructure or areas vital for national security
- **Cases and contacts not managed by local HPTs (previously known as non-complex)** - Wider online and other call centre capacity for individual community-wide cases and contacts.

When a case is transferred to NHS Test and Trace contact tracers will attempt to contact the individual which results in one the following 3 outcomes:

- **Reached and provided information about recent close contacts** – contact tracers or local health protection teams successfully reached the individual and asked them to provide details for recent close contacts

- **Communication details not provided** - people who had no communication details provided are those who were transferred to NHS Test and Trace but did not have any associated contact details (e.g. phone number or email address).
- **Not reached** - The number of people who were not reached includes those people who the service has been unable to reach because there has been no response to text, email and call reminders. This includes those where the communication details are invalid. It also includes people who were reached but declined to give details of close contacts. There may also be a small number of people who have not been reached but where contact tracers are still in the process of trying to make contact.

When a close contact is identified, contact tracers or local HPTs will attempt to contact the individual or institution depending on the exposure setting, which results in the following outcomes:

- **Reached and told to self-isolate** – for contacts not managed by local HPTs contact tracers successfully reached the contact and told them to self-isolate, or for household contacts where the case has opted to inform them to self-isolate. For those managed by local HPTs, advice is provided to the institution which is passed on to contacts in the specific setting.
- **Communication details not provided** - people who were identified as recent close contacts but didn't have any associated contact details (e.g. phone number or email address).
- **Not reached** - The number of contacts who were not reached includes those contacts who the service has been unable to reach because there has been no response to text, email and call reminders. There may also be a small number of contacts who have not been reached but where contact tracers are still in the process of trying to make contact.

3 Measuring the data

3.1 How the data were collected

UK level testing data is collated centrally by DHSC from multiple sources across the different nations and pillars. Further details can be found in the [NHS Test and Trace statistics methodology](#).

Testing data for pillars 1 and 2 for England are provided by PHE, NHS and commercial partners. Contact tracing data is collected from management information from the NHS Test and Trace service. Details about the data sources used can be found in the [NHS Test and Trace statistics methodology](#) document.

3.2 Future development

We have integrated this data with those from other parts of NHS Test and Trace, particularly testing, to provide an end-to-end view of the service that follows the user journey. So far, UK level testing data, testing data for pillars 1 and 2 in England, testing turnaround times and NHS COVID-19 app statistics have been added. Further breakdowns for contact tracing continue to be incorporated, including breakdowns for cases and contacts managed or not managed by local HPTs, geographical breakdowns and household information.

To support user needs and data transparency, additional releases have been published alongside the weekly Test and Trace publication including:

- care home statistics up to 8 July 2020
- people tested for coronavirus (COVID-19) between 30 January and 27 May 2020
- demographic data for coronavirus testing in England between 28 May and 26 August 2020.
- Weekly rapid testing statistics

NHS Test and Trace continues to provide information for local authorities and their partners so that they have the information they need to help contain any outbreaks. In time, NHS Test and Trace intends to publish detailed data from across the program to support secondary analysis, for example in academic institutions.

We continue to explore the feasibility of adding new breakdowns to the publication to support user needs. Over the coming months, we intend to make the following available:

- Additional demographic information for people tested
- Details of close contacts who go on to test positive.

The UK Statistical Authority has published a [rapid review](#) of the Test and Trace statistics. This includes recommendations on how the publication should develop in order to adhere fully to the Code of Practice. These recommendations continue to influence the development of the publication in the coming weeks and months.

3.3 Strengths and limitations

Given the importance of this service and the commitment of NHS Test and Trace to be open and transparent with the public it serves, this data is being released at the earliest possible opportunity. However, new IT systems and statistical outputs often take a period of time to bed in. This data should therefore be treated with caution as the system and understanding of the data develops.

More information on data limitations and how the figures in this publication can and can't be used is outlined in the [NHS Test and Trace methodology](#).

3.4 Quality

These statistics have been put together by NHS Test and Trace and DHSC with advice from the Office for National Statistics. As part of the quality assurance process, DHSC ensures that all published figures are replicable and any issues impacting on the quality of the data are clearly stated within the publication. Furthermore, the figures are often triangulated with other published sources to verify trends in the data.

Revisions to figures previously published

Figures for people tested and people testing positive for coronavirus (COVID-19) in previous releases have been revised. These revisions are because:

- There are sometimes delays in laboratories submitting data to PHE.
- Quality checks are conducted on the data to refine figures over time.

Figures for pillar 2 testing turnaround times in previous releases have been revised. These revisions are because:

- The figures presented are based on a data-cut several days after the end of the reporting period. Some tests may continue to be being processed after this period and therefore data may need to be revised over time.

Figures for contact tracing in previous releases have been revised. These revisions are because:

- The figures presented are based on a data cut several days after the end of the reporting period, to give time for cases reported towards the end of the 7-day period to have an outcome. Some cases may continue to be in progress after this period, and therefore data may need to be revised over time.

- Typically, one week after initial publication the number of cases reached and consequently the number of contacts identified is expected to increase. Similarly, the number of cases and contacts reached within 72 hours is likely to increase.

More information about the revision of statistics published by DHSC can be found in the [statement on revision policy](#). More information on quality and how this publication adheres to the Code of Practice for statistics is available in the [Statement of Compliance](#).

3.5 Feedback

For questions about the release please refer to the [Information for Users document](#) initially. For feedback and any further questions, please contact statistics@dhsc.gov.uk .