

## **GP In Hours**

Syndromic Surveillance System: England

07 April 2021

Year: 2021 Week: 13

#### In This Issue:

Key messages.

Diagnostic indicators at a glance.

GP practices and denominator population.

National syndromic indicators.

Notes and further information.

### Key messages

data to

05/04/2021

During week 13 COVID-19-like consultations were stable (figure 1). Consultations for lower respiratory tract infections increased slightly (figures 6 & 6a).

Please note: GPIH reporting has changed from week 13. Population coverage has decreased and sub-national supplementary data cannot yet be provided. We are developing a new reporting system so that we can provide enhanced GP syndromic surveillance outputs for the 2021/22 influenza season.

During the COVID-19 pandemic, patients with COVID-19 symptoms are generally advised to initially access a COVID-19 test through the national COVID-19 testing programme. This is likely to result in lower numbers of patients accessing health advice as monitored through syndromic surveillance systems. Syndromic data should therefore be interpreted with some caution and in the context of other COVID-19 monitoring data sources.

Please see '<u>notes and caveats</u>' for information about the COVID-19-like GPIH syndromic indicator including important caveats around the interpretation of this indicator.

A Cold Watch System operates in England from 1 November to 31 March each year. As part of the Public Health England Cold Weather Plan for England the PHE Real-time Syndromic Surveillance team will be monitoring the impact of cold weather on syndromic surveillance data during this period.

Cold weather alert level (current reporting week): Level 1 - Winter Preparedness

http://www.metoffice.gov.uk/weather/uk/coldweatheralert

#### Diagnostic indicators at a glance:

tio illuioutoro ut u giurioo.				
Indicator	Trend	Level		
COVID-19-like	no trend	-		
Upper respiratory tract infection	no trend	similar to baseline levels		
Influenza-like illness	no trend	similar to baseline levels		
Pharyngitis	no trend	similar to baseline levels		
Scarlet fever	no trend	below baseline levels		
Lower respiratory tract infection	increasing	similar to baseline levels		
Pneumonia	no trend	similar to baseline levels		
Gastroenteritis	no trend	below baseline levels		
Vomiting	no trend	similar to baseline levels		
Diarrhoea	no trend	similar to baseline levels		
Asthma	no trend	similar to baseline levels		
Conjunctivitis	no trend	similar to baseline levels		
Mumps	no trend	similar to baseline levels		
Measles	no trend	below baseline levels		
Whooping cough	increasing	similar to baseline levels		
Chickenpox	no trend	below baseline levels		
Herpes zoster	no trend	below baseline levels		
Cellulitis	decreasing	similar to baseline levels		
Impetigo	decreasing	below baseline levels		

#### **GP** practices and denominator population:


Year	Week	<b>GP Practices Reporting**</b>	Population size**
2021	13	677	6.6 million

<sup>\*\*</sup>based on the average number of practices and denominator population in the reporting working week.



## 1. COVID-19-like consultations

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

# 1a: COVID-19-like consultations by age group

Daily incidence rate (and 7-day moving average\*) by age group per 100,000 population (all England).


#### Covid-19-like by age group (years) 06/04/2020 - 05/04/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

# 1b: COVID-19-like consultations by PHE Centre

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England).



#### Covid-19-like by PHE centre 06/04/2020 - 05/04/2021






## 2: Upper respiratory tract infection (URTI)

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Upper respiratory tract infection 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

## 2a: Upper respiratory tract infection (URTI) by age

Daily incidence rate (and 7-day moving average\*) by age group per 100,000 population (all England).


#### Upper respiratory tract infection by age group (years) 06/04/2020 - 05/04/2021



### 3: Influenza-like illness 06/04/2020 - 05/04/2021

Daily incidence rates (and 7-day moving average\*) per 100,000 population (all England, all ages).

(ILI)



\* 7-day moving average adjusted for bank holidays.


Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.

Grey columns show weekends and bank holidays.

## 4: Pharyngitis or scarlet fever

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 5: Scarlet fever

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Scarlet fever 06/04/2020 - 05/04/2021



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.


<sup>\* 7-</sup>day moving average adjusted for bank holidays.



## 6: Lower respiratory tract infection (LRTI)

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Lower respiratory tract infection 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.

Grey columns show weekends and bank holidays.

# 6a: Lower respiratory tract infection (LRTI) by age

Daily incidence rate (and 7-day moving average\*) by age group per 100,000 population (all England).

#### Lower respiratory tract infection by age group (years) 06/04/2020 - 05/04/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

#### 7: Pneumonia

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Pneumonia 06/04/2020 - 05/04/2021



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.


<sup>\* 7-</sup>day moving average adjusted for bank holidays.



#### 8: Gastroenteritis

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Gastroenteritis 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

## 8a: Gastroenteritis by age

Daily incidence rate (and 7-day moving average\*) by age group per 100,000 population (all England).

#### Gastroenteritis by age group (years) 06/04/2020 - 05/04/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

#### 9: Vomiting

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Vomiting 06/04/2020 - 05/04/2021



Black line is 7 day moving average adjusted for bank holidays.


Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.

Grey columns show weekends and bank holidays

\* 7-day moving average adjusted for bank holidays.

#### 10: Diarrhoea

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).



Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.

Grey columns show weekends and bank holidays.

#### Intentionally left blank


<sup>\* 7-</sup>day moving average adjusted for bank holidays.



#### 11: Asthma

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Acute presenting asthma 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 11a: Asthma by age

Daily incidence rate (and 7-day moving average\*) by age group per 100,000 population (all England).

#### Acute presenting asthma by age group (years) 06/04/2020 - 05/04/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

#### 12: Conjunctivitis

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Conjunctivitis 06/04/2020 - 05/04/2021




\* 7-day moving average adjusted for bank holidays.

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 13: Mumps

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 14: Measles

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Measles 06/04/2020 - 05/04/2021



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.


<sup>\* 7-</sup>day moving average adjusted for bank holidays.



#### 16: Whooping cough

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Whooping cough 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 17: Chickenpox

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).


#### Chickenpox 06/04/2020 - 05/04/2021




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 18: Herpes zoster

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).






\* 7-day moving average adjusted for bank holidays.

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 19 Cellulitis

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).




Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

#### 20: Impetigo

Daily incidence rate (and 7-day moving average\*) per 100,000 population (all England, all ages).

#### Impetigo 06/04/2020 - 05/04/2021



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

<sup>\* 7-</sup>day moving average adjusted for bank holidays.



## Notes and further information

- The PHE GP in hours surveillance system monitors the number of visits to general practitioners (GP) during regular surgery hours for known clinical indicators.
- This system captures anonymised GP morbidity data TPP SystmOneGP clinical software system including approximately 12% of the England population.
- Baselines are modelled from historical data to give current seasonally expected levels. GP consultations rates decreased during 2020 due to changes in guidance on accessing health care, therefore separate modelled estimates are provided to show seasonally expected levels pre-covid-19.
- Each day, syndromic surveillance data are interrogated by a statistical algorithm to
  detect statistically significant exceedances (compared to baselines derived from
  historical data) in syndromic signals e.g. 'influenza-like illness GP consultations in
  London'. Each statistical exceedance is risk assessed by the ReSST using a
  published framework. Following the risk assessment, any exceedances requiring
  further action are communicated to relevant PHE colleagues for investigation.
  Further information about the methodology is available:
  - Morbey RA et al. The application of a novel rising activity, multi-level mixed effects, indicator emphasis' (RAMMIE) method for syndromic surveillance in England. Bioinformatics 2015;31: 3660-3665. 10.1093/bioinformatics/btv418
  - Smith GE et al. Novel public health risk assessment process developed to support syndromic surveillance for the 2012 Olympic and Paralympic Games. Journal of Public Health (Oxford) 2017;39: e111-e117. 10.1093/pubmed/fdw054

## COVID-19 consultations

- A collection of new COVID-19 Snomed codes were released in March 2020 to facilitate the recording of patients presenting to primary care services with symptoms of COVID-19. The GPIH surveillance system monitors the use of these codes in a selection of TPP practices across England:
  - However, patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP.
  - Therefore, the COVID-19-like indicator presented in this report is primarily for monitoring trends in GP consultations, and it must be interpreted in context with the other respiratory syndromic indicators presented in this report. The number/rate of COVID-19-like consultations should therefore not be used as an absolute count of those patients with COVID-19.
- All indicator trends reported here should be interpreted with caution due to current national advice and guidance regarding access to GP surgeries and changes in clinical coding for COVID-19.

#### Acknowledgements:

We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system.

Contact ReSST: syndromic.surveillance @phe.gov.uk

#### GP In Hours Syndromic Surveillance System Bulletin.

**Produced by:** PHE Real-time Syndromic Surveillance Team 1<sup>st</sup> Floor, 5 St Philips Place, Birmingham, B3 2PW **Tel:** 0344 225 3560 > Option 4 > Option 2

Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses