

# **Weekly statistics for NHS Test and Trace (England): 1 April to 7 April 2021**

# Main points

## People tested, England

- 19,196 people tested positive for coronavirus (COVID-19) at least once<sup>1</sup> in England between 1 April to 7 April 2021, a 34% decrease compared to the previous week. This continues the decrease in positive cases observed since the week ending 6 January 2021.
- 3,760,477 people were tested at least once<sup>1</sup> between 1 April to 7 April 2021 for COVID-19, a 22% decrease compared to the previous week. The large increase in people tested over the last 5 weeks is due to the return of secondary school students to schools from 8 March, as students are regularly tested using rapid tests. The decrease observed in the last 2 reporting weeks is due to some schools being on Easter break during this time period.

## Pillar 2 testing turnaround times, England

- Turnaround times for pillar 2 (virus testing for the wider population) for all in-person testing routes have become shorter overall since the beginning of December 2020. In the most recent week, 88.8% of in-person tests were received within 24 hours compared to 90.6% in the previous week.
- Since the previous reporting week, the median turnaround time for home tests has increased from 34 hours to 36 hours. The turnaround time for satellite tests has stayed the same at 32 hours

## Distance to in-person testing sites for booked PCR tests, pillar 2, England

- The median distance to in-person testing sites (pillar 2) for booked PCR tests has been approximately constant since the week ending 20 January 2021. In the latest week, the median distance remained at 2.0 miles.

## Positive cases transferred to NHS Test and Trace

- 16,926 cases were transferred to the contact tracing system between 1 April to 7 April 2021, a decrease of 34% compared to the previous week. The number of

---

<sup>1</sup> Deduplicated for the reporting week. For information on how the number of people are tested and tested positive in a reporting week is measured see the [NHS Test and Trace statistics methodology](#).

cases transferred to the contact tracing system has been decreasing since the week ending 6 January 2021.

- Of the cases transferred to the contact tracing system between 1 April to 7 April 2021, 87.9% were reached and asked to provide information about their recent close contacts. This has remained broadly consistent since November 2020.

### **Close contacts identified by NHS Test and Trace**

- Between 1 April to 7 April, 61,826 people<sup>2</sup> were identified as coming into close contact with someone who had tested positive. The number of close contacts identified has decreased in the latest week.
- For those where communication details were available, 90.6% of close contacts were reached and told to self-isolate in the most recent week. Taking into account all contacts identified, 87.8% were reached in the most recent week.

### **Managed Quarantine Service (MQS)**

- In the latest week, 32,942 people started quarantining at home and 2,366 in a managed quarantine hotel.
- Since the MQS launched on 15 February 2021, 396,730 people have started quarantining at home or in a managed quarantine hotel.

---

<sup>2</sup> The number of people identified includes duplicates as an individual may be named as a close contact for more than one case. See the [methodology](#) for more information.

# Introduction

The Department for Health and Social Care publishes weekly statistics on NHS Test and Trace (England), across all 4 testing pillars. The purpose of this publication is to provide a weekly update on the implementation and performance of NHS Test and Trace in England.

**For NHS Test and Trace (England), this includes:**

## Testing

- People tested for COVID-19, England
- People testing positive for COVID-19, England
- Time taken for test results to become available, England
- Distance to in-person test sites for booked PCR tests, England

## Contact Tracing

- People transferred to the contact tracing system, and the time taken for them to be reached, England
- Close contacts identified, and the time taken for them to be reached, England

## Managed Quarantine Service

- People quarantining at home or in a managed quarantine hotel, England

Data collected for NHS Test and Trace is primarily for operational purposes and was not designed to track the spread of the virus. Studies into the spread of the virus in the UK are carried out by the Office for National Statistics (ONS). Further guidance can be found in [comparing methods used in the COVID-19 Infection Survey and NHS Test and Trace, England](#).

A list of data sources relating to the coronavirus pandemic in the UK can be found at [Coronavirus \(COVID-19\) statistics and analysis](#). A breakdown of all available testing and contact tracing data in the UK can be found at [Testing and contact tracing in the UK: summary of data](#).

All data used in the report can be found in the NHS Test and data tables on the weekly collection page. A full explanation of the data sources and methods used to produce these statistics can be found in the additional methodology document for [NHS Test and Trace statistics](#).

Data and methodology for the NHS COVID-19 app is available on the [NHS COVID-19 app support website](#).

## Revisions to figures previously published

Figures given in previous releases are routinely revised each week going back to the start of Test and Trace for people tested for COVID-19, people testing positive for COVID-19, pillar 2 testing turnaround times, distance to in-person PCR test sites and contact tracing, and back to the start of the Managed Quarantine Service for people quarantining at home or in a managed quarantine hotel. The figures presented are based on a data cut several days after the end of the reporting period. This is to give time for data relating to the end of the 7-day period to be collected. Some data may continue to be collected after this period, and therefore may need to be revised over time.

In addition, during March 2021, there were improvements to how sub-channels in the satellite and home testing channels are assigned. This resulted in minor additional revisions to the pillar 2 testing turnaround times.

Figures for pillar 1 testing turnaround times are not routinely revised as only minor changes occur to past weeks post-publication. Figures are only revised when substantial changes occur. More detail on routine revisions is given in the quality section.

Note that these routine revisions to data includes the local authority level contact tracing data that is made available on the weekly collection page. As past data is revised, subtracting figures given in the previous week from figures given in the current week will not give the total number of cases for that week.

# 1. NHS Test and Trace

NHS Test and Trace was launched in England on 28 May 2020 and ensures that anyone who develops symptoms of coronavirus (COVID-19) can quickly be tested to find out if they have the virus. It then helps trace recent close contacts of anyone who tests positive for COVID-19 and, if necessary, notifies them that they must self-isolate at home to help stop the spread of the virus. The flow of how people move through the NHS Test and Trace service is shown in Figure 1. More information about NHS Test and Trace can be found at [NHS Test and Trace: How it Works](#).


## 1.1 Testing in England

NHS Test and Trace starts with an individual taking a swab test for the virus, either in pillar 1 (testing in hospitals and outbreak locations), pillar 2 (national swab testing) or pillar 4 (prevalence studies). Those who go on to test positive will have their case transferred to NHS Test and Trace for contact tracing.

From 30 March, individuals who test positive from an LFD test are asked to take a confirmatory PCR test. A positive LFD result will continue to trigger contact tracing; however, NHS Test and Trace has introduced improvements to automatically inform anyone self-isolating from a positive LFD to stop isolating if the confirmatory PCR is taken promptly and is negative. These individuals will then be removed from the contact tracing process.

NHS Test and Trace is for England only, therefore the figures in this section are given for England. Weekly figures for UK testing are available to download from the weekly collection page and are also available daily on the [Coronavirus in the UK dashboard](#). Information on contact tracing in Scotland, Wales and Northern Ireland can be found directly from Public Health Scotland, the Welsh government and the Northern Ireland Public Health Agency.

Figure 1: flowchart showing how people move through NHS Test and Trace



## People tested and people testing positive, England

The headline figures reported in this publication for people tested and people testing positive include both lateral flow device (LFD) tests and polymerase chain reaction (PCR) tests, de-duplicated for each reporting week. Information on the differences between these types of tests can be found in the methodology document for [NHS Test and Trace statistics](#).

From 7 January 2021, positivity rate is not calculated as part of this publication but can instead be found on the [Coronavirus in the UK dashboard](#) for PCR only positive cases in England. This is because the figures in this publication include both PCR and LFD tests and it is likely that LFD tests have a different positivity rate to PCR tests due to the use of LFDs in rapid testing. As the number of LFD tests conducted is increasing over time, a consistent positivity rate cannot be calculated using these figures.

A statistical commentary on rapid testing in England along with data tables for the number of tests conducted, broken down for LFD and PCR tests, is available on the weekly collection page.

The number of people tested and number of people testing positive via PCR tests in each reporting week, by age, gender and local authority is also available on the weekly collection page.

### **Between 1 April to 7 April 2021, 3,760,477 people were tested for coronavirus (COVID-19) at least once in the reporting week<sup>3</sup>, a 22% decrease compared to the previous week**

Despite the decline in the last 2 weeks, the number of people tested this week has still increased by 20% compared to the week ending 3 March. This is due to the return of secondary school students to schools from 8 March, as students are regularly tested using rapid tests. The decrease in the most recent 2 weeks is due to some schools being on Easter break during this time period. For more information on rapid testing in schools, see the rapid testing commentary available on the weekly collection page.

Prior to this, the number of people tested each week had been generally been increasing, although levelled off slightly between the week ending 6 January and the week ending 3 March.


---

<sup>3</sup> Deduplicated for the reporting week, methodology was revised from 15 October 2020. See [NHS Test and Trace statistics methodology](#) for more information.



Since Test and Trace launched at the end of May 2020, 28,341,712 people have been tested at least once<sup>4</sup>.

**Figure 2: Number of people tested for COVID-19 in each reporting week by pillar, England**



This data can be found in the 'table\_1' tab of the 'NHS Test and Trace Statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

**Between 1 April to 7 April 2021, 19,196 people tested positive<sup>5</sup>. The number of positive cases has been decreasing since the week ending 6 January.**


The number of people testing positive between 1 April to 7 April 2021 decreased by 34% compared to the previous week. The number of people testing positive has been decreasing since the week ending 6 January 2021 and is now more than 20 times lower than it was during that week. The rate of this decrease slowed substantially in mid-March

<sup>4</sup> Deduplicated since testing began and the end of the most recent reporting week. People tested multiple times in this time period will only be counted once. See [NHS Test and Trace statistics methodology](#) for more information.

<sup>5</sup> Deduplicated for the reporting week. See [NHS Test and Trace statistics methodology page](#) for more information.

2021, but in the previous reporting week, the rate of this decrease was similar to what has been observed earlier in 2021 and in this week is greater still.

**Figure 3: number of people testing positive for COVID-19 in each reporting week by pillar, England**



This data can be found in the 'table\_1' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

## Pillar 1 testing turnaround times, England

Pillar 1 testing refers to swab testing for the virus in Public Health England (PHE) labs, NHS hospitals for those with a clinical need, and health and care workers.

Since some pillar 1 tests are conducted in a hospital setting, it is not practical for those administering the tests to record the exact time that a test was taken. Therefore, the time taken to receive a coronavirus (COVID-19) test result is measured from the time that a test is received by a laboratory for processing to the time when the results are published to the Laboratory Information Management System (LIMS).

This data is only available from 9 July 2020 due to differences in the reporting methodologies for NHS and PHE labs. More details can be found in the [NHS Test and Trace statistics methodology](#).

### Over 19 out of 20 pillar 1 test results were made available within 24 hours of the laboratory receiving the test.

Between 1 April to 7 April 2021, 97.3% of pillar 1 test results were made available within 24 hours. Turnaround times for pillar 1 have been above 95% for the last 11 weeks. Since reporting began, 91.9% of test results have been made available within 24 hours.

## Pillar 2 testing turnaround times, England

There are various routes for getting tested within pillar 2 (national swab testing) which has an impact on turnaround times<sup>6</sup>. Data on the time taken to receive a COVID-19 test result for pillar 2 is split up to reflect this. These routes include:

- **In-person tests**, which involve a person being tested in-person at a coronavirus test site. These include:
  - **Regional test sites**, which includes drive-through testing centres.
  - **Local test sites**<sup>7</sup>, which are similar to regional test sites but specifically for walk ups.
  - **Mobile testing units**, which travel around the UK to increase access to COVID-19 testing. They respond to need, travelling to test people at specific sites including care homes, police stations and prisons.

---

<sup>6</sup> For all measures of time taken to receive a COVID-19 test result, there are a number of tests that were not completed. This covers any test where the results were not communicated, which may be because communication details (for example, phone number or email address) were not provided or were incorrect, or because the test was cancelled or abandoned, or no result was available. It also includes some tests which are still being processed.

<sup>7</sup> Previously local test sites were included together with regional test sites but from 17 September 2020 have been split out as a separate group.

- **Satellite test centres**, which includes test kits provided directly to ‘satellite’ centres at places like care homes that have a particularly urgent or significant need.
- **Home test kits**, which are delivered to someone’s door so they can test themselves and their family without leaving the house.

A lower proportion of home and satellite test results will be available within 24 hours of the test being taken compared to in-person tests due to differences in testing schedules and delivery of tests. Therefore, the percentage of test results received within 24 hours for in-person tests and the percentage of test results received within 48 hours for home and satellite tests are presented in this bulletin. The accompanying data tables contain all turnaround time windows for all testing routes.

There are normal fluctuations in this operational process which can sometimes cause the time taken to receive a test result to go over 24 hours, but still be turned around the next day. Therefore, we also provide the percentage of tests turned around the day after a test was taken where appropriate. The median turnaround times are also given as an indication of the average time taken.

Turnaround times are measured and reported in two ways:

- Time from **booking** a test to receive a test result
- Time from **taking** a test to receive a test result.

All figures presented in this bulletin relate to time from taking a test. Both measures are available in full in the accompanying data tables. More information on these definitions is in the terminology section and the [NHS Test and Trace statistics methodology](#).

Lateral flow device (LFD) tests are not included in this section on turnaround times as they do not require processing in a lab.

## **The median time to receive a test result after taking a test in-person has decreased overall since December 2020.**

The median time taken to receive a test result for in-person tests increased sharply between the week ending 9 December and week ending 23 December 2020. Since then, the median time has decreased overall and has been relatively stable since the week ending 27 January 2021.


Between 1 April to 7 April 2021, the median time taken to receive a test result for regional test sites was 16 hours, a slight decrease from 17 hours in the previous week. The median time for local test sites remained the same at 18 hours, while the median time for mobile testing units decreased from 16 hours to 15 hours.

**The median time to receive a test result after taking a test from satellite test centres and home testing kits has also decreased overall since December 2020.**

As with the in-person tests, the median time taken to receive a test result for home testing kits and satellite test centres increased substantially between the weeks ending 9 December and 23 December 2020 and since then has decreased overall. Turnaround times for home and satellite tests are now consistently lower than what was observed before this increase in December 2020.

In the latest week, the median time taken to receive results from satellite test centres has remained the same at 32 hours. The median time for home testing kits has increased from 34 hours to 36 hours in the latest week.

**Figure 4: median time (hours) from taking a test to receiving test results by route, England**



This data can be found in the 'table\_8' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

**In the latest week, the percentage of test results received within 24 hours for in-person tests and the percentage within 48 hours for home testing kits and satellite test centres have both decreased.**

In the most recent week, 88.8% of in-person test results were received within 24 hours. The percentage of results received within 24 hours decreased sharply between the weeks ending 9 December and 23 December 2020 but has since increased overall and has been above 80% for the last 11 weeks. If we consider the day the test was taken, 98.5% of in-person tests results were received the next day after the test was taken.

79.6% of test results were received within 48 hours for home test kits and satellite test centres, compared to 82.9% in the previous week. For satellite test centres, 95.5% were received within 72 hours, a decrease compared to the previous week where 96.5% were received. 96.9% of satellite tests were received within 3 days after the day they were taken.

In the most recent week, approximately 74% of tests from satellite test centres were care home tests. Removing the 26% of tests from other sites does not substantially change the turnaround figures.

For all routes combined, 30.3% of tests from all test sites were received within 24 hours of a test being taken compared to 33.6% in the previous week. If we consider the day the test was taken, 64.1% of all test results were received the next day after the test was taken.

**Table 1: percentage of results received within 24 hours (in-person tests) or within 48 hours (home/satellite tests), by route, England**

	Previous reporting week	Current reporting week	Since Test and Trace launched: 28 May 2020 to 7 Apr 2021
Regional test sites within 24 hours	90.0	88.6	51.2
Local test sites within 24 hours	89.5	86.7	42.6
Mobile testing units within 24 hours	92.1	91.6	55.1
Satellite test centres within 48 hours	85.0	82.4	56.3
Home testing kits within 48 hours	76.4	69.9	48.1

## **Distance to in-person testing sites for booked PCR tests, pillar 2, England**


The distance to testing sites for booked PCR tests is calculated as the direct distance between the approximate centre of a person's postal district and their chosen test location in straight line. This is reported as the median and associated percentiles for those who successfully booked a test at regional test sites, local test sites and mobile testing units in the latest week. More information is available in the [NHS Test and Trace statistics methodology](#).

### **The median distance to in-person PCR testing sites for booked tests has remained the same in the most recent week.**

Between 1 April to 7 April 2021, the median distance to an in-person PCR test site remained the same when compared to the previous week at 2.0 miles. 90% of people who booked a test at a test centre lived 8.6 miles or less away.

From mid-August to mid-September 2020, the distance to PCR testing sites for booked tests increased across in-person routes. However, since mid-September 2020, the distance to PCR testing sites for booked tests has decreased overall and has been at approximately 2.0 miles for the last 12 weeks.

**Figure 5: median distance (miles) to testing sites for tests booked at an in-person PCR test site by route, England**



This data can be found in the 'table\_9' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).



## 1.2 Contact Tracing in England

Once a person has a confirmed positive test result for coronavirus (COVID-19)<sup>8</sup>, this person is transferred to NHS Test and Trace and a case is opened for them. The number of positive cases transferred to the contact tracing system may not always align with the number of people testing positive for COVID-19. There are several reasons for this which are outlined in the [information for users](#) document.

Positive cases and their contacts which are linked to potential outbreaks in specific settings are handled by PHE local health protection teams (HPTs). These cases and contacts, previously known as complex, have been referred to as 'cases and contacts managed by local HPTs' since 29 October 2020. Furthermore, cases and contacts managed nationally either online or by call centres, previously known as non-complex, are referred to as 'cases and contacts not managed by local HPTs'.

From 18 March 2021, only outbreaks in care homes are handled by HPTs. Further information is available in the [NHS Test and Trace statistics methodology](#).

### Positive cases transferred to NHS Test and Trace

**The number of positive cases transferred to NHS Test and Trace has decreased in the latest week.**

Between 1 April to 7 April 2021, 16,926 cases were transferred to the contact tracing system, a 34% decrease compared to the previous week. The number of cases transferred has been decreasing since the week ending 6 January.

**Between 1 April to 7 April 2021, over 8 in every 10 cases transferred to the contact tracing system were reached and asked to provide information about their contacts.**

Out of the 16,926 cases transferred to the contact tracing system in the latest week, 14,875 (87.9%) were reached, 1,923 (11.4%) were not reached and 128 (0.8%) had no communication details provided. Since Test and Trace launched, 86.6% of all cases have been reached.

---


<sup>8</sup> All confirmed positive test results under pillar 1 and pillar 2 should be transferred. In addition, all positive virus test results as part of prevalence studies (pillar 4) are also transferred to Test and Trace. People tested under pillar 3 (serology testing to show if people have antibodies from having had COVID-19) do not have their cases transferred to NHS Test and Trace.

In the latest week, 253 cases who were reached and asked to provide details of close contacts were managed by local health protection teams (HPTs), whereas 14,622 cases were community-wide cases and, therefore, not managed by local HPTs.

For cases managed by local HPTs, their contacts are often managed at a situation rather than individual level, with advice being issued to the contact institution. Therefore, cases who were managed by local HPTs may not have been individually reached and asked to provide details of their recent close contacts. However, the cases and contacts will have been successfully dealt with as a whole.

For more information on the different ways of managing cases and the outcomes of contact tracing see the terminology section.

**Figure 6: number of cases transferred to the contact tracing system and number of cases transferred who were reached and asked to provide details of recent close contacts (includes cases managed and not managed by local HPTs), England**



This data can be found in the 'table\_10' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).


**Table 2: cases transferred to the contact tracing system (includes cases managed and not managed by local HPTs) by whether they were reached and asked to provide contact details, England<sup>9</sup>**

	Previous reporting week	Current reporting week	Since Test and Trace launched: 28 May 2020 to 7 Apr 2021
<b>People who were reached and asked to provide details of recent close contacts</b>	23,315 (90.5%)	14,875 (87.9%)	3,302,132 (86.6%)
People not managed by local HPTs	23,008	14,622	3,161,019
People managed by local HPTs	307	253	141,113
<b>People who were not reached</b>	2,336 (9.1%)	1,923 (11.4%)	456,429 (12.0%)
<b>People whose communication details were not provided</b>	113 (0.4%)	128 (0.8%)	55,730 (1.5%)
<b>Total</b>	<b>25,764</b>	<b>16,926</b>	<b>3,814,291</b>

<sup>9</sup> If NHS test and trace is not able to reach an individual testing positive or if no communication details are available, then it is not always possible to know if the case should be managed by a local HPT or not. Therefore, these breakdowns are not available.

## Proportion of people transferred to the contact tracing system who were reached by upper tier local authority (UTLA)

Figure 7: percentage of cases reached and asked to provide details of recent close contacts by UTLA since Test and Trace began.



This data is available as an [interactive map](#) and to download as a csv on the [weekly collection page](#) <sup>10</sup>.

<sup>10</sup> The regional data uses a different data cut to the main publication therefore cumulative totals will not exactly match. The data is available for the cumulative figures since Test and Trace launched up to the most recent week of reporting. Due to revisions that occur each week one week's cumulative figures cannot be subtracted from a previous week's to obtain weekly data by UTLA.

**In the latest week, over 4 in every 5 people who were reached and asked to provide information about their contacts, provided one or more close contacts.**


Out of the 14,875 people reached between 1 April to 7 April 2021, 12,474 (83.9%) provided details of one or more close contacts. The proportion of people providing one or more contacts decreased overall between mid-October 2020 and mid-February 2021. Since then, the proportion has increased overall, despite slight decreases in the last 2 weeks.

The number who were not able to give any recent close contacts refers to people who were successfully reached by NHS Test and Trace, but either had no recent close contacts or could not provide details of close recent contacts to pass on for further contact tracing (for example, recent close contact with strangers on the bus).

In the most recent week, the median number of contacts provided per case managed by local HPTs was 1, a decrease from 4 in the previous week. For cases not managed by local HPTs the median was 2. This has been approximately constant since the start of Test and Trace.

Due to changes in the underlying data sources, data on the median number of contacts for HPT and non-HPT cases will be removed from this publication from the next release on 22 April 2021.

**Figure 8: proportion of people transferred to the contact tracing system (includes cases managed and not managed by local HPTs) who were reached and asked to provide details of recent close contacts by whether they provided details for contacts or not, England**



This data can be found in the 'table\_11' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).


The breakdown for method used to reach cases is not currently available. Further information is given in the [NHS Test and Trace methodology](#).

**For cases not managed by local HPTs, over 4 in 5 cases were reached and asked to provide details about recent close contacts within 24 hours of their case being transferred to contact tracing.**

Between 1 April to 7 April 2021, 83.8% of cases transferred (12,259) were reached within 24 hours, compared to 83.2% the previous week. Though the percentage reached within 24 hours slightly decreased this week, it has increased overall to its current value from 76.4% in the week ending 3 March 2021. Since Test and Trace launched on 28 May 2020, 72.1% of people (2,280,108) have been reached within 24 hours.

Note that because these timing statistics are from when a case was transferred to the contact tracing system, delays in transferring cases to contact tracing will not be captured in these figures.

**Figure 9: proportion of people who were reached and asked to provide details about recent close contacts by time taken to reach them, England (excludes cases managed by local HPTs)**



This data can be found in the 'table\_12' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

## Close contacts identified by NHS Test and Trace

### **The number of close contacts identified has decreased by 26% in the latest week.**

Between 1 April to 7 April 2021, 61,826 people<sup>11</sup> were identified as recent close contacts, of which 61,749 (99.9%) were not managed by local HPTs and 77 (0.0%) were managed by local HPTs.

The number of contacts not managed by local HPTs increased between the weeks ending 9 December 2020 and 6 January 2021, but has decreased overall since then, and the current number of close contacts identified is now over 10 times lower than in the week ending 6 January 2021.

There has been a substantial shift in the proportion of contacts who are managed by local HPTs compared to the beginning of June 2020. At the beginning of June 2020, contacts managed by local HPTs were 81.7% of contacts identified compared to only 0.7% in the most recent week.

From 18 November 2020, there has been a change in how household contacts under 18 are reached. These changes mean that under-18s in a household are no longer contact traced individually, providing the parent or guardian in the household confirms they have completed their legal duty to inform their child to self-isolate. From 27 November 2020, this change was also extended to cover adults in the same household, so they have the option to be traced via a single phone call.


Considering only the contacts where communication details were provided, 90.6% were reached and told to self-isolate in the most recent week. This has decreased slightly from 92.6% in the previous week.

---

<sup>11</sup> The number of people identified includes duplicates as an individual may be named as a close contact for more than one case. See the [methodology](#) for more information.



**Figure 10: number of recent close contacts identified, England**



This data can be found in the 'table\_13' tab in 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

**87.8% of contacts not managed by local HPTs were reached and told to self-isolate in the latest week. This is a slight decrease from the previous week.**

Between 1 April to 7 April 2021, 61,749 recent close contacts not managed by local HPTs were identified of which 54,209 (87.8%) were reached and told to self-isolate. In the latest week, 5,615 (9.1%) contacts not managed by local HPTs were not reached and 1,925 (3.1%) people had no communication details. For more information on the different outcomes of contact tracing see the terminology section.


**Almost all contacts managed by local HPTs continue to be reached and told to self-isolate.**

Between 1 April to 7 April 2021, 77 close contacts were identified who were managed by local HPTs of which 76 (98.7%) were reached and told to self-isolate and 1 (1.3%) was not

reached. Since Test and Trace launched, 97.9% of all contacts managed by local HPTs have been successfully reached.

For contacts managed by local HPTs, contacts are managed as a whole setting and are often managed at a situation rather than individual level, with advice being issued to the contact institution. Therefore, these contacts may not have been individually reached and told to self-isolate but should have received this advice from their institution. For this reason, contacts managed by local HPTs have a higher success rate compared with community wide contacts not managed by local HPTs.

**Figure 11: proportion of contacts reached and told to self-isolate, England<sup>12</sup>**




This data can be found in the 'table\_13' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

<sup>12</sup> Contacts managed by local HPTs are reached when the situation has been dealt with and advice has been issued to the institution, whereas contacts not managed by local HPTs must be individually contact traced (unless they are a household contact) to be classified as reached.

## Proportion of close contacts identified not managed by local HPTs who were reached and told to self-isolate by upper tier local authority

Figure 12: percentage of contacts not managed by local HPTs who were reached and told to self-isolate by UTLA since Test and Trace began.



This data is available as an [interactive map](#) or to download as a csv on the [weekly publication collection page](#).<sup>13</sup>

<sup>13</sup> The regional data uses a different data cut to the main publication therefore cumulative totals will not exactly match. The data is available for the cumulative figures since Test and Trace launched up to the most recent week of reporting. Due to revisions that occur each week one week's cumulative figures cannot be subtracted from a previous weeks to obtain weekly data by UTLA.


**In the most recent week, over 5 out of 10 contacts not managed by local HPTs were from the same household as the case they were identified from, a decrease from the previous week.**

The proportion of close contacts not managed by local HPTs that were from the same household as the case they were identified from has decreased overall from the week ending 20 January 2021. The decrease in the last 7 weeks in particular has been substantial, from 84.1% the week ending 24 February 2021 to the current value of 53.1%.

Between 1 April to 7 April 2021, 97.6% of household contacts were successfully reached and told to self-isolate, which has remained consistent since the week ending 9 December 2020.

In the same time period, 76.7% of contacts who were from a different household to the case from which they were identified were successfully reached and told to self-isolate. This is with a slight increase from the 75.3% reported in the previous week, but a more notable increase from 70.9% in the week ending 10 March 2021. Prior to these last 4 weeks, the percentage successfully reached had been at approximately 70% since the week ending 9 December 2020.

**Figure 13: proportion of recent close contacts not managed by local HPTs by whether they were from the same household as the case that they were identified from, England**



This data can be found in the 'table\_14' tab of the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly publication collection page](#) .

**For contacts not managed by local HPTs who were told to self-isolate, 97.7% were reached within 24 hours of being identified. This has consistent for the last 13 weeks<sup>14</sup>.**

Between 1 April to 7 April 2021, 97.7% of contacts who weren't managed by local HPTs were reached and told to self-isolate within 24 hours of being identified, a slight decrease from the previous week. This percentage has been broadly consistent at around 98.0% since the week ending 13 January 2021.

**For contacts not managed by local HPTs who were told to self-isolate, the proportion reached within 24 hours of the case that reported them being transferred to the contact tracing system has decreased to 56.0%.**


Between 1 April to 7 April 2021, 30,103 (56.0%) contacts who weren't managed by local HPTs were reached and told to self-isolate within 24 hours of the case that reported them being transferred to the contact tracing system. This is a decrease from the percentage reached within 24 hours in the previous week (66.7%).

Note that because these timing statistics are from when a case was transferred to the contact tracing system, delays in transferring cases to contact tracing will not be captured in these figures.

---

<sup>14</sup> Timing data does not include contacts which were subsequently escalated to a local HPT.

**Figure 14: proportion of recent close contacts who were told to self-isolate within 24 hours, excludes cases managed by local HPTs, England**




This data can be found in the 'table\_15' and 'table\_16' tabs in the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

**For contacts not managed by local HPTs who were told to self-isolate, 7 out of 10 were reached within 3 days of the case that reported them taking their test.**

Between 1 April to 7 April 2021, 37,604 (70.0%) contacts that were reached and told to self-isolate were reached within 3 days of the case that reported them taking a test which subsequently returned a positive result. This is a decrease from 80.4% in the previous week, and there has been an overall decrease since the week ending 17 February.

The percentage reached within 3 days increased overall between October 2020 and early December 2020, with 90.7% successfully reached in the week ending 9 December, followed by a dip over the Christmas period. The percentage returned to pre-Christmas levels by the end of January 2021, but over the last 7 weeks it has decreased overall to its current value.

**Figure 15: proportion of recent close contacts who were told to self-isolate within 3 days of the case taking a test, excludes cases managed by local HPTs, England**



This data can be found in the 'table\_17' tab in the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).

**For contacts not managed by local HPTs who were told to self-isolate, the median time taken for contacts to be reached from the case that identified them reporting to first observe symptoms<sup>15</sup> was 95 hours.**


Between mid-November 2020 and early December 2020, the median time for contacts that were reached and told to self-isolate decreased before beginning to increase over the Christmas period. From early January 2021 to the week ending 31 March, the median time in hours decreased overall, but has increased substantially in the most recent week.

Please note this data only includes contacts reported by cases who reported to experience at least one symptom. This data is collected by asking symptomatic people who tested

<sup>15</sup> The date a case first observed symptoms is the date they reported to NHS Test and Trace after a positive test. This only includes contacts where the case that reports them reporting experiencing at least one symptom to NHS Test and Trace.

positive and were subsequently reached by NHS Test and Trace to recall which day they first observed coronavirus symptoms. More information is available in the [NHS Test and Trace statistics methodology](#).

**Figure 16: median time from case first reporting symptoms to contact reached, excludes cases managed by local HPTs, England**



This data can be found in the 'table\_18 tab in the 'NHS Test and Trace statistics 28 May 2020 to 7 April 2021: data tables' on the [weekly collection page](#).



## 1.3 Managed Quarantine Service (MQS)

### Background on the Service

From 15 February 2021 onwards, everyone<sup>16</sup> allowed to enter England from outside the Common Travel Area (Ireland, the Channel Islands or the Isle of Man) is required to quarantine for 10 days and take a polymerase chain reaction (PCR) coronavirus (COVID-19) test on day 2 and day 8 of quarantining as part of the Managed Quarantine Service (MQS).

People arriving in England who have visited or passed through a country where travel to the UK is banned ('red list'<sup>17</sup> countries) are required to quarantine in a managed quarantine hotel. Only British or Irish Nationals, or people with residence rights in the UK, are allowed to do this. People arriving from 'non-red list' countries are required to quarantine at home.

'Red list' and 'non-red list' countries are published by the Department for Transport and are reviewed on a regular basis, therefore they are subject to change and the data released will reflect the lists as they were on the date of release. For more detail see [Entering the UK - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/entering-the-uk).

### About This Data

A full explanation of the data sources and methods used to produce these statistics can be found in the [NHS Test and Trace statistics methodology](#).

### People quarantining

All arrivals who do not meet exemptions<sup>17</sup> are required to book a travel test package and complete a passenger locator form with details of where they will quarantine, either at home or in a managed quarantine hotel.

---

<sup>16</sup> Some people are exempt from the need to quarantine due to their job, a list of these exemptions can be found at [Coronavirus \(COVID-19\): jobs that qualify for travel exemptions - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/coronavirus-covid-19-jobs-that-qualify-for-travel-exemptions)

<sup>17</sup> A list of the current countries on the red travel ban list can be found here: [Coronavirus \(COVID-19\): red list travel ban countries - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/coronavirus-covid-19-red-list-travel-ban-countries).

Since the MQS launched on 15 February 2021, 396,730 people have started quarantining at home or in a managed quarantine hotel. Between 1 April to 7 April 2021, 35,308 people started quarantining, compared to 34,813 in the previous week.

In every week since MQS launched, more people were quarantining at home than in a managed quarantine hotel. In the latest week, 32,942 were quarantining at home and 2,366 in a managed quarantine hotel.

Please note that the true number of quarantine package bookings for non-red listed arrivals is likely to be higher than what has been reported as international arrivals have the option to book their PCR tests via a private provider and these bookings are not yet included in these figures.

**Table 3. Number of people starting their quarantine at home or in a managed quarantine hotel, England**

	<b>Previous reporting week: Number of quarantine packages booked</b>	<b>Current reporting week: Number of quarantine packages booked</b>	<b>Since MQS launched. 15 February to 7 April 2021: Number of quarantine packages booked</b>
People quarantining at home	32,864	32,942	384,358
People quarantining in a managed quarantine hotel	1,949	2,366	12,372
<b>Total</b>	<b>34,813</b>	<b>35,308</b>	<b>396,730</b>

This data can be found in the 'table\_19' tab of the data tables on the [weekly collection page](#).

## 2. Terminology

### 2.1 Testing

- **Pillar 1 testing:** swab testing for the virus in Public Health England (PHE) labs, NHS hospitals for those with a clinical need, and health and care workers.
- **Pillar 2 testing:** swab testing for the virus for the wider population, through commercial partnerships<sup>18</sup>, either processed in a lab or more rapidly via lateral flow devices tests. Tests processed in a lab are carried out through several different routes:
  - **In-person tests**, which involve a person being tested in-person at a coronavirus test site. These include:
    - **Regional test sites**, which includes drive-through testing centres.
    - **Local test sites**<sup>19</sup>, which are similar to regional test sites but specifically for walk ups.
    - **Mobile testing units**, which travel around the UK to increase access to COVID-19 testing. They respond to need, travelling to test people at specific sites including care homes, police stations and prisons.
  - **Satellite test centres**, which includes test kits provided directly to ‘satellite’ centres at places such as care homes that have a particularly urgent or significant need.
  - **Home test kits**, which are delivered to someone’s door so they can test themselves and their family without leaving the house.
- **Pillar 3 testing:** serology testing to show if people have antibodies from having had coronavirus.
- **Pillar 4 testing:** blood and virus testing for national surveillance support by PHE, ONS and research, academic and scientific partners to learn more about the prevalence and spread of the virus and for other testing research purposes.
- **Virus testing:** swab testing using polymerase chain reaction (PCR) assay within pillars 1, 2 and pillar 4 to show if someone currently has COVID-19.
- **Antibody testing:** testing of a blood sample within pillar 3 and pillar 4 to show if people have antibodies from having had COVID-19.
- **People tested each week:** refers to people who have been tested at least once in each reporting week, therefore if someone had multiple tests in a given week they would be counted once.

---

<sup>18</sup> See more detail in [Scaling up our testing programmes](#).

<sup>19</sup> Previously local test sites were included together with regional test sites but from 17 September 2020 have been split out as a separate group.

- **People testing positive each week:** refers to the number of people who tested positive at least once in each reporting week, therefore if someone tested positive multiple times in a given week they would only be counted once.
- **Cumulative people tested:** refers to the number of people who have been tested at least once since Test and Trace launched.
- **Cumulative people testing positive:** refers to the number of people who have tested positive at least once since Test and Trace launched.

For pillar 2, there are two measures of the time taken to receive a coronavirus (COVID-19) test result:

- **The time taken to receive a COVID-19 test result from time of booking** is measured from the time that a person books an appointment on the website to the time when the person receives a notification of their test result via an email or an SMS. This data is only available for regional test sites, local test sites and mobile testing units, as test booking and registration processes for home testing and satellite test centres are currently undertaken on different systems.
- **The time taken to receive a COVID-19 test result from time of test** is measured from the time a person completes a test registration (or the time a person indicates their test was taken for home testing kits) until the time that they receive a notification of the result of their test via an email or an SMS.

## 2.2 Tracing

NHS Test and Trace has two ways of handling cases depending on the way in which they are managed:

- **Cases and contacts managed by local HPTs (previously known as complex)** - PHE Local Health Protection Teams manage cases linked to outbreaks, examples include someone who works or has recently visited:
  - a health or care setting, such as a hospital or care home
  - a prison or other secure setting
  - a school for people with special needs
  - critical national infrastructure or areas vital for national security
- **Cases and contacts not managed by local HPTs (previously known as non-complex)** - Wider online and other call centre capacity for individual community-wide cases and contacts.

When a case is transferred to NHS Test and Trace contact tracers will attempt to contact the individual which results in one of the following 3 outcomes:

- **Reached and provided information about recent close contacts** – contact tracers or local health protection teams successfully reached the individual and asked them to provide details for recent close contacts
- **Communication details not provided** - people who had no communication details provided are those who were transferred to NHS Test and Trace but did not have any associated contact details (e.g. phone number or email address).
- **Not reached** - The number of people who were not reached includes those people who the service has been unable to reach because there has been no response to text, email and call reminders. This includes those where the communication details are invalid. It also includes people who were reached but declined to give details of close contacts. There may also be a small number of people who have not been reached but where contact tracers are still in the process of trying to make contact.

When a close contact is identified, contact tracers or local HPTs will attempt to contact the individual or institution depending on the exposure setting, which results in the following outcomes:

- **Reached and told to self-isolate** – for contacts not managed by local HPTs contact tracers successfully reached the contact and told them to self-isolate, or for household contacts where the case has opted to inform them to self-isolate. For those managed by local HPTs, advice is provided to the institution which is passed on to contacts in the specific setting.
- **Communication details not provided** - people who were identified as recent close contacts but didn't have any associated contact details (e.g. phone number or email address).
- **Not reached** - The number of contacts who were not reached includes those contacts who the service has been unable to reach because there has been no response to text, email and call reminders. There may also be a small number of contacts who have not been reached but where contact tracers are still in the process of trying to make contact.

## 3 Measuring the data

### 3.1 How the data were collected

UK level testing data is collated centrally by DHSC from multiple sources across the different nations and pillars. Further details can be found in the [NHS Test and Trace statistics methodology](#).

Testing data for pillars 1 and 2 for England are provided by PHE, NHS and commercial partners. Contact tracing data is collected from management information from the NHS Test and Trace service. Details about the data sources used can be found in the [NHS Test and Trace statistics methodology](#) document.

### 3.2 Future development

We have integrated this data with those from other parts of NHS Test and Trace, particularly testing, to provide an end-to-end view of the service that follows the user journey. So far, UK level testing data, testing data for pillars 1 and 2 in England, testing turnaround times and NHS COVID-19 app statistics have been added. Further breakdowns for contact tracing continue to be incorporated, including breakdowns for cases and contacts managed or not managed by local HPTs, geographical breakdowns and household information.

To support user needs and data transparency, additional releases have been published alongside the weekly Test and Trace publication including:

- care home statistics up to 8 July 2020
- people tested for coronavirus (COVID-19) between 30 January and 27 May 2020
- demographic data for coronavirus testing in England between 28 May and 26 August 2020.
- Weekly rapid testing statistics

NHS Test and Trace continues to provide information for local authorities and their partners so that they have the information they need to help contain any outbreaks. In time, NHS Test and Trace intends to publish detailed data from across the program to support secondary analysis, for example in academic institutions.

We continue to explore the feasibility of adding new breakdowns to the publication to support user needs. Over the coming months, we intend to make the following available:

- Additional demographic information for people tested
- Details of close contacts who go on to test positive.

The UK Statistical Authority has published a [rapid review](#) of the Test and Trace statistics. This includes recommendations on how the publication should develop in order to adhere fully to the Code of Practice. These recommendations continue to influence the development of the publication in the coming weeks and months.

### 3.3 Strengths and limitations

Given the importance of this service and the commitment of NHS Test and Trace to be open and transparent with the public it serves, this data is being released at the earliest possible opportunity. However, new IT systems and statistical outputs often take a period of time to bed in. This data should therefore be treated with caution as the system and understanding of the data develops.

More information on data limitations and how the figures in this publication can and can't be used is outlined in the [NHS Test and Trace methodology](#).

### 3.4 Quality

These statistics have been put together by NHS Test and Trace and DHSC with advice from the Office for National Statistics. As part of the quality assurance process, DHSC ensures that all published figures are replicable and any issues impacting on the quality of the data are clearly stated within the publication. Furthermore, the figures are often triangulated with other published sources to verify trends in the data.

#### Revisions to figures previously published

Figures for people tested and people testing positive for coronavirus (COVID-19) in previous releases have been revised. These revisions are because:

- There are sometimes delays in laboratories submitting data to PHE.
- Quality checks are conducted on the data to refine figures over time.

Figures for pillar 2 testing turnaround times in previous releases have been revised. These revisions are because:

- The figures presented are based on a data-cut several days after the end of the reporting period. Some tests may continue to be being processed after this period and therefore data may need to be revised over time.

Figures for contact tracing in previous releases have been revised. These revisions are because:

- The figures presented are based on a data cut several days after the end of the reporting period, to give time for cases reported towards the end of the 7-day period to have an outcome. Some cases may continue to be in progress after this period, and therefore data may need to be revised over time.

- Typically, one week after initial publication the number of cases reached and consequently the number of contacts identified is expected to increase. Similarly, the number of cases and contacts reached within 72 hours is likely to increase.

More information about the revision of statistics published by DHSC can be found in the [statement on revision policy](#). More information on quality and how this publication adheres to the Code of Practice for statistics is available in the [Statement of Compliance](#).

## 3.5 Feedback

For questions about the release please refer to the [Information for Users document](#) initially. For feedback and any further questions, please contact [statistics@dhsc.gov.uk](mailto:statistics@dhsc.gov.uk) .