

Emergency Department

Syndromic Surveillance System: England

Data to: 25 April 2021

27 April 2021

Year: 2021 Week: 16

In This Issue:

Key messages.

Diagnostic indicators at a glance.

Weekly report statistics.

Total attendances.

Respiratory.

Gastrointestinal.

Cardiac.

Notes and caveats.

Acknowledgements.

Key messages

COVID-19-like emergency department attendances continued to decrease during week 16 (figure 3). Acute respiratory infection attendances increased slightly, particularly in children aged 1-4 and 5-14 years (figure 5a).

Note: during the COVID-19 pandemic, patients with COVID-19 symptoms are generally advised to initially access a COVID-19 test through the national COVID-19 testing programme. This is likely to result in lower numbers of patients accessing health advice as monitored through syndromic surveillance systems. Syndromic data should therefore be interpreted with some caution and in the context of other COVID-19 monitoring data sources.

Please see <u>notes and caveats</u> for information about the ED syndromic indicators including important caveats around the interpretation.

Diagnostic indicators at a glance:

Further details on the syndromic indicators reported can be found on page 10.

•		1 5
Indicator	Current trend	Level
COVID-19-like	decreasing	-
Respiratory	increasing	below baseline
Acute Respiratory Infection	increasing	below baseline
Bronchiolitis	no trend	below baseline
Influenza-like Illness	no trend	below baseline
Pneumonia	no trend	below baseline
Asthma	increasing	below baseline
Gastrointestinal	decreasing	similar to baseline
Gastroenteritis	no trend	below baseline
Cardiac	decreasing	above basleine
Myocardial Ischaemia	decreasing	similar to baseline
Alcohol intoxication	no trend	similar to baseline

EDSSS weekly report statistics

Only Type 1 EDs meeting the weekly reporting criteria are included (see page 10 for details).

*max EDs included across full time period reported in charts, individual days may include fewer EDs.


Date	Total	Diagnoses Coded		Type 1 EDs
Date	Attendances	Number	%	Included
19/04/2021	29,564	21,681	73.3%	110
20/04/2021	28,118	20,537	73.0%	110
21/04/2021	27,588	20,631	74.8%	110
22/04/2021	26,801	19,661	73.4%	110
23/04/2021	27,306	19,695	72.1%	110
24/04/2021	24,717	18,051	73.0%	110
25/04/2021	25,481	18,370	72.1%	110
Total	189,575	138,626	73.1%	(max)* 110



1: Total attendances.


Daily number of total attendances recorded, across the EDSSS network.


(see page 6 for ED inclusion criteria).



2a: Daily attendances by age: numbers.


Daily number and 7-day moving average of total attendances, by age group.





2b: Daily attendances by gender: numbers


Daily number of total attendances by gender, recorded across the EDSSS network (shown as a 7-day moving average). Please note: indeterminate gender is not shown due to small numbers





3: COVID-19-like.

Daily number of attendances recorded as COVID-19-like attendances across the EDSSS network.



3a: COVID-19-like by age group.


Daily number and 7 day moving average of COVID-19-like attendances within each age group.

covid-19-like by age group (years) 26/04/2020 - 25/04/2021 under 1 1 to 4 5 to 14 10.0 daily attendances 15 to 44 45 to 64 over 65 400 200 300 300 150 200 200 100 100 100 50 Jun 20 Aug 20 Oct 20 Dec 20 Feb 21 Apr 21 Jun 20 Aug 20 Oct 20 Dec 20 Feb 21 Apr 21 Jun 20 Aug 20 Oct 20 Dec 20 Feb 21 Apr 21

NOTE: SCALES VARY BY AGE GROUP TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

3b: COVID-19-like by PHE Centre

Daily attendances and 7 day moving average of COVID-19-like attendances within each PHE Centre (with the maximum number of EDs included in each time series). Please see 'notes and caveats' for information on how EDs are selected for inclusion each week.






April 2021


4: Respiratory.

Daily number of attendances recorded as respiratory attendances across the EDSSS network.




5: Acute Respiratory Infection.

Daily number of all attendances recorded as acute respiratory infection attendances across the EDSSS network.



5a: Acute Respiratory Infection by age group.


7 day moving average of ARI attendances within each age group.






6: Bronchiolitis/ bronchitis.

Daily number of attendances recorded as bronchiolitis/ acute bronchitis attendances across the EDSSS network.




6a: Bronchiolitis/ bronchitis by age group

7 day moving average of bronchiolitis/ bronchitis attendances within each age group.



7: Influenza-like Illness.


Daily number of attendances recorded as influenza-like illness attendances across the EDSSS network.






7a: Influenza-like illness by age group

7 day moving average of ILI attendances within each age group.




8: Pneumonia.

Daily number of attendances recorded as pneumonia attendances across the EDSSS network.



8a: Pneumonia by age group.


7 day moving average of pneumonia attendances within each age group.






9: Asthma.

Daily number of attendances recorded as asthma/wheeze/ difficulty breathing attendances across the EDSSS network.



9a: Asthma by age group.

7 day moving average of asthma attendances within each age group.




Intentionally left blank



April 2021


10: Gastrointestinal.

Daily number of attendances recorded as gastrointestinal attendances across the EDSSS network.




11: Gastroenteritis

Daily number of attendances recorded as gastroenteritis attendances across the EDSSS network.



11a: Gastroenteritis by age group.


7 day moving average of gastroenteritis attendances within each age group.





12: Cardiac.


Daily number of attendances recorded as cardiac attendances across the EDSSS network.





Daily number of attendances recorded as myocardial ischaemia attendances across the EDSSS network.

14. Acute alcohol intoxication

Daily number of attendances recorded as acute alcohol intoxication attendances across the EDSSS network.









Notes and caveats:

▶ National EDSSS began operating in April 2018. Following the introduction of the Emergency Care Data Set (ECDS) the: https://www.england.nhs.uk/ourwork/tsd/ec-data-set/

- ▶ EDSSS receives an automated daily transfer of anonymised ED data from NHS Digital
- ▶ Not all EDs currently provide data through ECDS on a daily basis
- ► EDs are eligible for inclusion in this report only where the EDSSS reporting criteria have been met during the surveillance week reported:

Data relates to attendances at a type 1 ED

Data for 7 of the 7 most recent days was received by PHE

Data for those days was received within 2 calendar days of the patient arrival

- ▶Where an ED meets these criteria, all data received from that ED previous to the current surveillance week is included. EDs eligible for inclusion is likely to change each week, which will in turn affect the historical data inclusion
- ▶ Individual EDs will not be identified in syndromic surveillance reporting in these bulletins

▶ All EDs report diagnoses to EDSSS using SnomedCT codes

- Not all diagnoses are confirmed
- ► The syndromic indicators presented in this bulletin are based on the **primary diagnosis** of each attendance as reported by EDs using SnomedCT codes:

Respiratory: All respiratory diseases and conditions (infectious and non infectious).

Asthma: As indicated by title.

Acute Respiratory Infections (ARI): All acute infectious respiratory diseases.

Bronchiolitis/ bronchitis: As indicated by title (excluding 'chronic').

Influenza-like Illness (ILI): As indicated by title.

Pneumonia: As indicated by title.

COVID-19-like: Coronavirus* or Severe Acute Respiratory Syndrome (SARS).

*Please note: not all EDs have reported a coronavirus diagnosis code.

Gastrointestinal: All gastrointestinal diseases and conditions (infectious and non infectious). **Gastroenteritis:** All infectious gastrointestinal diseases.

Cardiac: All cardiac conditions.

Myocardial Ischaemia: All ischaemic heart disease.

Acute alcohol intoxication: As indicated by title (excluding 'chronic')

- ▶ EDSSS indicators are likely to be an underestimation of number attendances as they are based on primary diagnosis only.
- ▶ The EDSSS should therefore be used to monitor trends in ED attendances and not numbers of 'cases'.
- ▶ Baselines: Last refreshed: 1 February 2021
 - Represent seasonally expected levels of activity
 - Constructed from historical data, taking into account:

change from sentinel to National EDSSS

coverage (numbers of attendances and the individual type 1 EDs included)

- Gastroenteritis baseline accounts for rotavirus vaccine introduction (July 2013)
- Exclude data from 2020 due to the impact of the COVID-19 pandemic on ED services and patient healthcare seeking behaviour
- ▶ Sentinel EDSSS ran from July 2010 to March 2018, collected data through a bespoke, voluntary network of EDs across England and Northern Ireland:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

Acknowledgements:

We are grateful to the clinicians in each ED and other staff within each Trust for their continued involvement in the EDSSS.

We thank the Royal College of Emergency Medicine, NHS Digital and NHS England for their support in the development of national EDSSS, using anonymised data collection from ECDS.

Emergency Department Syndromic Surveillance System Bulletin.

Produced by: PHE Real-time Syndromic Surveillance Team 1st Floor, 5 St Philips Place, Birmingham, B3 2PW

Tel: 0344 225 3560 > Option 4 > Option 2 **Email:** syndromic.surveillance@phe.gov.uk

Web: https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses