

Syndromic Surveillance System: England

28 September 2021

Year: 2021 Week: 38

In This Issue:

Key messages.

Diagnostic indicators at a glance.

GP practices and denominator population.

National syndromic indicators.

Notes and further information.

Key messages

data to: 26 September 2021

During week 38, GP consultations for lower and upper respiratory tract infections both increased, particularly noted in children 0-14 years and young adults aged 15-44 years (figures 2, 2a, 6 & 6a).

Baselines have been remodelled to account for changes due to COVID-19 and additional, new modelled lines have been added to the charts to represent expected levels if COVID-19 had not occurred.

Please see 'notes and caveats' for information about the COVID-19-like GPIH syndromic indicator including important caveats around the interpretation of this indicator.

Diagnostic indicators at a glance:

Indicator	Trend	Level
COVID-19-like	no trend	similar to baseline levels
Upper respiratory tract infection	increasing	above baseline levels
Influenza-like illness	no trend	similar to baseline levels
Pharyngitis	increasing	above baseline levels
Scarlet fever	no trend	similar to baseline levels
Lower respiratory tract infection	increasing	above baseline levels
Pneumonia	no trend	above baseline levels
Gastroenteritis	increasing	above baseline levels
Vomiting	no trend	above baseline levels
Diarrhoea	no trend	above baseline levels
Asthma	increasing	above baseline levels
Conjunctivitis	no trend	above baseline levels
Mumps	no trend	above baseline levels
Measles	no trend	similar to baseline levels
Whooping cough	no trend	similar to baseline levels
Chickenpox	increasing	above baseline levels
Herpes zoster	no trend	similar to baseline levels
Cellulitis	decreasing	
Impetigo	increasing	above baseline levels


G	P practices	and denom	inator population:	
	Year	Week	GP Practices Reporting**	Population size**
	2021	38	677	6.7 million

**based on the average number of practices and denominator population in the reporting working week.

鯋 Public Health England

1. COVID-19-like consultations


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




1a: COVID-19-like consultations by age group

Daily incidence rate (and 7-day moving average*) by age group per 100,000 population (all England).

Covid-19-like by age group (years) 27/09/2020 - 26/09/2021



Covid-19-like by PHE centre 27/09/2020 - 26/09/2021



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline.

Jan 21 Mar 21 May 21 Jul 21 Sep 21

adjusted for bank holidays.

* 7-day moving average

1b: COVID-19-like

PHE Centre

Daily incidence rate

(and 7-day moving

average*) per 100,000

population (all ages).

consultations by

2: Upper respiratory tract infection (URTI)


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

2a: Upper respiratory tract infection (URTI) by age

Daily incidence rate (and 7-day moving àverage*) by age group per 100,000 population (all England).


* 7-day moving average adjusted for bank holidays.

Upper respiratory tract infection by age group (years) 27/09/2020 - 26/09/2021



Upper respiratory tract infection 27/09/2020 - 26/09/2021 patients 50 per 100,000 registered 40 30 20 10 atel Nov 20 Jan 21 Mar 21 May 21 Jul 21 Sep 21 Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

Upper respiratory tract infection by PHE centre 27/09/2020 - 26/09/2021 North East North West Yorkshire and Humber 60 60 40 40 20 20 1111111111



2b: Upper respiratory tract infection (URTI) by PHE centré

40 30

20

10

0

Daily incidence rate (and 7-day moving average*) per 100,000 population (all ages).

GP In Hours

Influenza-like illness 27/09/2020 - 26/09/2021


Year: 2021 Week: 38



鯋


Public Health England

Daily incidence rates (and 7-day moving average*) per 100,000 population (all England, all ages).




3a: ILI by age group


Daily incidence rate (and 7-day moving average*) by age group per 100,000 population (all England).




3b: ILI by PHE centre

Daily incidence rate (and 7-day moving average*) per 100,000 population (all ages).





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

5: Scarlet fever

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

Intentionally left blank


* 7-day moving average adjusted for bank holidays.

Public Health England

28 September 2021

GP In Hours

Year: 2021 Week: 38





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level

* 7-day moving average adjusted for bank holidays.

28 September 2021


7: Pneumonia





7a: Pneumonia by age

Daily incidence rate (and 7-day moving average*) by age group per 100,000 population (all England).




7b: Pneumonia by PHE centre

Daily incidence rate (and 7-day moving average*) per 100,000 population (all ages).

* 7-day moving average adjusted for bank holidays.


Pneumonia by PHE centre 27/09/2020 - 26/09/2021



8: Gastroenteritis

(and 7-day moving

all ages).



8a: Gastroenteritis by age


Daily incidence rate (and 7-day moving àverage*) by age group per 100,000 population (all England).


8b: Gastroenteritis by **PHE centre**

Daily incidence rate (and 7-day moving


average*) per 100,000

population (all ages).





Gastroenteritis by PHE centre 27/09/2020 - 26/09/2021




* 7-day moving average adjusted for bank holidays.

GP In Hours

Year: 2021 Week: 38

9: Vomiting


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



10: Diarrhoea

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

Diarrhoea 27/09/2020 - 26/09/2021




Intentionally left blank

GP In Hours

Year: 2021 Week: 38

11: Asthma


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



11a: Asthma by age

Daily incidence rate (and 7-day moving average*) by age group per 100,000 population (all England).

Acute presenting asthma by age group (years) 27/09/2020 - 26/09/2021




11b: Asthma by PHE centre

Daily incidence rate (and 7-day moving average*) per 100,000 population (all ages).

* 7-day moving average adjusted for bank holidays.


Acute presenting asthma by PHE centre 27/09/2020 - 26/09/2021



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level.


12: Conjunctivitis


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



13: Mumps


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).






14: Measles

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).






GP In Hours

Year: 2021 Week: 38


16: Whooping cough

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



17: Chickenpox


Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




18: Herpes zoster

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).

* 7-day moving average adjusted for bank holidays.






GP In Hours

Year: 2021 Week: 3

19 Cellulitis

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).




Year: 2021 Week: 38

GP In Hours

Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Orange dotted line is expected pre-covid-19 level. Grey columns show weekends and bank holidays.

20: Impetigo

Daily incidence rate (and 7-day moving average*) per 100,000 population (all England, all ages).



Intentionally left blank

28 September 2021Year: 2021 Week: 38				
28 September 2021 Notes and further information	 The PHE GP in hours surveillance system monitors the number of visits to general practitioners (GP) during regular surgery hours for known clinical indicators. This system captures anonymised GP morbidity data TPP SystmOneGP clinical software system including approximately 12% of the England population. Baselines are modelled from historical data to give current seasonally expected levels. Baselines have been remodelled to account for changes due to COVID-19 and the orange dotted lines are counter-factual models showing seasonally expected levels if covid-19 had not occurred. Each day, syndromic surveillance data are interrogated by a statistical algorithm to detect statistically significant exceedances (compared to baselines derived from historical data) in syndromic signals e.g. 'influenza-like illness GP consultations in London'. Each statistical exceedance is risk assessed by the ReSST using a published framework. Following the risk assessment, any exceedances requiring further action are communicated to relevant PHE colleagues for investigation. Further information about the methodology is available: Morbey RA et al. The application of a novel rising activity, multi-level mixed effects, indicator emphasis' (RAMMIE) method for syndromic surveillance in England. Bioinformatics 2015;31: 3660-3665. 10.1093/bioinformatics/btv418 			
COVID-19 consultations	 2. Smith GE et al. Novel public health risk assessment process developed to support syndromic surveillance for the 2012 Olympic and Paralympic Games. Journal of Public Health (Oxford) 2017;39: e111-e117. 10.1093/pubmed/fdw054 A collection of new COVID-19 Snomed codes were released in March 2020 to facilitate the recording of patients presenting to primary care services with symptoms of COVID-19. The GPIH surveillance system monitors the use of these codes in a selection of TPP practices across England: However, patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP. Therefore, the COVID-19-like indicator presented in this report is primarily for monitoring trends in GP consultations, and it must be interpreted in context with the other respiratory syndromic indicators presented in this report. The number/ rate of COVID-19-like consultations should therefore not be used as an absolute count of those patients with COVID-19. All indicator trends reported here should be interpreted with caution due to current national advice and guidance regarding access to GP surgeries and changes in clinical coding for COVID-19. 			
Acknowledgements: Contact ReSST: syndromic.surveillance @phe.gov.uk	We thank TPP, ResearchOne and the SystmOne GP practices contributing to this surveillance system. GP In Hours Syndromic Surveillance System Bulletin. Produced by: PHE Real-time Syndromic Surveillance Team 1 st Floor, 5 St Philips Place, Birmingham, B3 2PW Tel: 0344 225 3560 > Option 4 > Option 2			

14