

Our Ref: 01.01.01.01-4898U  
UKOP Doc Ref:1170609



Offshore Petroleum Regulator  
for Environment & Decommissioning

TOTALENERGIES E&P UK LIMITED  
18TH FLOOR  
10 UPPER BANK STREET  
CANARY WHARF  
LONDON  
E14 5BF

Registered No.: 00811900

Date: 11th November 2021

Department for Business, Energy  
& Industrial Strategy

AB1 Building  
Crimon Place  
Aberdeen  
AB10 1BJ

Tel [REDACTED]

Fax

[www.gov.uk/beis](http://www.gov.uk/beis)  
[bst@beis.gov.uk](mailto:bst@beis.gov.uk)

Dear Sir / Madam

**THE OFFSHORE OIL AND GAS EXPLORATION, PRODUCTION, UNLOADING  
AND STORAGE (ENVIRONMENTAL IMPACT ASSESSMENT) REGULATIONS  
2020  
ALWYN NORTH, Alwyn North NAA Platform, DRILLING PRODUCER WELL  
3/09a-N52Y**

I refer to your amended application dated 10th November 2021, reference DR/2195/1 (Version 1).

It has been determined that the proposed changes to the project is not likely to result in a significant effect on the environment, and therefore an environmental impact assessment is not required.

A screening direction is therefore issued for the changes to the project. An amended schedule of conditions, comments, and main reasons for the decision on the amended application, are attached. A copy of this screening direction will be forwarded to the application consultees, the Oil and Gas Authority and published on the gov.uk website.

If you have any queries in relation to this screening direction or the attachments, please do not hesitate to contact [REDACTED] on [REDACTED] or email the Environmental Management Team at [bst@beis.gov.uk](mailto:bst@beis.gov.uk).

Yours faithfully



**THE OFFSHORE OIL AND GAS EXPLORATION, PRODUCTION, UNLOADING  
AND STORAGE (ENVIRONMENTAL IMPACT ASSESSMENT) REGULATIONS  
2020**

**SCREENING DIRECTION CONFIRMING THAT AN ENVIRONMENTAL IMPACT  
ASSESSMENT IS NOT REQUIRED**

**ALWYN NORTH, Alwyn North NAA Platform, DRILLING PRODUCER WELL  
3/09a-N52Y**

**DR/2195/1 (Version 1)**

Whereas TOTALENERGIES E&P UK LIMITED has made an application dated 10th November 2021, under The Offshore Oil and Gas Exploration, Production, Unloading and Storage (Environmental Impact Assessment) Regulations 2020, and whereas the Secretary of State has considered the application and is satisfied that the project is not likely to have a significant effect on the environment; in exercise of the powers available under regulation 6, the Secretary of State hereby directs that the application for consent in respect of the project need not be accompanied by an Environmental Impact Assessment, provided that the project is carried out as described in the application for the screening direction and in accordance with the conditions specified in the attached schedule.

In giving a screening direction under regulation 6 of the above Regulations, the Secretary of State accordingly gives his agreement to the Oil and Gas Authority to the grant of consent for the project as detailed in the application.

Effective Date: 11th November 2021



## **THE OFFSHORE OIL AND GAS EXPLORATION, PRODUCTION, UNLOADING AND STORAGE (ENVIRONMENTAL IMPACT ASSESSMENT) REGULATIONS 2020**

### **SCHEDULE OF SCREENING DIRECTION CONDITIONS**

The grant of this screening direction is conditional upon the screening direction holder complying with the following conditions.

#### **1 Screening direction validity**

The screening direction shall be valid from 4 November 2021 until 31 May 2022.

#### **2 Commencement and completion of the project**

The holder of the screening direction must notify the Department for Business, Energy & Industrial Strategy (hereinafter called the 'Department') of commencement and completion of the project within two days:

- a) of commencement of the project and
- b) of completion of the project.

Notification should be sent by email to the Environmental Management Team Mailbox: [bst@beis.gov.uk](mailto:bst@beis.gov.uk)

#### **3 Prevention of pollution**

The holder of the screening direction must ensure that appropriate measures are taken to minimise discharges, emissions and waste, in particular through the appropriate use of technology; and to ensure that necessary measures are taken to prevent incidents affecting the environment or, where they occur, to limit their consequences in relation to the environment.

#### **4 Inspections**

Should the Department consider it necessary or expedient for an inspector appointed by the Secretary of State to investigate whether the conditions of the screening direction are being complied with, the holder of the screening direction shall afford the inspector with such facilities and assistance as the inspector considers necessary to exercise the powers conferred by the regulations. The holder of the screening direction shall additionally ensure that copies (electronic or paper) of the screening direction and any other relevant documents are available for inspection by the inspector at:

- a) the premises of the holder of the screening direction; and
- b) the facilities undertaking the project covered by the screening direction.



## **5 Check monitoring**

Should the Department consider it necessary or expedient to undertake an independent monitoring programme to assess the impact of the project covered by the screening direction, the screening direction holder shall afford the Department with such facilities and assistance as the Department considers necessary to undertake the work.

## **6 Atmospheric emissions returns**

Following completion of the project covered by the screening direction, the holder of the screening direction shall report all relevant atmospheric emissions, such as combustion emissions, extended well test emissions or flaring and venting emissions relating to a well test, using the appropriate Environmental Emissions Monitoring System (EEMS) reporting forms. In the case of atmospheric emissions relating to drilling projects undertaken from a fixed installation, they should be included in the annual EEMS reporting forms for the fixed installation.

## **7 Unauthorised deposits**

Following completion of the project covered by the screening direction, the holder of the screening direction shall recover any materials accidentally or temporarily deposited on the seabed, such as debris, temporary containers, structures or deposits, or scientific instruments, and shall return the materials to land. If it is not possible to recover any of these deposits, full details of the materials remaining on the seabed must be reported to the Department in accordance with the requirements of Petroleum Operations Notice No.2 (PON2).

## **8 Screening direction variation**

In the event that the holder of the screening direction proposes changes to any of the particulars detailed in the application for a screening direction, the holder must notify the Department immediately and submit an application for a post screening direction amendment. The post screening direction must be in place prior to the amended proposals taking effect.

Our Ref: 01.01.01.01-4898U  
UKOP Doc Ref:1170609



Offshore Petroleum Regulator  
for Environment & Decommissioning

## COMMENTS ON THE APPLICATION FOR SCREENING DIRECTION

### Section 1

The attention of screening direction holders is drawn to the following provisions regarding The Offshore Oil and Gas Exploration, Production, Unloading and Storage (Environmental Impact Assessment) Regulations 2020.

1) You are deemed to have satisfied yourself that there are no barriers, legal or otherwise, to the carrying out of the project covered by the screening direction. The issue of a screening direction does not absolve the screening direction holder from obtaining such authorisations, consents etc that may be required under any other legislation.

2) The Department would draw your attention to the following comments:

DR/2195/1 (Version 1) 11th November 2021

The Department note the following comments:

1: This variation was required to align section information which was caused by a portal error.

2: Please include description of Xmas tree within the EA document at the next variation

3) All communications relating to the screening direction should be addressed to:

#### **Out-of-hours emergency screening direction variations:**

Telephone Met Office out-of-hours service (0330 135 0010) and ask to be connected to the Department's On-call Response Officer (Offshore Environmental Inspectorate).

#### **Routine communications**

bst@beis.gov.uk

or

Offshore Petroleum Regulator for Environment & Decommissioning  
Department for Business, Energy & Industrial Strategy  
AB1 Building  
Crimon Place  
Aberdeen  
AB10 1BJ

Tel [REDACTED]

Our Ref: 01.01.01.01-4898U  
UKOP Doc Ref:1170609



Offshore Petroleum Regulator  
for Environment & Decommissioning

Fax



## **SCHEDULE OF SCREENING DIRECTION DECISION REASONS**

The Secretary of State has decided that, based on the information provided, the project is not likely to have a significant effect on the environment. The main reasons for this decision are:

### **1) Decision reasons**

This document provides a summary of the assessments undertaken by OPRED to determine whether an Environmental Impact Assessment is required for this project.

This document summarises the information considered, the potential impacts and sets out the main reasons for the decision made. In considering whether an Environmental Impact Assessment is required or not, the following have been taken into account:

- a) The information provided by the developer.
- b) The matters listed in Schedule 5 of The Offshore Oil and Gas Exploration, Production, Unloading and Storage (Environmental Impact Regulations 2020) (the Regulations).
- c) The results of any developer assessments of the effects on the environment of the project; and
- d) Any conditions that the Secretary of State may attach to the agreement to the grant of consent.

### **Characteristics of the Project**

This post screening direction amendment (ref DR/2195/1) relates to a change to the project for which a screening direction was previously issued.

Having regard, in particular, to the matters identified at paragraphs 1(a) to (g) of Schedule 5 to the Regulations, the characteristics of the project include the following:

### **Summary of project**

- i) Slot recovery on the N52Y well prior to drilling operations on TNE-1 (covered under WIA/1215 operations)
- ii) Drilling of an 8.5 " side-track section using Oil Based Mud (OBM)
- iii) Run and cement 7" liner
- iv) Drilling of an 6" section using Oil Based Mud (OBM)
- v) Run and cement 4.5 " liner





vi) Test of liner sections and completion

vii) Install Christmas Tree and hand well over to production

### **Description of project**

This project (DR/2195/1) consists of changes to include the installation of a Christmas tree prior to hand over to North Alwyn Alpha Platform production and to correct a format error on the summary of project for well sections only.

Development Well TNE-1 will be drilled as a side-track from donor well N52Y from the Alwyn Platform rig located at North Alwyn Alpha platform (NAA) with operations expected to last 155 days. The well will be completed as a Development (Producer) well to support production in the Alwyn area. The well will be re-entered within the existing 9 5/8" casing section and subsequent sections drilled oil-based mud (OBM).

There will be no discharge of cuttings to the sea and they will be skipped and shipped to shore for disposal. Once all drilling, cementing and clean-up operations have been conducted a christmas tree will be installed and the well will be handed over to Alwyn NAA platform. In the event that the drilling operations are unsuccessful, the well will be suspended and examined as future water disposal well.

No cumulative impacts are expected to occur with any other existing or approved projects. It is not considered to be likely that the project will be affected by natural disasters.

The risk of a major accident such as a well blowout has been assessed. The Developer has control measures in place to reduce the risk of a major accident occurring and the probability of such an event occurring is very low.

Other than the matters considered further below, there is not likely to be any significant impact of the project on population and human health.

### **Location of the Project**

Having regard in particular to the matters identified at paragraphs 2(a) to (c) of Schedule 5 to the Regulations, the environmental sensitivity of geographical areas likely to be affected by the project has been considered as follows:

The North Alwyn Alpha platform is in Block 3/09a in the Northern North Sea approximately 138 km east of Shetland and approximately 9 km west of the UK/Norwegian median line in a water depth of approximately 130 m. The project is in an area characterised by sand and muddy sand. The wave height with the North Alwyn Alpha Platform area ranges from 2.4-2.7 m.

Site specific surveys indicate that sediments in the area consist predominantly of deep circalittoral sand and deep circalittoral sediment. Seabed photography showed



that visible sedentary epifauna and mobile megafauna are generally sparse across the area. Site surveys identified taxa including hermit crabs, starfish, and sea urchins, tube worms anemones and cup corals at the circalittoral sand site. Species found at the circalittoral mixed sediment site which is 1.2 km from Alwyn North had encrusting sponges, bryzoans and anemones along with sparse hermit crabs and squat lobsters. No evidence of sub tidal reefs or submarine structures were found in the vicinity of NAA. The area was assessed for Stony reef habitat, however the assessment concluded low potential for reefiness therefore were not considered to be an Annex I Habitat.

There are no marine protected areas within 40 km from the NAA and therefore it is unlikely that the project will have any effect on protected sites.

Fish spawning and nursery activity will occur in the area, which may coincide with the drilling operations. Minke whale, white beaked dolphin, long-finned pilot whale, harbour porpoise and Atlantic white-sided dolphin have been recorded in the vicinity of the NAA. Densities of these species range from high to low throughout the year. Seals are not expected to be seen at the remote location. Seabird vulnerability in Block 3/09a is predominantly low all year round. The project area is primarily used for demersal fishing and the effort in the area is rated low.

The Alwyn North field is in an area of major oil and gas developments and infrastructure and there are several oil and gas fields nearby. Block 3/09 features a Ministry of Defence restriction as it lies within military training grounds, but there is no known concurrent activity and the well is being drilled from the existing North Alwyn Alpha Platform. There is one wreck, possibly of the Blagdon, which is located north of the centre of Block 3/04. Due to the nature of the operations, this wreck is not considered to be at risk from the TNE-1 drilling operations at Alwyn. There are no scheduled monument war graves, Historic Marine Protected Areas or other wrecks located within the vicinity of the NAA. There are no known cables in the vicinity of the NAA and no planned renewable energy developments. Shipping density in the area is very low.

Given the location of the project, it is not likely that the areas identified at paragraphs 2(c)(i), (iii), (iv), (vi), (vii) of Schedule 5 to the Regulations will be affected by the project.

### **Type and characteristics of the potential impact**

In accordance with paragraph 3 of Schedule 5 to the Regulations, the likely significant effects of the project on the environment have been considered. Potential effects on the environment from the activities associated with the project were assessed, including impacts arising from atmospheric emissions, seabed disturbance, physical presence, planned discharges and accidental spills.

Other than the matters considered further below, there is not likely to be any significant impact of the project on population and human health.



There is a 500 m radius safety zone around the North Alwyn Alpha Platform excluding unauthorised access of vessels and prohibiting access to fishing vessels. The drilling project is a side-track from an existing well and as such there are no cuttings from the re-entry section. Cuttings will be generated from the sections drilled with OBM and these will be skipped and shipped to shore. There will be no cuttings discharged to sea and there are no seabed impacts are expected.

Discharge of offshore chemicals associated with the re-entry of the well, cementing and completion operations have been assessed as not likely to have a significant effect on the environment. The wellbore clean-up operations may result in the discharge of wastewater containing residual base oil from the OBM. This discharge has been assessed and is not considered to have a likely significant effect on the environment.

Although there are fish spawning and nursery activity in the vicinity of the well at certain times of the year, the spawning and nursery areas are part of larger offshore areas.

There are no expected transboundary effects from the drilling operations at the North Alwyn Alpha Platform. The nearest boundary (UK/Norwegian median) is located approximately 9 west km of the operations. It is not considered likely that any planned operational discharge (chemicals) will be detectable at this distance from the well location.

Although not a planned activity, a worst-case major accident scenario resulting from a potential well blow-out was modelled and assessed. Although the consequences of an oil spill can be severe, the probability of a large oil spill from the proposed operations is low. Therefore, it is considered that the control measures in place to prevent loss of well control minimise the risk of an oil spill which could have a significant impact and the proposed operations carried out as planned are not likely to have a significant effect on the environment.

The emissions associated with the project result from power demand for the proposed operations. Drilling facilities are integrated on the platform and use the electricity generated by the offshore combustion installations. It is anticipated a small temporary increase in atmospheric emissions during drilling operations as a third generator will be required. It is expected the emissions will be rapidly dispersed and are not likely to have a significant impact.

Drilling operations will be conducted from the existing North Alwyn Alpha Platform and therefore there is no increase in the infrastructure footprint.

No cumulative impacts are expected to occur. The Field has been developed for several years and the locations of the North Alwyn platforms are well known to other marine users and marked on the appropriate navigational charts. It is considered that the drilling of the well from the platform is not likely to have a significant impact on other offshore oil and gas activities or other users of the sea.



There is no aggregate extraction, dredging, or dumping activity. There are no planned, consented or operational wind farms within Block 3/09a. Additionally, both fishing activity and shipping activity within Block 3/09a is considered relatively low.

There is one wreck, possibly of the Blagdon, which is located north of the centre of Block 3/04. Due to the nature of the operations, this wreck is not considered to be at risk from the TNE-1 drilling operations at Alwyn and there are no additional charted wrecks located in the vicinity of the proposed development well location. The project is in the vicinity of other oil and gas developments, but there are no expected cumulative impacts with other oil and gas activities. Cumulative impacts have been assessed as not likely to have a significant effect on the environment.

### **Decision**

Taking the above considerations into account, the Secretary of State has concluded that the project is not likely to have a significant impact on the environment and that an environmental impact assessment is not required.

### **2) Mitigation of significant effects**

The following are features of the project or measures envisaged that the developer has proposed to avoid or prevent what might otherwise have been significant adverse effects on the environment:

Not Applicable