



UK Health  
Security  
Agency

# **GP in Hours Syndromic Surveillance System Bulletin (England)**

## **2021 Week 45**

## Key messages

Data reported to: 14 November 2021

During week 45, GP consultation rates for conjunctivitis increased, particularly in children aged 1 to 4 years. Respiratory consultations remained stable.

## Syndromic indicators at a glance

**Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.**

Indicator	Trend <sup>1</sup>	Level
COVID-19-like ( <b>Figure 1</b> )	No trend	No baseline
Upper respiratory tract infections ( <b>Figure 2</b> )	No trend	Below baseline
Influenza-like illness ( <b>Figure 3</b> )	No trend	Below baseline
Pharyngitis or scarlet fever ( <b>Figure 4</b> )	No trend	Below baseline
Scarlet fever ( <b>Figure 5</b> )	No trend	Below baseline
Lower respiratory tract infections ( <b>Figure 6</b> )	No trend	Below baseline
Pneumonia ( <b>Figure 7</b> )	No trend	Similar to baseline
Acute presenting asthma ( <b>Figure 8</b> )	No trend	Below baseline
Gastroenteritis ( <b>Figure 9</b> )	No trend	Below baseline
Diarrhoea ( <b>Figure 10</b> )	No trend	Above baseline
Vomiting ( <b>Figure 11</b> )	No trend	Similar to baseline
Measles ( <b>Figure 12</b> )	No trend	Below baseline
Mumps ( <b>Figure 13</b> )	No trend	Similar to baseline
Whooping cough ( <b>Figure 14</b> )	No trend	Below baseline
Cellulitis ( <b>Figure 15</b> )	No trend	Below baseline
Chicken pox ( <b>Figure 16</b> )	Decreasing	Below baseline
Herpes zoster ( <b>Figure 17</b> )	No trend	Below baseline
Impetigo ( <b>Figure 18</b> )	No trend	Below baseline
Conjunctivitis ( <b>Figure 19</b> )	Increasing	Above baseline

<sup>1</sup> trend reports on the trend seen over most recent and earlier weeks

## System coverage

**Table 2: The number of GP practices, and number of registered patients included in surveillance during the most recent week.**

Year	Week	GP practices reporting <sup>1</sup>	Registered patients <sup>1</sup>
2021	45	677	6.8 million

<sup>1</sup> based on the average number of practices and registered patient population in the reporting week (Monday-Friday).

# Contents

Key messages .....	2
Syndromic indicators at a glance.....	2
System coverage.....	2
Contents.....	3
About this syndromic surveillance system.....	5
Respiratory conditions.....	6
COVID-19-like .....	6
Upper respiratory tract infections.....	8
Influenza-like illness .....	10
Pharyngitis or scarlet fever .....	12
Scarlet fever .....	14
Lower respiratory tract infections.....	16
Pneumonia .....	18
Acute presenting asthma.....	20
Gastrointestinal conditions .....	22
Gastroenteritis .....	22
Diarrhoea.....	24
Vomiting .....	26
Vaccine preventable conditions .....	28
Measles .....	28
Mumps.....	29
Whooping cough .....	31
Skin conditions.....	33
Cellulitis .....	33
Chicken pox.....	35
Herpes zoster .....	37
Impetigo.....	39
Seasonal environmental conditions .....	41
Cold weather watch in place.....	41

Conjunctivitis .....	42
Notes and caveats .....	44
COVID-19 syndromic surveillance.....	44
Acknowledgements .....	46
About the UK Health Security Agency .....	47

# About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP in hours Syndromic Surveillance System.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see **Notes and caveats**)
- compare levels between age groups/areas

Fully anonymised, daily GP in hours data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as upper respiratory tract infections, acute presenting asthma and gastroenteritis
- syndromic indicators are based on:
  - diagnoses recorded during GP in hours patient consultations
  - diagnoses are based on signs/symptoms and may not be laboratory confirmed
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available [here](#).



## Data quality issues of note this week

No issues identified.


# Respiratory conditions

## COVID-19-like

**Figure 1: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for COVID-19-like GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**




(c)




# Upper respiratory tract infections

**Figure 2: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for upper respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Upper respiratory tract infection 15/11/2020 - 14/11/2021




**(b)** Upper respiratory tract infection by age group (years) 15/11/2020 - 14/11/2021





(c)

Upper respiratory tract infection by region 15/11/2020 - 14/11/2021





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.

# Influenza-like illness

**Figure 3: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for influenza-like illness GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**







# Pharyngitis or scarlet fever

**Figure 4: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pharyngitis or scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Pharyngitis or scarlet fever 15/11/2020 - 14/11/2021




**(b)** Pharyngitis or scarlet fever by age group (years) 15/11/2020 - 14/11/2021



(c)



Pharyngitis or scarlet fever by region 15/11/2020 - 14/11/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Scarlet fever

**Figure 5: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for scarlet fever GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



# Lower respiratory tract infections


**Figure 6: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for lower respiratory tract infections GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**







(c)

Lower respiratory tract infection by region 15/11/2020 - 14/11/2021




# Pneumonia

**Figure 7: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for pneumonia GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)




# Acute presenting asthma

**Figure 8: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for acute presenting asthma GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

Acute presenting asthma by region 15/11/2020 - 14/11/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Gastrointestinal conditions

## Gastroenteritis

**Figure 9: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for gastroenteritis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



# Diarrhoea


**Figure 10: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for diarrhoea GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



Diarrhoea by region 15/11/2020 - 14/11/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Vomiting

**Figure 11: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for vomiting GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Vaccine preventable conditions


## Measles

**Figure 12: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for measles GP in hours consultations, England (a) nationally.**




# Mumps

**Figure 13: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for mumps GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
 Black line is 7 day moving average adjusted for bank holidays.  
 Black dotted line is baseline.


# Whooping cough

**Figure 14: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for whooping cough GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

Whooping cough by region 15/11/2020 - 14/11/2021





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Skin conditions

## Cellulitis

**Figure 15: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for cellulitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)




# Chicken pox

**Figure 16: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for chicken pox GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)



Chickenpox by region 15/11/2020 - 14/11/2021




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Herpes zoster

**Figure 17: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for herpes zoster GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





(c)




# Impetigo

**Figure 18: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for impetigo GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)





## Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

[Cold weather alert](#) period: 1 November to 31 March



[Heat-Health Alert](#) period: 1 June to 15 September


Weather alert level (current reporting week): **Level 1 - Winter preparedness and action**

## Cold weather watch in place

# Conjunctivitis

**Figure 19: Daily incidence rate per 100,000 population (and 7-day moving average adjusted for bank holidays) for conjunctivitis GP in hours consultations, England (a) nationally, (b) by age and (c) by UKHSA Region.**





## Notes and caveats

The following additional caveats apply to the UKHSA GP in hours syndromic surveillance system:

- all syndromic trends should be interpreted with caution due to changes in national advice and guidance regarding access to health care services as well as updates and changes to service provision during the COVID-19 pandemic
- the data presented are based on a sentinel syndromic surveillance system:
  - not all GP practices in England are included
  - national coverage each week is included in **Table 2**
  - coverage varies by location
- some syndromic indicators are hierarchical:
  - upper respiratory tract infections includes:
    - influenza-like illness
    - pharyngitis or scarlet fever
    - other and non-specific upper respiratory tract infections
  - lower respiratory tract infections includes:
    - pneumonia
    - other and non-specific upper respiratory tract infections
  - gastroenteritis includes:
    - diarrhoea
    - vomiting
    - other and non-specific gastroenteritis
- baselines:
  - were last remodelled March 2021
  - are constructed from historical data since April 2012
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices:
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect GP consultation levels

## COVID-19 syndromic surveillance

- the COVID-19-like syndromic indicator is based on diagnoses recorded using the COVID-19 Snomed codes released in March 2020:
  - these data are based on COVID-19-like symptoms reported and are not based on outcomes of tests for coronavirus

- patients presenting with COVID-19 symptoms may be diagnosed using other clinical codes used by the GP, so the COVID-19-like syndromic indicator should be interpreted in context with the other respiratory syndromic indicators presented in this report
- the rate of COVID-19-like consultations should not be used to estimate an absolute count of patients with COVID-19

## Acknowledgements

We thank TPP, ResearchOne and the SystemOne GP practices contributing to this surveillance system.

# About the UK Health Security Agency

The UK Health Security Agency is an executive agency, sponsored by the [Department of Health and Social Care](#).

[www.ukhsa.gov.uk](http://www.ukhsa.gov.uk)


© Crown copyright 2021  
Version: IH-1

Prepared by: Real-time Syndromic Surveillance Team  
For queries relating to this document, please contact: [syndromic.surveillance@phe.gov.uk](mailto:syndromic.surveillance@phe.gov.uk)

Published: November 2021



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN  
Sustainable Development Goals

