

# Emergency Department Syndromic Surveillance System Bulletin (England) 2021 Week 51

# Key messages

Data reported to: 27 December 2021

During week 51, COVID-19-like ED attendances continued to increase.

**Please note** this bulletin includes data up to and including 27 December, including 1 bank holiday, which is expected to result in increased ED attendances.

# Syndromic indicators at a glance

Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.

Indicator	Trend <sup>1</sup>	Level
Total attendances (Figure 1)	Decreasing	No baseline
COVID-19-like ( <b>Figure 2</b> )	Increasing	No baseline
Acute respiratory infections (Figure 3)	Decreasing	Below baseline
Acute bronchiolitis or bronchitis (Figure 4)	Decreasing	Below baseline
Influenza-like illness (Figure 5)	Decreasing	Below baseline
Pneumonia (Figure 6)	No trend	Below baseline
Asthma (Figure 7)	Decreasing	Below baseline
Gastroenteritis (Figure 8)	Decreasing	Above baseline
Cardiac (Figure 9)	Decreasing	Below baseline
Myocardial ischaemia (Figure 10)	Decreasing	Below baseline
Acute alcohol intoxication (Figure 11)	No trend	Similar to baseline
Mental health (Figure 12)	Decreasing	No baseline
Impact of cold (Figure 13)	No trend	No baseline

<sup>&</sup>lt;sup>1</sup> trend reports on the trend seen over most recent and earlier weeks

# **Contents**

Key messages	2
Syndromic indicators at a glance	2
Contents	3
About this syndromic surveillance system	4
Total attendances	5
Respiratory conditions	7
COVID-19-like	7
Acute respiratory infections	9
Acute bronchiolitis/ bronchitis	11
Influenza-like illness	13
Pneumonia	15
Asthma	17
Gastrointestinal conditions	19
Gastroenteritis	19
Cardiac conditions	21
Cardiac	21
Myocardial ischaemia	23
Other conditions	25
Acute alcohol intoxication	25
Mental health	27
Seasonal environmental conditions	29
Notes and caveats	31
Acknowledgements	32
About the UK Health Security Agency	33

# About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) emergency department syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see Notes and caveats)
- compare levels between age groups/areas

Fully anonymised, daily ED data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as acute respiratory tract infections, gastroenteritis and myocardial ischaemia
- syndromic indicators are based on:
  - o the primary diagnosis for each attendance
  - o other diagnoses may be recorded, but are not used for indicator grouping
  - diagnoses may be based on signs/symptoms and may not be laboratory confirmed
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in Table 1
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.

Previous weekly bulletins from this system are available <u>here</u>.

#### Data quality issues of note this week


No issues identified.

See Table 2 and Table 3 for the numbers of EDs included this week.


### **Total attendances**

Figure 1: Daily number of ED attendances (and 7-day moving average adjusted for bank holidays) recorded in this sentinel syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Total attendances 28/12/2020 - 27/12/2021



Black line is 7 day moving average adjusted for bank holidays. Grey columns show weekends and bank holidays.






Table 2: The number of emergency department (ED) attendances and number with a diagnosis code included in surveillance each day during the most recent week.

Date	Total attendances <sup>2</sup>	Diagnoses included <sup>2</sup>
21 December 2021	26,606	18,357
22 December 2021	25,259	17,398
23 December 2021	25,031	17,479
24 December 2021	22,818	15,766
25 December 2021	20,012	13,487
26 December 2021	25,771	17,012
27 December 2021	30,404	20,296

Table 3: The number of EDs in total and in each UKHSA Region included in surveillance each day during the most recent week.

UKHSA Region	Number of EDs <sup>2</sup>
North East	8
North West	16
Yorkshire and Humber	18
West Midlands	17
East Midlands	9
East of England	11
London	19
South West	14
South East	16
Total	128


<sup>&</sup>lt;sup>2</sup> only attendances from Type 01 EDs meeting the weekly reporting criteria are included in this report, see **Notes** and caveats for further details.

# **Respiratory conditions**


### COVID-19-like


Figure 2: Daily number of COVID-19-like ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) COVID-19-like 28/12/2020 - 27/12/2021



Black line is 7 day moving average adjusted for bank holidays. Grey columns show weekends and bank holidays.







# Acute respiratory infections


Figure 3: Daily number of acute respiratory infection ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Acute respiratory infection 28/12/2020 - 27/12/2021





### (c) Acute respiratory infection by region 28/12/2020 - 27/12/2021



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.

Black dotted line is baseline.


### Acute bronchiolitis/ bronchitis

Figure 4: Daily number of acute bronchiolitis/bronchitis ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.


(a) Acute bronchiolitis 28/12/2020 - 27/12/2021



Black line is 7 day moving average adjusted for bank holidays. Black dotted line is baseline. Grey columns show weekends and bank holidays.




11





#### Influenza-like illness

Figure 5: Daily number of influenza-like illness ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Influenza-like illness 28/12/2020 - 27/12/2021







NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.


Black line is 7 day moving average adjusted for bank holidays.


Black dotted line is baseline.


#### Pneumonia

Figure 6: Daily number of pneumonia ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Pneumonia 28/12/2020 - 27/12/2021










### **Asthma**

Figure 7: Daily number of asthma ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Asthma 28/12/2020 - 27/12/2021









# **Gastrointestinal conditions**


#### Gastroenteritis

Figure 8: Daily number of gastroenteritis ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Gastroenteritis 28/12/2020 - 27/12/2021









### **Cardiac conditions**


#### Cardiac

Figure 9: Daily number of cardiac ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Cardiac conditions 28/12/2020 - 27/12/2021










# Myocardial ischaemia

Figure 10: Daily number of myocardial ischaemia ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Myocardial ischaemia 28/12/2020 - 27/12/2021









### Other conditions


#### Acute alcohol intoxication

Figure 11: Daily number of acute alcohol intoxication ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

(a) Acute alcohol intoxication 28/12/2020 - 27/12/2021








#### Mental health


# Figure 12: Daily number of mental health<sup>3</sup> ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.

<sup>3</sup> mental health attendances reported here are those with a primary diagnosis in the ECDS mental health diagnosis grouping. Attendances where the primary diagnosis relates to overdose, alcohol use or self harm are not included.

(a) Mental health 28/12/2020 - 27/12/2021




Black line is 7 day moving average adjusted for bank holidays. Grey columns show weekends and bank holidays.



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.

Black line is 7 day moving average adjusted for bank holidays.



### Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

Cold weather alert period: 1 November to 31 March

Heat-Health Alert period:1 June to 15 September


Highest weather alert level during the current reporting week:

Level 3 - Severe weather action

## Impact of cold


Figure 13: Daily number of impact of cold<sup>4</sup> ED attendances (and 7-day moving average adjusted for bank holidays), England (a) nationally, (b) by age and (c) by UKHSA Region.


(a) Impact of cold 28/12/2020 - 27/12/2021



Black line is 7 day moving average adjusted for bank holidays. Grey columns show weekends and bank holidays.

<sup>&</sup>lt;sup>4</sup> impact of cold attendances reported here are restricted to female attendances, with a primary diagnosis of fracture of the femur/wrist/forearm plus cold specific diagnoses of hypothermia, or cold injuries.





#### **Notes and caveats**

The following additional caveats apply to the UKHSA emergency department syndromic surveillance system:

- the data presented are based on a national syndromic surveillance system:
  - o should be used to monitor trends not to estimate numbers of 'cases'
  - an automated daily transfer of anonymised ED data is received from NHS Digital, from the <u>Emergency Care Data Set</u> (ECDS)
  - not all EDs currently provide data on a daily basis, EDs are eligible for inclusion in this report only where:
    - data relates to attendances at a type 01 ED
    - data for 7 of the 7 most recent days was received
    - data for those days was received within 2 calendar days of the patient arrival
  - when an ED meets these criteria, all historical data from that ED is included
  - EDs included each week is likely to change, which will affect the historical data inclusion
  - o national coverage each week is included in Table 2,
  - o the number of EDs in each region area is described in Table 3
- individual EDs will not be identified in these bulletins.
- some syndromic indicators are hierarchical:
  - acute respiratory infections includes:
    - COVID-19-like

- influenza-like illness
- acute bronchitis or bronchiolitis
- pneumonia
- other and non-specific acute respiratory infections
- o cardiac conditions includes:
  - myocardial ischaemia
  - other and non-specific cardiac conditions
- baselines:
  - were last remodelled April 2021
  - are constructed from historical data since April 2018
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices:
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which may affect ED attendance levels

# **Acknowledgements**

We are grateful to the clinicians in each ED and other staff within each Trust for their continued involvement in the EDSSS.

We thank the Royal College of Emergency Medicine, NHS Digital and NHS England for their support in the development of national EDSSS, using anonymised data collection from ECDS.

# **About the UK Health Security Agency**

The UK Health Security Agency is an executive agency, sponsored by the <u>Department of Health</u> and Social Care.

#### www.ukhsa.gov.uk

© Crown copyright 2021

Version: ED-1

Prepared by: Real-time Syndromic Surveillance Team

For queries relating to this document, please contact: syndromic.surveillance@phe.gov.uk

Published: December 2021

### **OGL**

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit <u>OGL</u>. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN Sustainable Development Goals

