



UK Health  
Security  
Agency

# **GP Out-of-Hours Syndromic Surveillance System Bulletin (England)**

## **2022 Week 2**

## Key messages

### Data reported to: 16 January 2022

During week 2, GP out-of-hours contacts for acute respiratory infection and influenza-like illness decreased and remain below seasonally expected levels. There was a small increase in 'impact of cold' contacts noted during the weekend of 15 and 16 January in line with recent cold weather alerts in England.

## Syndromic indicators at a glance

**Table 1: The current trend (based on previous weeks, not only the current week) and the level (compared to the expected baseline), of each indicator included in this bulletin.**

Indicator	Trend <sup>1</sup>	Level
Total contacts ( <b>Figure 1</b> )	Decreasing	No baseline
Acute respiratory infections ( <b>Figure 2</b> )	Decreasing	Below baseline
Influenza-like illness ( <b>Figure 3</b> )	Decreasing	Below baseline
Acute bronchitis/bronchiolitis ( <b>Figure 4</b> )	Decreasing	Below baseline
Difficulty breathing/wheeze/asthma ( <b>Figure 5</b> )	Decreasing	Similar to baseline
Fever ( <b>Figure 6</b> )	No trend	Below baseline
Acute pharyngitis ( <b>Figure 7</b> )	Decreasing	Below baseline
Gastroenteritis ( <b>Figure 8</b> )	No trend	Below baseline
Diarrhoea ( <b>Figure 9</b> )	No trend	Similar to baseline
Vomiting ( <b>Figure 10</b> )	No trend	Similar to baseline
Chest pain (inc. myocardial infarction) ( <b>Figure 11</b> )	No trend	Above baseline
Impact of cold ( <b>Figure 12</b> )	Increasing	Below baseline

<sup>1</sup> Current trend reports on the trend seen over previous weeks

# Contents

Key messages .....	2
Syndromic indicators at a glance .....	2
Contents .....	3
About this syndromic surveillance system .....	4
Total contacts .....	5
Respiratory conditions .....	7
Acute respiratory infections .....	7
Influenza-like illness .....	9
Acute bronchitis/bronchiolitis .....	11
Difficulty breathing, wheeze or asthma .....	13
Fever .....	15
Acute pharyngitis .....	17
Gastrointestinal conditions .....	19
Gastroenteritis .....	19
Diarrhoea .....	21
Vomiting .....	23
Cardiac conditions.....	25
Chest pain (including myocardial infarction) .....	25
Seasonal environmental conditions .....	27
Impact of cold .....	27
Notes and caveats .....	29
Acknowledgements .....	30
About the UK Health Security Agency .....	31

## About this syndromic surveillance system

This bulletin presents data from the UK Health Security Agency (UKHSA) GP out-of-hours\ unscheduled care syndromic surveillance system.

Syndromic surveillance can be used to:

- assess current trends
- assess current trends and levels compared to historical baselines
- compare trends between age groups/areas

Syndromic surveillance should not be used to:

- estimate total burden or number of 'cases' of a condition (see **Notes and caveats**)
- compare levels between age groups/areas

Fully anonymised, daily GP out-of-hours (OOH) and unscheduled care service provider data are analysed and reported here, to identify and describe trends for a variety of syndromic indicators:

- syndromic indicators include groupings such as acute respiratory infections, fever and gastroenteritis
- syndromic indicators are based on:
  - diagnoses recorded during OOH patient contacts
  - diagnoses are based on signs/symptoms and not laboratory confirmed
  - not all contacts include a diagnosis
  - some contacts include more than one diagnosis, so may be included in more than one syndromic indicator
- **Key messages** describes any notable trends nationally (England), by age group and/or by geographical area (based on UKHSA Regions)
- the full list of syndromic indicators reported here, along with their current level and trend, are summarised in **Table 1**
- charts are provided for each syndromic indicator, on a national basis, by age group and by geographical area (UKHSA Region). Each chart includes a year of data with:
  - 7-day moving averages (adjusted for weekends and bank holidays) to aid in the identification of trend
  - statistical baselines (where available) to aid in the assessment of level compared to historical expectations

For further information please see the **Notes and caveats** section.



Previous weekly bulletins from this system are available [here](#).

### Data quality issues of note this week

A change in syndromic data provision across the South West has resulted in an increase of OOH contacts received for this region.


# Total contacts

**Figure 1: Daily number of GP out-of-hours and unscheduled contacts (with 7-day moving average adjusted for bank holidays) recorded in this sentinel syndromic surveillance system in England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

Total contacts by region 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON. Black line is 7 day moving average adjusted for bank holidays.

**Table 2: The number of GP out-of-hours contacts in England recorded each day in the most recent week.**


Date	Number of contacts
10 January 2022	23,495
11 January 2022	21,729
12 January 2022	20,722
13 January 2022	20,102
14 January 2022	21,114
15 January 2022	33,456
16 January 2022	29,628

# Respiratory conditions


## Acute respiratory infections

**Figure 2: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute respiratory infections, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Acute respiratory infection 17/01/2021 - 16/01/2022




**(b)** Acute respiratory infection by age group (years) 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.

(c)

Acute respiratory infection by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Influenza-like illness

**Figure 3: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for influenza-like illness, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Influenza-like illness 17/01/2021 - 16/01/2022




**(b)** Influenza-like illness by age group (years) 17/01/2021 - 16/01/2022



(c)

Influenza-like illness by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


## Acute bronchitis/bronchiolitis

**Figure 4: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for acute bronchitis/bronchiolitis, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Acute bronchitis 17/01/2021 - 16/01/2022




**(b)** Acute bronchitis by age group (years) 17/01/2021 - 16/01/2022



(c)

Acute bronchitis by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Difficulty breathing, wheeze or asthma

**Figure 5: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for difficulty breathing, wheeze or asthma, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Difficulty breathing, wheeze or asthma 17/01/2021 - 16/01/2022



**(b)** Difficulty breathing, wheeze or asthma by age group (years) 17/01/2021 - 16/01/2022



(c)

Difficulty breathing, wheeze or asthma by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Fever


**Figure 6: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for fever, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Fever 17/01/2021 - 16/01/2022



Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline. Grey columns show weekends and bank holidays.


**(b)** Fever by age group (years) 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.

(c)

Fever by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Acute pharyngitis

**Figure 7: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays for acute pharyngitis, England (a) nationally, (b) by age and (c) by UKHSA Region.**

(a) Pharyngitis or scarlet fever 17/01/2021 - 16/01/2022




(b) Pharyngitis or scarlet fever by age group (years) 17/01/2021 - 16/01/2022



(c)

Pharyngitis or scarlet fever by region 17/01/2021 - 16/01/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
 Black line is 7 day moving average adjusted for bank holidays.  
 Black dotted line is baseline.

# Gastrointestinal conditions


## Gastroenteritis

**Figure 8: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for gastroenteritis, England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c)

Gastroenteritis by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.


# Diarrhoea

**Figure 9: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for diarrhoea, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Diarrhoea 17/01/2021 - 16/01/2022




**(b)** Diarrhoea by age group (years) 17/01/2021 - 16/01/2022



(c)

Diarrhoea by region 17/01/2021 - 16/01/2022




NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

# Vomiting


**Figure 10: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for vomiting, England (a) nationally, (b) by age and (c) by UKHSA Region.**

**(a)** Vomiting 17/01/2021 - 16/01/2022



Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline. Grey columns show weekends and bank holidays.


**(b)** Vomiting by age group (years) 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.

(c)

Vomiting by region 17/01/2021 - 16/01/2022





NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.




# Cardiac conditions

## Chest pain (including myocardial infarction)

**Figure 11: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for chest pain (including myocardial infarction), England (a) nationally, (b) by age and (c) by UKHSA Region.**



(c) Chest pain by region 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Seasonal environmental conditions

During set periods of the year the Met Office operates both heat and cold weather watch systems, in association with UKHSA. Syndromic indicators are used to monitor the impact of both extreme hot and cold weather in England during these periods and will be included below (where an appropriate syndromic indicator is available).

[Cold weather alert](#) period: 1 November to 31 March

[Heat-Health Alert](#) period: 1 June to 15 September


Highest weather alert level during the current reporting week:

**Level 3 – Severe Weather Action**

## Impact of cold

**Figure 12: Daily number of GP out-of-hours and unscheduled contacts (and 7-day moving average adjusted for bank holidays) for impact of cold, England (a) nationally, (b) by age and (c) by UKHSA Region.**


(a) Impact of cold 17/01/2021 - 16/01/2022



Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline. Grey columns show weekends and bank holidays.

(b)


Impact of cold by age group (years) 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.

(c)

Impact of cold by region 17/01/2021 - 16/01/2022



NOTE: SCALES MAY VARY IN EACH GRAPH TO ENABLE TREND COMPARISON.  
Black line is 7 day moving average adjusted for bank holidays.  
Black dotted line is baseline.

## Notes and caveats

The following additional caveats apply to the UKHSA GP out-of-hours/unscheduled care syndromic surveillance system:

- the data presented should be used to monitor trends rather than numbers of 'cases':
  - this is a sentinel syndromic surveillance system; not all GP OOH service providers in England are included
  - coverage varies by location, as reflected in the numbers included in the total contacts by Region charts **above**
- some syndromic indicators are hierarchical:
  - acute respiratory infections includes:
    - influenza-like illness
    - acute bronchitis/ bronchiolitis
    - other and non-specific acute respiratory infections
  - gastroenteritis includes:
    - diarrhoea
    - vomiting
    - other and non-specific gastroenteritis
- baselines:
  - were last remodelled March 2021
  - are constructed from historical data since July 2009
  - represent seasonally expected levels of activity
  - take account of any known substantial changes in data collection, population coverage or reporting practices:
    - the COVID-19 pandemic period is excluded, to show seasonally expected levels if COVID-19 had not occurred
  - may be remodelled to include the impacts seen during periods of the COVID-19 pandemic if/when appropriate due to introduction of large scale public health interventions which affect GP OOH usage

## Acknowledgements

We are grateful to Advanced and the GP OOH and unscheduled care service providers who have kindly agreed to participate in this system.

# About the UK Health Security Agency

The [UK Health Security Agency](#) is an executive agency, sponsored by the [Department of Health and Social Care](#).


© Crown copyright 2022  
Version: OOH-1

Prepared by: Real-time Syndromic Surveillance Team  
For queries relating to this document, please contact: [syndromic.surveillance@phe.gov.uk](mailto:syndromic.surveillance@phe.gov.uk)

Published: January 2022



You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.



UKHSA supports the UN  
Sustainable Development Goals

